

Redmine - Feature #1383

Map repository authors to Redmine users

2008-06-05 09:35 - Arthaey Angosii

<b>Status:</b>	Closed	<b>Start date:</b>	2008-06-05
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jean-Philippe Lang	<b>% Done:</b>	0%
<b>Category:</b>	SCM	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.8		
<b>Resolution:</b>	Fixed		
<b>Description</b> When browsing the repository commits, it shows the repository author. I would like it to know when a repository author is also a Redmine user -- either through matching usernames and/or a manually created table.			
<b>Related issues:</b>			
Related to Redmine - Patch #1796: Map repository authors to Redmine login names		<b>Closed</b>	<b>2008-08-17</b>
Related to Redmine - Defect #2171: Error when exporting an issue to PDF with ...		<b>Closed</b>	<b>2008-11-13</b>
Has duplicate Redmine - Feature #1188: Commit-message author-mapping with Red...		<b>Closed</b>	<b>2008-05-06</b>

Associated revisions

Revision 2006 - 2008-11-10 19:59 - Jean-Philippe Lang

Maps repository users to Redmine users (#1383).  
Users with same username or email are automatically mapped. Mapping can be manually adjusted in repository settings. Multiple usernames can be mapped to the same Redmine user.

History

#1 - 2008-06-05 16:16 - Anonymous

Yes I'd like this too. Our redmine usernames match our svn usernames exactly so it would be nice to see the proper name in revision information etc.

#2 - 2008-08-18 13:48 - Bernd Lommerzheim

Maybe the patch [#1796](#) is a solution for your feature request.

#3 - 2008-08-19 23:01 - Eric Davis

+1, I'd like to see this feature also. The matching would need to map multiple SCM usernames to one Redmine user: e.g. I'm known as edavis, eric, ericdavis, edavis@....com or edavis10 in the SCMs in my Redmine.

#4 - 2008-11-10 17:28 - Jean-Philippe Lang

- Assignee set to Jean-Philippe Lang
- Target version set to 0.8

#5 - 2008-11-10 20:00 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Fixed

Feature added in [r2006](#).  
Users with same username or email are automatically mapped. But mapping can be manually adjusted in in Project settings -> Repository -> Users. Multiple usernames can be mapped to the same Redmine user.

#6 - 2008-11-10 22:07 - James Turnbull

Just a minor language change:

"Select ou update the Redmine user mapped to each username found in the repository log."

should be:

"Select or update the Redmine user mapped to each username found in the repository log."

Cheers

**#7 - 2008-11-11 13:16 - Jean-Philippe Lang**

Typo fixed in [r2008](#).