

Redmine - Defect #1389

Support "x-\*" language codes by removing length limit

2008-06-05 20:02 - Arthaey Angosii

Status:	New	Start date:	2008-06-05
Priority:	Low	Due date:	
Assignee:		% Done:	0%
Category:	I18n	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			
<div>Description</div> <div>Forcing language codes to be &lt;= 5 characters does not allow for "x-*" codes, which can be arbitrarily long:</div> <div>"The most widely used standard for identifying languages in Internet documents (such as in HTTP headers or HTML metadata or in the XML lang attribute) is <a href="#">RFC 4646</a> (formerly RFC 3066). In that standard, a three-letter identifier is interpreted as being a code from the <a href="#">ISO 639-2</a> standard. RFC 4646 offers an extension mechanism of tags beginning with x- to handle custom codes for languages not covered in the standard." (Source: <a href="http://www.ethnologue.com/codes/">http://www.ethnologue.com/codes/</a>)</div> <div>There are also "i-*" codes for grandfathered codes. See also the <a href="#">w3c HTML4 spec for the lang attribute</a> and <a href="#">RFC 17666</a>.</div>			

History

#1 - 2009-09-20 11:54 - Jean-Philippe Lang

- Priority changed from Normal to Low

#2 - 2012-01-04 17:44 - Etienne Massip

- Category set to I18n

#3 - 2024-02-01 02:03 - Go MAEDA

I think we should make this change only when it is really necessary to deal with language codes beginning with "x-" or "i-".

Files

095_remove_language_length_limit.rb	213 Bytes	2008-06-05	Arthaey Angosii
-------------------------------------	-----------	------------	-----------------