

Redmine - Feature #14063

Use HTML-Code

2013-05-15 16:01 - Felix Muster

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Resolution:	Invalid		
Description			
<p>Hello,</p> <p>I want to use HTML-Code in Redmine.</p> <p>I have a piece of code that should enable this:</p> <pre>desc "Insert html" + "\n\n" + " !{{html(html block) }}" macro :html do obj, args, text text.html_safe end</pre> <p>but I don't know how to implement...</p> <p>(We use the newest redmine-version)</p>			

History

#1 - 2013-05-15 19:58 - Mischa The Evil

- Status changed from New to Closed
- Resolution set to Invalid

Felix Muster wrote:

I want to use HTML-Code in Redmine.

I have a piece of code that should enable this:

```
desc "Insert html" + "\n\n" +
" !{{html(html block) }}"
macro :html do |obj, args, text|
text.html_safe
end
```

but I don't know how to implement...

This is a support request and not a feature request. Please head over to the forums to request help with implementing this custom macro, see e.g. [Insert HTML fragments](#). Quick test shows the code you've provided isn't working correctly on Redmine trunk.