

## Redmine - Defect #14141

### Error when loading default data to SQL

2013-05-24 13:48 - Andrew Dugrenier

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Database	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	2.3.1
<b>Resolution:</b>	Invalid		
<b>Description</b> I'm Running on a Windows Server. Redmine V2.3.1 Ruby 1.8.7 MS SQL Server 2008R2 everything seems to be installing OK. after running rake db:migrate, I ran rake redmine:load_default_data I received the error message: Error: TinyTds::Error: Invalid column name 'builtin'. EXEC sp_executesql N'SELECT TOP (1) 1 AS one FROM [roles] WHERE [roles].[builtin] = 0' default configuration data not loaded.			

#### History

##### #1 - 2013-05-24 14:05 - Daniel Felix

Did you run db:migrate without error?  
Any Plugins installed?

##### #2 - 2013-05-24 14:05 - Daniel Felix

- Priority changed from High to Normal

##### #3 - 2013-05-24 14:11 - Andrew Dugrenier

Yes, migrate ran without error.  
I followed the installation specified and everything ran ok up to the default data install.

##### #4 - 2013-05-24 14:11 - Andrew Dugrenier

No plug-ins.

##### #5 - 2013-06-01 10:52 - Jean-Philippe Lang

Please, give the full output of rake redmine:load\_default\_data --trace

##### #6 - 2013-06-01 10:52 - Jean-Philippe Lang

- Status changed from New to Needs feedback

##### #7 - 2013-06-03 17:04 - Andrew Dugrenier

- File production.log added  
- File development.log added

log files attached.

##### #8 - 2013-07-15 22:59 - Andrew Dugrenier

OK,  
I loaded a different computer with the windows version and got redmine 2.3.1-1 running. The database initialized OK.  
On the old virtual machine version 1.3.2-0 I backed up the mysql database, copied all the apps/redmine/files files.  
On the new machine with 2.3.1-1 I used the PHPMysqlAdmin to import the sql data to the bitnami\_redmine database. I placed the copied redmine files in the apps/redmine/htdocs/files folder.  
Now I can see my projects, but the files, tasks and calendar etc do not work.  
Can anyone help?

#9 - 2013-07-16 08:24 - Etienne Massip

Andrew Dugrenier wrote:

OK,  
I loaded a different computer with the windows version and got redmine 2.3.1-1 running. The database initialized OK.  
On the old virtual machine version 1.3.2-0 I backed up the mysql database, copied all the apps/redmine/files files.  
On the new machine with 2.3.1-1 I used the PHPMyAdmin to import the sql data to the bitnami\_redmine database. I placed the copied redmine files in the apps/redmine/htdocs/files folder.  
Now I can see my projects, but the files,tasks and calander etc do not work.  
Can anyone help?

That's not the right way to do this:

- copy your old DB to new Redmine instance
- upgrade your new DB using rake db:migrate RAILS\_ENV=production

If you create a new DB then import old data you'll miss some of the DB upgrade with migration, specifically the one concerning data.

Please read [RedmineUpgrade](#).

#10 - 2013-07-16 15:44 - Andrew Dugrenier

The upgrade document concerns upgrading on the current machine.  
In my case I have 2 computers:  
One is running a Virtual Machine version Redmine 1.2.3-0 with an Ubanutu op system.  
The second is a Windows op system with a Windows install of Redmine 2.3.1-1

Copying the redmine files is no problem, but will the migrate be the same? How would it know where to get the data from? I backed up the mysql database to a backup.sql file.

Thanks,  
Andy

#11 - 2018-09-15 03:57 - Go MAEDA

- Status changed from Needs feedback to Closed
- Resolution set to Invalid

Files

production.log	2.06 KB	2013-06-03	Andrew Dugrenier
development.log	38.7 KB	2013-06-03	Andrew Dugrenier