## Redmine - Defect #1795

# Automatic repository creation Reposman.rb

2008-08-17 16:49 - Jonathan Dray

Status: Closed Start date: 2008-08-17

Priority: Normal Due date:

Assignee: % Done: 0%

Category: SCM Estimated time: 0.00 hour

Target version:

Resolution: Invalid Affected version:

#### **Description**

Hi all,

I upgraded my redmine installation using svn and I now get an error with the automatic repository creation script.

The revision number is: 1747

I am running the script with the following arguments:

ruby /usr/local/share/redmine/extra/svn/reposman.rb --quiet --redmine <a href="https://www.mysite.com/">https://www.mysite.com/</a> --svn-dir /var/svn --owner www-data --url <a href="https://my.site.com/svn-private/">https://my.site.com/svn-private/</a>

And get the error message:

/usr/lib/ruby/1.8/soap/streamHandler.rb:200:in `send post': 302: Found (SOAP::HTTPStreamError)

from /usr/lib/ruby/1.8/soap/streamHandler.rb:109:in `send'

from /usr/lib/ruby/1.8/soap/rpc/proxy.rb:170:in `route'

from /usr/lib/ruby/1.8/soap/rpc/proxy.rb:141:in `call'

from /usr/lib/ruby/1.8/soap/rpc/driver.rb:178:in `call'

from (eval):6:in `projects'

from /usr/lib/ruby/1.8/soap/wsdlDriver.rb:117:in `\_\_send\_\_'

from /usr/lib/ruby/1.8/soap/wsdlDriver.rb:117:in `Projects'

from /usr/local/share/redmine/extra/svn/reposman.rb:136

Did anyone experienced the same issue?

Thank you

Regards,

Jonathan Dray

#### History

## #1 - 2008-08-25 14:16 - Jean-Philippe Lang

I'm not able to reproduce this problem with latest trunk.

Could you give your rails version and post the application log (on the redmine side with log level set to debug if possible) that is generated when running reposman.rb. Thanks.

## #2 - 2008-08-25 15:41 - Jonathan Dray

Hi Jean-Philippe,

After switching the application log level to debug and examinating production log file in details, I found the problem was not with redmine but with apache proxy configuration.

I use apache2 as a proxy to the thin webserver (monitored with god). Apache proxy is enabled with https protocol and listens on <a href="https://www.mysite.com/">https://www.mysite.com/</a> and requests are redirected to <a href="https://localhost:3000/">https://localhost:3000/</a> on thin webserver.

I called the reposman.rb script on the https address.

Executing reposman with redmine option pointing to thin local address works perfectly.

Thanks for you help.

You can close this ticket

Regards,

Jonathan Dray

## #3 - 2008-08-25 17:36 - Jean-Philippe Lang

- Status changed from New to Closed

2025-05-13 1/2

- Resolution set to Invalid

Good news :-) Thanks for the feedback.

2025-05-13 2/2