

Redmine - Defect #18994

undefined local variable or method `config' for main:Object when upgrading from 1.3.1 to 2.6.0

2015-02-01 16:16 - David M

Status:	Closed	Start date:	
Priority:	High	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	2.6.0
Resolution:	Invalid		
Description			
Hello,			
I'm quite a bit confused regarding the upgrade procedure from redmine 1.3.1 to 2.6.0. My redmine was working fine in 1.3.1 but I need to upgrade it.			
After fixing issue with ruby version, fixing problem with passenger / no passenger, I'm now in front off a error that I cannot understand:			
<pre>/var/www/plugins/engines/init.rb:3:in `<top (required)'="">: undefined local variable or method `config' for main:Object (NameError) from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:251:in `require' from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:251:in `block in require' from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:236:in `load_dependency' from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:251:in `require' from /var/www/lib/redmine/plugin.rb:150:in `block in load' from /var/www/lib/redmine/plugin.rb:141:in `each' from /var/www/lib/redmine/plugin.rb:141:in `load' from /var/www/config/initializers/30-redmine.rb:19:in `<top (required)="">' from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:245:in `load' from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:245:in `block in load' from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:236:in `load_dependency' from /var/www/vendor/bundle/ruby/1.9.1/gems/activestorage-3.2.19/lib/active_storage/dependencies.rb:245:in `load' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/engine.rb:593:in `block (2 levels) in <class:Engine>' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/engine.rb:592:in `each' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/engine.rb:592:in `block in <class:Engine>' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/initializable.rb:30:in `instance_exec' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/initializable.rb:30:in `run' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/initializable.rb:55:in `block in run_initializers' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/initializable.rb:54:in `each' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/initializable.rb:54:in `run_initializers' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/application.rb:136:in `initialize!' from /var/www/vendor/bundle/ruby/1.9.1/gems/railties-3.2.19/lib/rails/railtie/configurable.rb:30:in `method_missing' from /var/www/config/environment.rb:14:in `<top (required)="">' from /usr/lib/ruby/1.9.1/rubygems/custom_require.rb:36:in `require'</top></top></top></pre>			

```
from /usr/lib/ruby/1.9.1/rubygems/custom_require.rb:36:in `require'
from script/about:4:in `<main>'
```

You can find the full report of the exception in the attachment file.

operating system: debian wheezy

cd /var/www/ && cat config/database.yml

```
# MySQL database configuration
production:
  adapter: mysql2
  database: my_database
  host: localhost
  username: mu_username
  password: a_password
  encoding: utf8

test:
  adapter: mysql2
  database: my_database_test
  host: localhost
  username: root
  password: password
  encoding: utf8
```

mysql -u root -pmu_password -A -e "show variables like 'version'"

```
+-----+-----+
| Variable_name | Value                               |
+-----+-----+
| version       | 5.5.41-0+wheezy1-log              |
+-----+-----+
```

rails --version

Rails 3.2.19

ruby --version

ruby 1.9.3p194 (2012-04-20 revision 35410) [x86_64-linux]

ruby script/about

cat /var/www/plugins/engines/init.rb

```
# Only call Engines.init once, in the after_initialize block so that Rails
# plugin reloading works when turned on
config.after_initialize do
  Engines.init(initializer) if defined? :Engines
end
```

dependencies.db file is also in attachment.

I'm not a ruby developer, just an end user of redmine, and does not understand why I have all these issues.
Can you help me? my redmine is not working anymore, and it's a problem.

Your help would be very useful

History

#1 - 2015-02-01 16:42 - Toshi MARUYAMA

- Status changed from New to Closed
- Resolution set to Invalid

plugins/engines/init.rb is garbage.
source.tags/2.6.1/plugins

#2 - 2015-02-01 20:07 - David M

- Status changed from Closed to Reopened

Hello,

I'm not sure to understand your answer: you mean instead of using 2.6 I should use 2.6.1 right?
Any tips will be helpfull.
Regards

#3 - 2015-02-02 04:26 - Toshi MARUYAMA

- Status changed from Reopened to Closed

David M wrote:

Any tips will be helpfull.

source.tags/1.4.7/vendor/plugins/engines/init.rb

I should use 2.6.1 right?

There is no reason to use [2.6.0](#) instead of [2.6.1](#).

Files

Web application could not be started.html	106 KB	2015-02-01	David M
dependencies.rb	24 KB	2015-02-01	David M