

Redmine - Defect #1954

LDAP integration should allow sub-folder querying

2008-09-25 22:07 - Berin Loritsch

Status:	Closed	Start date:	2008-09-25
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Accounts / authentication	Estimated time:	0.00 hour
Target version:		Affected version:	0.7.3
Resolution:	Fixed		
Description			
<p>The way my corporate LDAP (MS Active Directory) is configured, all the teams are set up in their own groups. There is a hierarchy from division to team, etc. The division managers are kept in the division level, etc.</p> <p>The way the current LDAP integration works is that it will only authenticate against the one directory. I need it to query all the sub folders as well. With Apache HTTPD I can do that with the following LDAP query:</p> <pre>ldap://directory.example.com:389/DC=example,DC=com?sAMAccountName?sub?(objectClass=*)</pre> <p>The ?sub is the flag to recursively check sub directories.</p> <p>As it is now, I have to add each group individually, as well as the division level. With five divisions and several teams per division that can get pretty tedious.</p>			

History

#1 - 2009-05-01 21:18 - Daniel Marczisovszky

I've added a patch the uses sub-tree searching by default, if you can, please try it out. It can be found here: [#3253](#)

#2 - 2009-06-08 15:46 - Felix Dominguez

- Status changed from New to Resolved

resolved in issue [#3253](#)

#3 - 2010-08-20 11:21 - Azamat Hackimov

- Status changed from Resolved to Closed

- Resolution set to Fixed