

Redmine - Defect #20736

production configuration not read from database.yml

2015-09-13 18:00 - Miroslav Zat'ko

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	3.1.0
Resolution:	Invalid		
Description I have strange problem with configuration of 3.1-stable in file database.yml there are 3 exactly same configurations: production,development & test If I print out content of database_config after read from file in <redmineroot>/Gemfile, there are test & development configurations read from config/database.yml nothing for production. {"production"=>nil, "development"=>{"adapter"=>"postgresql", "database"=>"redmine_dev", "host"=>"localhost", "username"=>"redmine", "password"=>"redmine"}, "test"=>{"adapter"=>"postgresql", "database"=>"redmine_test", "host"=>"localhost", "username"=>"redmine", "password"=>"redmine"}} I'm trying to run <code>bundle install --without development test</code>			

History

#1 - 2015-09-13 18:38 - Miroslav Zat'ko

- Status changed from New to Resolved

Was my fault... I left uncommented "production:" line at end of file... :(

#2 - 2015-09-14 02:57 - Go MAEDA

- Status changed from Resolved to Closed

- Resolution set to Invalid

Thanks for the feedback.
Closing.