

## Redmine - Defect #2122

### URL in send\_reminders email for 'View all issues' is incorrect.

2008-11-01 17:50 - Robert Chady

<b>Status:</b>	Closed	<b>Start date:</b>	2008-11-01
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Email notifications	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.8	<b>Affected version:</b>	0.7.3
<b>Resolution:</b>	Fixed		
<b>Description</b>			
In the emails send_reminder sends out, the URL inserted for the 'View all issues' link is not correct if you have the project installed in a sub-directory. All other URLs that get sent out are correct, just not this one. This is based on <a href="#">r1646</a> so it is a ways behind trunk, but it looks to do the same thing in HEAD too.			

#### Associated revisions

##### Revision 1989 - 2008-11-07 16:37 - Jean-Philippe Lang

Host setting should contain the path prefix (Redmine base URL) to properly generate links in emails that are sent offline (#2122).

##### Revision 1992 - 2008-11-08 14:25 - Jean-Philippe Lang

Do not use :skip\_relative\_url\_root to generate urls in Mailer (#2122).

#### History

##### #1 - 2008-11-06 19:40 - Robert Chady

Related to this issue, I also found that emails generated from SVN commits also has the incorrect URL, namely it is missing the sub-directory in the URL: /issues/show/### instead of /redmine/issues/show/###.

On a hunch I tried to update the 'host' setting in settings to include the /redmine so url\_for() will build the correct URI. Unfortunately, this results in normal email notices of activity going out with /redmine/redmine/issues/show/### in the URL.

So, why are URLs getting built one way for SVN commits and send\_reminders, but another way for normal activity emails?

##### #2 - 2008-11-07 16:39 - Jean-Philippe Lang

- Category set to Email notifications
- Status changed from New to Resolved
- Target version set to 0.8
- Affected version (unused) set to 0.7.3
- Resolution set to Fixed
- Affected version set to 0.7.3

This should be fixed in [r1989](#). Add /redmine to your host setting, it should no longer be added twice to the url when sending emails from the web app.

Feedback is welcome.

##### #3 - 2008-11-08 02:02 - Eric Davis

- Status changed from Resolved to 7
- Resolution deleted (Fixed)

[r1989](#) caused a test failure because :skip\_relative\_url\_root is added to the url, "https://mydomain.foo/issues/show/1?skip\_relative\_url\_root=true". Is the :skip\_relative\_url\_root option available in mailer views?

##### #4 - 2008-11-08 14:26 - Jean-Philippe Lang

- Status changed from 7 to Closed
- Resolution set to Fixed

Indeed. UrlRewriter#url\_for doesn't work as I expected.  
[r1992](#) should fix it.