

Redmine - Feature #21413

Totals for custom field with different field format

2015-12-03 15:29 - Sebastian Paluch

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:	Code cleanup/refactoring	Estimated time:	0.00 hour
Target version:			
Resolution:	Fixed		
Description Please change the #1561 implementation so that FieldFormat class determines if the custom field is totalable or not. e.g. <pre>class QueryCustomFieldColumn < QueryColumn def initialize(custom_field) self.name = "cf_#{custom_field.id}".to_sym self.sortable = custom_field.order_statement false self.groupable = custom_field.group_statement false self.totalable = custom_field.totalable @inline = true @cf = custom_field end</pre> We have a plugin adding custom fields with field_format different than int and float and would like to use totalable feature for those custom fields.			
Related issues: Related to Redmine - Feature #1561: Totals for estimated/spent time and numer... <div>Closed2008-07-02</div>			

Associated revisions

Revision 14944 - 2015-12-05 11:01 - Jean-Philippe Lang

Moved custom fields totals logic to FieldFormat (#21413).

Revision 14945 - 2015-12-05 11:12 - Jean-Philippe Lang

Merged r14944 (#21413).

History

#1 - 2015-12-05 11:01 - Jean-Philippe Lang

- Related to Feature #1561: Totals for estimated/spent time and numeric custom fields on the issue list added

#2 - 2015-12-05 11:03 - Jean-Philippe Lang

- Category changed from Issues to Code cleanup/refactoring
- Status changed from New to Closed
- Assignee set to Jean-Philippe Lang
- Resolution set to Fixed

See [r14944](#), you can enable totals for your custom field formats.