

Redmine - Defect #21907

receive emails fails

2016-02-01 10:34 - Dmitry Kuznetsov

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Email receiving	Estimated time:	0.00 hour
Target version:		Affected version:	3.2.0
Resolution:	Invalid		
Description			
Hi, I'm trying to configure receive emails, but it fails: <pre>rake -f /usr/local/rvm/rubies/ruby-2.0.0-p598/bin/rake redmine:email:receive_imap RAILS_ENV="production" host=ipaddr username=redmineuser password=redminepass --trace rake aborted! SystemStackError: stack level too deep /usr/local/rvm/rubies/ruby-2.0.0-p598/lib/ruby/2.0.0/optparse.rb:1515</pre> same error with ruby-2.1.5 I also tried plugin (https://github.com/luismaia/redmine_email_fetcher) - if I click on "Fetch" via web interface - it works, but via console fails with same error. config: <pre># ruby bin/about sh: darcs: command not found sh: hg: command not found sh: bzip2: command not found Environment: Redmine version 3.2.0.stable Ruby version 2.0.0-p598 (2014-11-13) [x86_64-linux] Rails version 4.2.5 Environment production Database adapter Mysql2 SCM: Subversion 1.6.11 Git 1.7.1 Filesystem Redmine plugins: a_common_libs 2.0.0 ajax_counters 1.2.0 extra_queries 2.0.3 redmine_codebutton 0.0.1 redmine_default_assign 0.5 redmine_default_version 0.0.2 redmine_dmsf 1.5.1 stable redmine_monitoring_controlling 0.1.1 redmine_people 1.1.1 redmine_stats 0.0.2 redmine_tweaks 0.5.5 rm_user_mentions 1.0.0 unread_issues 2.0.0 usability 2.0.0</pre> same problem at Redmine 2.6.3			

History

#1 - 2016-02-01 12:48 - Toshi MARUYAMA

- Status changed from New to Needs feedback

Try without some plugins.

#2 - 2016-02-01 15:27 - Dmitry Kuznetsov

Toshi MARUYAMA wrote:

Try without some plugins.

Remove all of them, no changes:

```
# ruby bin/about
```

```
sh: darcs: command not found
```

```
sh: hg: command not found
```

```
sh: bzzr: command not found
```

```
Environment:
```

Redmine version	3.2.0.stable
Ruby version	2.0.0-p598 (2014-11-13) [x86_64-linux]
Rails version	4.2.5
Environment	production
Database adapter	Mysql2

```
SCM:
```

Subversion	1.6.11
Git	1.7.1
Filesystem	

```
Redmine plugins:
```

```
no plugin installed
```

```
# rake -f /usr/local/rvm/rubies/ruby-2.0.0-p598/bin/rake redmine:email:receive_imap host=ipaddr username=redmineuser password=redminepass RAILS_ENV=production --trace
rake aborted!
```

```
SystemStackError: stack level too deep
```

```
/usr/local/rvm/rubies/ruby-2.0.0-p598/lib/ruby/2.0.0/optparse.rb:1515
```

#3 - 2016-02-01 15:30 - Toshi MARUYAMA

Try updating Ruby.

#4 - 2016-02-02 12:54 - Dmitry Kuznetsov

Toshi MARUYAMA wrote:

Try updating Ruby.

Same problem with 2.1.4:

```
# rake -f /usr/local/rvm/rubies/ruby-2.1.4/bin/rake redmine:email:receive_imap host=ipaddr username=redmineuser password=redminepass RAILS_ENV=production --trace
rake aborted!
```

```
SystemStackError: stack level too deep
```

```
/usr/local/rvm/rubies/ruby-2.1.4/lib/ruby/2.1.0/optparse.rb:329
```

and 2.1.5:

```
# rake -f /usr/local/rvm/rubies/ruby-2.1.5/bin/rake redmine:email:receive_imap host=ipaddr username=redmineuser password=redminepass RAILS_ENV=production --trace
rake aborted!
```

```
SystemStackError: stack level too deep
```

```
/usr/local/rvm/rubies/ruby-2.1.4/lib/ruby/2.1.0/optparse.rb:329
```

#5 - 2016-02-02 13:05 - Toshi MARUYAMA

Try "bundle exec rake ..."

#6 - 2016-02-02 13:55 - Dmitry Kuznetsov

Toshi MARUYAMA wrote:

Try "bundle exec rake ..."

Runs without errors, marking email as read, but doesn't create ticket.

#7 - 2016-02-02 14:02 - Toshi MARUYAMA

- *Status changed from Needs feedback to Closed*
- *Resolution set to Invalid*

Please use forum for question.