Redmine - Defect #22048

Exception throws during plugin rendering

2016-02-16 19:25 - Andrey Iskousnykh

Status:			Start date:	
	Closed			
Priority:	Normal		Due date:	
Assignee:			% Done:	0%
Category:	Plugin API		Estimated time:	0.00 hour
Target version:				
Resolution:	Duplicate		Affected version:	
Description				
	e in redmine\app\views er with namespace in r		28th line will throw Act	ionController::UrlGenerationError when
<%= form_tag(%>	<pre>(:controller => '</pre>	<pre>search', :action =></pre>	<pre>> 'index', :id =></pre>	<pre>@project}, :method => :get) do</pre>
A part from route.r	b of plugin:			
# get 'project	<pre>oplication.routes ts/:project_id/rej</pre>			
# end				
end This is not the only		ecause of :controller para w an error (e.g. during <i>m</i>		/e form, so any usage of
end This is not the only ActionController::E	Base#url_for would thro	•	<i>enu</i> generation).	/e form, so any usage of
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl	Base#url_for would thro while to bypass the er or you need to generat	w an error (e.g. during <i>m</i> ror is to avoid namespa	<i>enu</i> generation). ces in plugins . using namespaces, like	e Reports::BadPluginController <
end This is not the only ActionController::E The only way for a To produce an err ApplicationControl 'projects/:project_i	Base#url_for would thro while to bypass the er or you need to generati ler, which action rende	w an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller	<i>enu</i> generation). ces in plugins . using namespaces, like	e Reports::BadPluginController <
end This is not the only ActionController::E The only way for a To produce an err ApplicationControl 'projects/:project_i Met at	Base#url_for would thro while to bypass the er or you need to generati ler, which action rende	w an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller	<i>enu</i> generation). ces in plugins . using namespaces, like	e Reports::BadPluginController <
end This is not the only ActionController::E The only way for a To produce an err ApplicationControl 'projects/:project_i Met at Environment :	Base#url_for would thro while to bypass the er or you need to generat ler, which action rende d/reports/bad_plugin'.	w an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using	<i>enu</i> generation). ces in plugins . using namespaces, like	e Reports::BadPluginController <
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment: Redmine vers	Base#url_for would thro while to bypass the er or you need to generati ler, which action rende d/reports/bad_plugin'.	w an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using 3.2.0.stable	<i>eenu</i> generation). ces in plugins . using namespaces, like standard redmine layo	e Reports::BadPluginController < but), and route to it get
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment :	Base#url_for would thro while to bypass the er or you need to generati ler, which action rende d/reports/bad_plugin'.	w an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using 3.2.0.stable	<i>enu</i> generation). ces in plugins . using namespaces, like	e Reports::BadPluginController < out), and route to it get
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment: Redmine vers Ruby version	Base#url_for would thro while to bypass the er or you need to generati ler, which action rende d/reports/bad_plugin'.	ow an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using 3.2.0.stable 2.1.5-p273 (2014	<i>eenu</i> generation). ces in plugins . using namespaces, like standard redmine layo	e Reports::BadPluginController < out), and route to it get
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment: Redmine vers Ruby version Rails version	Base#url_for would thro while to bypass the er or you need to generatiler, which action rende d/reports/bad_plugin'.	3.2.0.stable 2.1.5-p273 (2014 4.2.5.1	<i>eenu</i> generation). ces in plugins . using namespaces, like standard redmine layo	e Reports::BadPluginController < out), and route to it get
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment: Redmine vers Ruby version Rails version Environment Database add	Base#url_for would thro while to bypass the er or you need to generatiler, which action rende d/reports/bad_plugin'.	ow an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using 3.2.0.stable 2.1.5-p273 (2014 4.2.5.1 development	<i>eenu</i> generation). ces in plugins . using namespaces, like standard redmine layo	e Reports::BadPluginController < but), and route to it get
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment: Redmine vers Ruby version Rails version Environment	Base#url_for would thro while to bypass the er or you need to generatiler, which action rende d/reports/bad_plugin'.	ow an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using 3.2.0.stable 2.1.5-p273 (2014 4.2.5.1 development	<i>eenu</i> generation). ces in plugins . using namespaces, like standard redmine layo	e Reports::BadPluginController < but), and route to it get
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment: Redmine vers Ruby version Rails version Environment Database add SCM:	Base#url_for would thro while to bypass the er or you need to generatiler, which action rende d/reports/bad_plugin'.	ow an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using 3.2.0.stable 2.1.5-p273 (2014 4.2.5.1 development Mysql2	<i>eenu</i> generation). ces in plugins . using namespaces, like standard redmine layo	e Reports::BadPluginController < but), and route to it get
end This is not the only ActionController::E The only way for a To produce an erro ApplicationControl 'projects/:project_i Met at Environment: Redmine vers Ruby version Rails version Environment Database ada SCM: Subversion	Base#url_for would thro while to bypass the er or you need to generatiler, which action rende d/reports/bad_plugin'.	ow an error (e.g. during <i>m</i> ror is to avoid namespa e a plugin with controller rs as redmine part (using 3.2.0.stable 2.1.5-p273 (2014 4.2.5.1 development Mysql2	<i>eenu</i> generation). ces in plugins . using namespaces, like standard redmine layo	e Reports::BadPluginController < out), and route to it get

History

#1 - 2016-02-17 03:24 - Toshi MARUYAMA

- Category set to Plugin API

#2 - 2019-02-03 03:13 - Go MAEDA

- Is duplicate of Defect #15872: url_for causes routing problems if a plugin uses namespaces added

#3 - 2019-02-03 03:13 - Go MAEDA

- Status changed from New to Closed
- Resolution set to Duplicate

Closing as a duplicate of <u>#15872</u>.