

## Redmine - Feature #22434

### Block user via API

2016-04-11 02:11 - Evgeniy Dushistov

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	REST API	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Resolution:</b>	Invalid		

**Description**

According to [Rest Users](#) there is no way to change user state to blocked.

This is very useful feature for script that automate person discharge.

I have script that do suitable magic with LDAP, but for redmine I can only delete user, not block, so every time I have to block user account in redmine by hands.

### History

#### #1 - 2016-05-06 12:02 - Holger Just

You can set the status of the user using a [PUT request](#). There, you can set the status as follows (here using json):

```
{
  "user": {
    "status": 3
  }
}
```

The status values are as follows:

- STATUS\_ACTIVE = 1 (User can login and use their account)
- STATUS\_REGISTERED = 2 (User has registered but not yet confirmed their email address or was not yet activated by an administrator. User can not login)
- STATUS\_LOCKED = 3 (User was once active and is now locked, User can not login)

#### #2 - 2016-05-10 07:38 - Toshi MARUYAMA

- Description updated

#### #3 - 2020-06-14 15:25 - Go MAEDA

- Status changed from New to Closed

- Resolution set to Invalid