

Redmine - Defect #23208

Changing wiki parent crash

2016-06-30 15:21 - Milos Corak

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Wiki	Estimated time:	0.00 hour
Target version:		Affected version:	3.2.0
Resolution:	Invalid		
Description			
Redmine crash when I try to change parent id on wiki page.			
Internal error			
Log:			
<pre>Parameters: {"utf8"=>"", "authenticity_token"=>"3P/QN04+5wW0cbRoqUy8vsnlvNT1iUXHjcpWQjNH+B4nfeZ VcAFBo0n21/144WcufN5F2+U4NIOBVFWaK D22kQ==" , "content"=>{"version"=>"11", "text"=>"h1. PVv3xxx identification List\r\n\r\n\r\nh2. Loo kup Table By FW Name (write to reg ister 0x007E)\r\n\r\n _. FW _. fw_id (hex) _. fw_id (dec) \r\n F77 0x464D 17997 \r\n G 77 0x474D 18253 \r\n G81 0 x4751 18257 \r\n H77 0x484D 18509 \r\n J77 0x4A4D 19021 \r\n K81 0x4B51 19281 \r\n K82 0x4B52 19282 \r\n M80 0x4D50 19792 \r\n M83 0x4D53 19795 \r\n M84 0x4D54 19796 \r\n M85 0x4D55 19797 \r\n M87 0x4D57 1979 9 \r\n M93 0x4D5D 19805 \r\n N78 0x4E4E 20046 \r\n P7A 0x507A 20602 \r\n P92 0x505C 20572 \r\n S14 0x530 E 21262 \r\n S17 0x5311 21265 \r\n S18 0x5312 21266 \r\n S5D 0x535D 21341 \r\ n S91 0x535B 21339 \r\n T74 0x544A 21578 \r\n W10 0x570A 22282 \r\n X086 0x5856 22614 \r\n\r\nh2. Equation (str -> id)\r\n\r\n<pre><code class =>"python">\r\nfw_string = 'F77'\r\nletter = ord(fw_string[0])\r\nnumber = None\r\n\r\nif re.sear ch('[A-F]', fw_string[1:].upper()) :\r\n number = int(fw_string[1:], 16)\r\nelse:\r\n number = int(fw_string[1:])\r\n\r\nfw_id = (letter << 8) + number\r\n</pre>", "comments"=>""}, "wiki_page"=>{"parent_id"=>"20", "tag_list"= >""}, "commit"=>"Save", "project_id"=>"firmware-modules", "id "=>"Pv3xxx_identification"} Current user: corakm (id=1) Completed 500 Internal Server Error in 39ms (ActiveRecord: 5.7ms)</pre>			
<pre>NoMethodError (undefined method `scoped' for #<Class:0x00000002c75360>): app/models/wiki_page.rb:216:in `block in save_with_content' app/models/wiki_page.rb:215:in `save_with_content' app/controllers/wiki_controller.rb:154:in `update' lib/redmine/sudo_mode.rb:63:in `sudo_mode'</pre>			
Environment:			
<pre>Redmine version 3.2.0.stable Ruby version 2.1.8-p440 (2015-12-16) [x86_64-linux] Rails version 4.2.5 Environment production Database adapter MySQL2</pre>			
SCM:			
<pre>Subversion 1.7.14 Git 1.8.3.1 Filesystem</pre>			
Redmine plugins:			
<pre>clipboard_image_paste 1.10 quick_edit 0.0.9 quick_view 0.2.0</pre>			

```
redmine_base_deface          0.0.1
redmine_checklists           3.1.3
redmine_custom_reports       0.1.5
redmine_dashboard            2.7.0
redmine_dmsf                 1.5.6
redmine_documents            1.0.0
redmine_documents_short      0.4.0
redmine_editor_preview_tab   0.1.5
redmine_github_hook          2.2.0
redmine_highlightjs          1.0.3
redmine_issue_templates      0.1.1
redmine_jstoolbar_ext        0.2.1
redmine_jstoolbar_ext_coderay 0.2.0
redmine_jstoolbar_ext_images 0.3.1
redmine_mail_reminder        3.0.0.0001
redmine_maintenance_mode     2.0.1
redmine_mylyn_connector      2.8.2.stable
redmine_per_project_formatting 0.0.4
redmine_percent_done         1.0.0
redmine_revision_branches    0.3.1
redmine_silencer             0.4.1
redmine_tags                 3.1.1
redmine_tweaks               0.5.7
redmine_wiki_extensions      0.7.0
redmine_wiki_toc             0.0.3
release_logs                 1.0.0
wiking                       1.0.0b
```

</code

History

#1 - 2016-06-30 18:01 - Toshi MARUYAMA

- Description updated

#2 - 2016-06-30 18:09 - Toshi MARUYAMA

- Status changed from New to Closed

- Resolution set to Invalid

Please contact plugin author.
Redmine core does not have "tag_list".

#3 - 2016-06-30 18:21 - Milos Corak

- Status changed from Closed to Reopened

Same thing happend before I install plugin.

```
Parameters: {"utf8"=>"", "authenticity_token"=>"Nd+SsGMiO9Gh2v7bXR0T7FMBUXhSwCk9SLGIVpw8WWbgs149b0W1DWaF/j+
FLSCg1Pw00AIvZWAHElf8QQsjjQ==", "content"=>{"version"=>"2", "text"=>"h1. PowerSMART 2 Us
er guide\r\n\r\nh2. Graphical User Interface User's Guide\r\n\r\nh3. Contents\r\n\r\n\r\n* Introduction\r\n\r\n* Getti
ng started\r\n\r\n* Monitoring\r\n\r\n* Status Fault alerts\r\n\r\n* Configuration and ITM Block\r\n\r\n
* Register Table\r\n\r\n* Nvm Table\r\n\r\n* PMBus Logger \r\n\r\n\r\nh3. Introduction \r\n\r\n\r\nThe improved design tool, P
owerSMART 2, enables the user to program the controller and optimize its performance,&nb
sp;while carefully monitoring key power supply status parameters.\r\n\r\n\r\nThis User's Guide describes the usage
of the GUI, and how the user can access more than 60 parameters that may be used when c
onfiguring a setup.\r\n\r\n\r\nThis document provides a basic overview of the different portions of the program. F
igure 1 shows an example of the first time the GUI is started, default settings are set
and configuration files are created.\r\n\r\n\r\n!image::images/image.png[!]\r\n\r\n\r\nh3. Figure 1: GUI Overview Layo
ut\r\n\r\n\r\nPowerSMART 2 GUI is divided by sections, every section will only display infor
mation related to the device selected. "Device List" will contain all devices connected and able to be selecte
d by the user. "Tool bar" and "Application Tools" will provide the user for extra inform
ation. "Status Fault Alerts" will inform the user for any value warning on a list of parameters. *"\r\nMonitoring
and graph\r\n*" will provide a graphical view of a parameter list represented on graph on
```

```
real time. "Active Device content" will contain all device parameters to be managed by the user.\r\n\r\nNote:
* Any tab from Device content can be detached click and drag as desired by the user. ",
"comments"=>"", "wiki_page"=>{"parent_id"=>"7"}, "commit"=>"Save", "project_id"=>"dpicide", "id"=>"User_guide
"}
Current user: corakm (id=1)
Completed 500 Internal Server Error in 108ms (ActiveRecord: 11.8ms)
```

```
NoMethodError (undefined method `scoped' for #<Class:0x00000005b939d0>):
  app/models/wiki_page.rb:216:in `block in save_with_content'
  app/models/wiki_page.rb:215:in `save_with_content'
  app/controllers/wiki_controller.rb:154:in `update'
  lib/redmine/sudo_mode.rb:63:in `sudo_mode'
```

I tried to remove plugin and test. Same thing!

#4 - 2016-06-30 18:34 - Jean-Philippe Lang

- *Status changed from Reopened to Needs feedback*

We can't reproduce and there are tests for changing a wiki page parent. The method that triggers this error (`#scoped`) is not used in Redmine core. Please try with a fresh Redmine install without any plugins.

#5 - 2016-06-30 19:10 - Milos Corak

I found problem. You gave me a good lead where to look. Thanks

Problem was `redmine_wiki_toc` plugin. That is some historic plugin which accidentally stayed after upgrade to 3.2

You can close issue!

#6 - 2016-06-30 20:23 - Jean-Philippe Lang

- *Status changed from Needs feedback to Closed*

Thanks for the feedback.