

Redmine - Patch #25014

redmine/i18n.rb - languages_lookup class variable is rebuilt every time

2017-02-06 11:56 - Jens Krämer

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:	I18n	Estimated time:	0.00 hour
Target version:	3.4.0		
Description			
the @@languages_lookup variable in redmine/i18n.rb appears to be intended as a cache but is assigned to a new value everytime find_language is called.			
Attached patch fixes this by using = instead of =.			

Associated revisions

Revision 16349 - 2017-03-02 20:42 - Jean-Philippe Lang

Turns @@languages_lookup into a cache by using ||= (#25014).

Patch by Jens Kraemer.

History

#1 - 2017-02-06 14:20 - Go MAEDA

- Target version set to 3.4.0

Since find_language method is called on every request, I think caching values is reasonable.
Setting target version to 3.4.0.

#2 - 2017-03-02 20:42 - Jean-Philippe Lang

- Status changed from New to Closed

- Assignee set to Jean-Philippe Lang

Committed, thanks for the fix.

Files

0001-turns-languages_lookup-into-a-cache-by-using.patch	758 Bytes	2017-02-06	Jens Krämer
---	-----------	------------	-------------