

Redmine - Defect #2527

No connection could be made because the target machine actively refused it. - connect(2)

2009-01-18 14:38 - Amos Yang

| | | | |
|-----------------|---------|-------------------|------------|
| Status: | Closed | Start date: | 2009-01-18 |
| Priority: | Normal | Due date: | |
| Assignee: | | % Done: | 0% |
| Category: | | Estimated time: | 0.00 hour |
| Target version: | | | |
| Resolution: | Invalid | Affected version: | |

Description

After I updated the redmine to the latest version.

I cannot connect to the redmine system though the webrick server can start normally.

Errno::ECONNREFUSED in WelcomeController#index

No connection could be made because the target machine actively refused it. - connect(2)

RAILS_ROOT: D:/salesystem

Application Trace | Framework Trace | Full Trace

```
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `initialize'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `new'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `real_connect'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:527:in `connect'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:186:in `initialize'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `new'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `mysql_connection'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in `send'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in `connection='  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:260:in `retrieve_connection'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:78:in `connection'  
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/query_cache.rb:8:in `cache'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:12:in `perform_action'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `send'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `process_without_filters'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:568:in `process_without_session_management_support'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/session_management.rb:130:in `process'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:389:in `process'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:149:in `handle_request'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:107:in `dispatch'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `synchronize'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `dispatch'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:120:in `dispatch_cgi'  
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:35:in `dispatch'  
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:112:in `handle_dispatch'  
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:78:in `service'  
c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'  
c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:95:in `start'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `each'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `start'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:23:in `start'  
c:/ruby/lib/ruby/1.8/webrick/server.rb:82:in `start'
```

```
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:62:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/servers/webrick.rb:66
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:355:in `new_constants_in'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/server.rb:39
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
script/server:3

c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `initialize'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `new'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `real_connect'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:527:in `connect'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:186:in `initialize'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `new'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `mysql_connection'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in `send'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in `connection='
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:260:in `retrieve_connection'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:78:in `connection'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/query_cache.rb:8:in `cache'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:12:in `perform_action'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `send'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `process_without_filters'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:568:in `process_without_session_management_support'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/session_management.rb:130:in `process'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:389:in `process'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:149:in `handle_request'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:107:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `synchronize'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:120:in `dispatch_cgi'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:35:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:112:in `handle_dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:78:in `service'
c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
c:/ruby/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'
c:/ruby/lib/ruby/1.8/webrick/server.rb:95:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `each'
c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:23:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:82:in `start'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:62:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/servers/webrick.rb:66
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:355:in `new_constants_in'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/server.rb:39
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
script/server:3
```

Request

Parameters:

None

Show session dump

flash: !map:ActionController::Flash::FlashHash {}

Response

Headers:

```
{"cookie"=>[],  
"Cache-Control"=>"no-cache"}
```

What should I do?

History

#1 - 2009-01-18 14:41 - Amos Yang

- Status changed from New to Resolved

Sorry the SQL service was closed by mistakes.

Closed.

forget it!

:-)

#2 - 2009-01-18 16:41 - Jean-Philippe Lang

- Status changed from Resolved to Closed

- Resolution set to Invalid