

Redmine - Defect #2527

No connection could be made because the target machine actively refused it. - connect(2)

2009-01-18 14:38 - Amos Yang

Status:	Closed	Start date:	2009-01-18
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		
Description			
<p>After I updated the redmine to the latest version. I cannot connect to the redmine system though the webrick server can start normally.</p>			
<pre>Errno::ECONNREFUSED in WelcomeController#index</pre>			
<p>No connection could be made because the target machine actively refused it. - connect(2)</p>			
<p>RAILS_ROOT: D:/salesystem Application Trace Framework Trace Full Trace</p>			
<pre>c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `initialize' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `new' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `real_connect' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:527:in `connect' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:186:in `initialize' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `new' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `mysql_connection' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in `send' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in `connection=' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:260:in `retrieve_connection' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:78:in `connection' c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/query_cache.rb:8:in `cache' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:12:in `perform_action' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `send' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `process_without_filters' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:568:in `process_without_session_management_support' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/session_management.rb:130:in `process' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:389:in `process' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:149:in `handle_request' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:107:in `dispatch' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `synchronize' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `dispatch' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:120:in `dispatch CGI' c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:35:in `dispatch' c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:112:in `handle_dispatch' c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:78:in `service' c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:104:in `service' c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:65:in `run' c:/ruby/lib/ruby/1.8/webrick/server.rb:173:in `start_thread' c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start' c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start_thread' c:/ruby/lib/ruby/1.8/webrick/server.rb:95:in `start' c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `each' c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `start' c:/ruby/lib/ruby/1.8/webrick/server.rb:23:in `start' c:/ruby/lib/ruby/1.8/webrick/server.rb:82:in `start'</pre>			

```
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:62:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/servers/webrick.rb:66
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:355:in `new_constants_in'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/server.rb:39
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
script/server:3

c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `initialize'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `new'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/vendor/mysql.rb:111:in `real_connect'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:527:in `connect'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:186:in `initialize'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `new'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:85:in `mysql_connection'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in
`send'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:292:in
`connection='
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:260:in
`retrieve_connection'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/connection_specification.rb:78:in
`connection'
c:/ruby/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/query_cache.rb:8:in `cache'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:12:in `perform_action'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `send'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `process_without_filters'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:568:in
`process_without_session_management_support'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/session_management.rb:130:in `process'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:389:in `process'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:149:in `handle_request'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:107:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `synchronize'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:120:in `dispatch CGI'
c:/ruby/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:35:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:112:in `handle_dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:78:in `service'
c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
c:/ruby/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
c:/ruby/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'
c:/ruby/lib/ruby/1.8/webrick/server.rb:95:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `each'
c:/ruby/lib/ruby/1.8/webrick/server.rb:92:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:23:in `start'
c:/ruby/lib/ruby/1.8/webrick/server.rb:82:in `start'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/webrick_server.rb:62:in `dispatch'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/servers/webrick.rb:66
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:355:in `new_constants_in'
c:/ruby/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/dependencies.rb:510:in `require'
c:/ruby/lib/ruby/gems/1.8/gems/rails-2.1.2/lib/commands/server.rb:39
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
c:/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
script/server:3
```

Request

Parameters:

None

Show session dump

```
flash: !map:ActionController::Flash::FlashHash {}
```

Response

Headers:

```
{"cookie"=>[],  
"Cache-Control"=>"no-cache"}
```

What should I do?

History

#1 - 2009-01-18 14:41 - Amos Yang

- Status changed from *New* to *Resolved*

Sorry the SQL service was closed by mistakes.

Closed.

forget it!

:~)

#2 - 2009-01-18 16:41 - Jean-Philippe Lang

- Status changed from *Resolved* to *Closed*

- Resolution set to *Invalid*