

Redmine - Feature #2649

Need @controller context in plugin hook(view_layouts_base_html_head and view_layouts_base_body_bottom)

2009-02-02 19:24 - Chaoqun Zou

Status:	Closed	Start date:	2009-02-02
Priority:	Normal	Due date:	
Assignee:	Eric Davis	% Done:	0%
Category:	Plugin API	Estimated time:	0.00 hour
Target version:	0.8.2		
Resolution:	Fixed		
Description			
<p>Since there is some need to add plugin's css style into redmine's page, I think it is a good place to add it in the plugin hook of view_layouts_base_html_head.</p> <p>But I need to know the controller name and action name before doing this, because only a few pages need plugin's css code.</p> <p>Example: Add plugin's activity into redmine's activity page need an additional css code.</p> <p>It's simple to implement, just modify two lines in base.rhtml:</p> <pre>In17: <%= call_hook :view_layouts_base_html_head, :controller => Nathaniel Knutson > In64: <= call_hook :view_layouts_base_body_bottom, :controller => Nathaniel Knutson %></pre>			
Related issues:			
Has duplicate Redmine - Feature #2542: Plugin hooks should have access to the...		Closed	2009-01-19

History

#1 - 2009-02-03 13:11 - Thomas Löber

This relates to [#2542](#) where "controller" and "request" are added to every hook call.

#2 - 2009-02-21 01:33 - Eric Davis

- Status changed from New to Resolved
- Target version set to 0.8.2

As of [r2491](#), the current controller and request values are added to the context.

#3 - 2009-03-07 12:41 - Jean-Philippe Lang

- Status changed from Resolved to Closed
- Resolution set to Fixed

Merged in 0.8-stable in [r2558](#).