

Redmine - Feature #2693

Use Redmine.pm to authenticate for any directory

2009-02-07 10:48 - Felix Schäfer

Status:	New	Start date:	2009-02-07
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	SCM extra	Estimated time:	0.00 hour
Target version:			
Resolution:			

Description

Redmine: [r2363](#)

I'd like to be able to use the Redmine user credentials to authenticate users for other directories than svn repositories in Apache. I've already tried hacking my way through the perl module (I don't know a bit of perl...) and came up with the following patch (from svn diff extra/svn/Redmine.pm):

```
Index: extra/svn/Redmine.pm
=====
--- extra/svn/Redmine.pm      (revision 2383)
+++ extra/svn/Redmine.pm      (working copy)
@@ -142,6 +142,11 @@
     args该怎么改 TAKE1,
     errmsg => 'RedmineCacheCredsMax must be decimal number',
 },
+ {
+   name => 'RedmineProject',
+   req_override => OR_AUTHCFG,
+   args该怎么改 TAKE1,
+ },
);

sub RedmineDSN {
@@ -166,6 +171,11 @@
   $self->{RedmineQuery} = trim($self->{RedmineQuery}.($arg ? $arg : "") . " ");
 }

+sub RedmineProject { set_val('RedmineProject', @_); }
+
sub RedmineCacheCredsMax {
  my ($self, $parms, $arg) = @_;
  if ($arg) {
@@ -327,9 +337,18 @@
}

sub get_project_identifier {
  my $r = shift;
-
  my $location = $r->location;
-  my ($identifier) = $r->uri =~ m{$location/*([^\/]*)};
+  my $cfg = Apache2::Module::get_config(__PACKAGE__, $r->server, $r->per_dir_config);
+  my $identifier;
+  my $project = $cfg->{RedmineProject} ? $cfg->{RedmineProject} : "";
+
+  if ($project) {
+    $identifier = $project;
+  } else {
+    my $location = $r->location;
+    ($identifier) = $r->uri =~ m{$location/*([^\/]*)};
+  }
  $identifier;
}
```

This seems to not brake the authentication for svn repositories, and get_project_identifier() returns the RedmineProject value defined in the apache config if set, but I sill can't log in in the directory I'm trying to use it for. Here the relevant <Location> part in the apache config:

```
<Location /digischrank/test>
    AuthType basic
    AuthName "Digischrank Test"
    Require valid-user
    PerlAccessHandler Apache::Authn::Redmine::access_handler
    PerlAuthenHandler Apache::Authn::Redmine::authen_handler
    RedmineDSN "DBI:mysql:database=SomedaTaBAsE;host=localhost"
    RedmineDbUser "SoMeuSer"
    RedmineDbPass "SomePaSS"
    RedmineProject "digischrank"
</Location>
```

As I said, my perl is nearly non-existant, so the above hackery might make your eyeballs hurt, and my understanding of the whole apache authentication thing isn't that good either, but I'd be happy for any help to solve this, and even if it's not considered a feature redmine should get shipped with, I'm sure other people would be happy to have something like this.

History

#1 - 2009-02-07 13:15 - Mathias Kühn

Hey Alex,

i like that approach. I've also submitted a patch for a similar problem ([#2647](#)) and i believe we should throw all these things into a generic approach covering all different aspects of authentication.

#2 - 2011-03-23 07:58 - Toshi MARUYAMA

- *Category set to SCM*

#3 - 2011-03-24 07:35 - Toshi MARUYAMA

- *Category changed from SCM to SCM extra*