

## Redmine - Patch #27671

### Use reverse\_each instead of reverse.each for better performance

2017-11-29 03:24 - Go MAEDA

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Go MAEDA	<b>% Done:</b>	0%
<b>Category:</b>	Performance	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	4.0.0		
<b>Description</b>			
Array#reverse_each is faster than Array#reverse.each because reverse_each does not create an intermediate array.			
Pull request <a href="https://github.com/redmine/redmine/pull/84">https://github.com/redmine/redmine/pull/84</a> by Timur Tarasenko.			

#### Associated revisions

##### Revision 17137 - 2017-12-31 02:34 - Go MAEDA

Use reverse\_each instead of reverse.each (#27671).

Patch by Timur Tarasenko.

#### History

##### #1 - 2017-11-29 10:38 - Go MAEDA

- Target version set to 4.1.0

##### #2 - 2017-12-31 02:35 - Go MAEDA

- Status changed from New to Closed

- Assignee set to Go MAEDA

- Target version changed from 4.1.0 to 4.0.0

Committed.

#### Files

use-reverse_each.diff	3.24 KB	2017-11-29	Go MAEDA
-----------------------	---------	------------	----------