

Redmine - Defect #2787

validation fails when project name exceeds 30 characters on create

2009-02-20 00:48 - Sean Dague

Status:	Closed	Start date:	2009-02-20
Priority:	High	Due date:	
Assignee:		% Done:	0%
Category:	Projects	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Duplicate		

Description

If you attempt to create a project with > 30 characters, something in the i18n path fails which throws an ActionView::Template error instead of returning the validation error message.

The exception stack looks as follows:

```
ActionView::TemplateError (Translation value "is too long (maximum is d characters)" with arguments [] caused
error 'too few arguments') on line #1 of projects/_form.rhtml:
1:<= error_messages_for 'project' %>
2:
3:<div class="box">
4:<!--[form:project]-->

/var/www/redmine/vendor/plugins/gloc-1.1.0/lib/gloc-internal.rb:93:in `__l'
  /var/www/redmine/vendor/plugins/gloc-1.1.0/lib/gloc.rb:19:in `l'
  /var/www/redmine/app/helpers/application_helper.rb:494:in `error_messages_for'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each_k
ey'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/validations.rb:139:in `each'
  /var/www/redmine/app/helpers/application_helper.rb:488:in `error_messages_for'
  /var/www/redmine/app/views/projects/_form.rhtml:1:in `__run_erb_47app47views47projects47_form46
rhtml'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `send'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `execute'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers/comilable.rb:2
9:in `send'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers/comilable.rb:2
9:in `render'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/partial_template.rb:20:in `rend
er'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:30:in `benc
hmark'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/partial_template.rb:19:in `rend
er'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template.rb:22:in `render_templat
e'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/partials.rb:110:in `render_partia
l'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:277:in `render'
    /var/www/redmine/app/views/projects/add.rhtml:4:in `__run_erb_47app47views47projects47add46rhtm
l'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/helpers/form_helper.rb:317:in `fi
elds_for'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/helpers/form_helper.rb:253:in `fo
rm_for'
    /var/www/redmine/app/helpers/application_helper.rb:532:in `labelled_tabular_form_for'
    /var/www/redmine/app/views/projects/add.rhtml:3:in `__run_erb_47app47views47projects47add46rhtm
l'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `send'
    /usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:342:in `execute'
```

```
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers compilable.rb:2
9:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template_handlers compilable.rb:2
9:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template.rb:35:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/template.rb:22:in `render_template'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_view/base.rb:248:in `render_file'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:1112:in `render_for_file'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:845:in `render_with_no_layout'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/layout.rb:251:in `render_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:51:in `render'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.2/lib/active_support/core_ext/benchmark.rb:8:in `realtime'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:51:in `render'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:1161:in `default_renderer'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:1167:in `perform_action_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:579:in `call_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:572:in `perform_action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/rescue.rb:201:in `perform_action_without_caching'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:13:in `passenger_orig_perform_action'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/query_cache.rb:33:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/query_cache.rb:8:in `cache'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/caching/sql_cache.rb:12:in `passenger_orig_perform_action'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:53:in `perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:529:in `process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/filters.rb:568:in `process_without_session_management_support'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/session_management.rb:130:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/base.rb:389:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:149:in `handle_request'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:107:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:104:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:120:in `dispatch_cgi'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_controller/dispatcher.rb:35:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:38:in `process_request'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_request_handler.rb:165:in `
```

```

main_loop'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:321:in
`start_request_handler'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:282:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:280:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:279:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop
'

  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchronously'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:179:in
`start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:270:in `handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `synchronize'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop
'

  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchronously'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:87:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:222:in `spawn_rails_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:126:in `spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:251:in `handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop
'

  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchronously'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/bin/passenger-spawn-server:46

```

Rendering ./public/500.html (500 Internal Server Error)

The environment for this application is:

Ubuntu Linux 8.10

MySQL - mysql Ver 14.12 Distrib 5.0.67, for debian-linux-gnu (i486) using readline 5.2

Ruby version 1.8.7 (i486-linux)

RubyGems version 1.3.1

Rails version 2.1.2

Active Record version 2.1.2

Action Pack version 2.1.2

Active Resource version 2.1.2

Action Mailer version 2.1.2

Active Support version 2.1.2

Application root /var/www/redmine
Environment production
Database adapter mysql

Redmine version
svn info
Path: .
URL: <http://redmine.rubyforge.org/svn/branches/0.8-stable>
Repository Root: <http://redmine.rubyforge.org/svn>
Repository UUID: e93f8b46-1217-0410-a6f0-8f06a7374b81
Revision: 2479
Node Kind: directory
Schedule: normal
Last Changed Author: jplang
Last Changed Rev: 2470
Last Changed Date: 2009-02-15 04:08:26 -0500 (Sun, 15 Feb 2009)

Related issues:

Is duplicate of Redmine - Defect #2626: Error during translation of the "is t..."

Closed

2009-01-30

History

#1 - 2009-02-20 19:38 - Jean-Philippe Lang

It seems to be the same problem as discussed in [#2626](#).
Even if I can not reproduce, I'll apply the fix.

#2 - 2009-02-21 10:56 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Duplicate

Fix committed in [r2486](#).