

## Redmine - Feature #286

### SVN revision pseudo-automatically linked to issue

2007-03-12 17:36 - Jonathan Dance

<b>Status:</b> Closed	<b>Start date:</b>
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	
<b>Resolution:</b>	
<b>Description</b>	
<p>It would be nice to have a post-commit script that can be installed that will inform RedMine of a new commit along with its log message. In this log message, one could put a bug number, e.g.:</p> <p>Bug ID: 12345</p> <p>This would indicate to RedMine that this revision should link to that particular bug/issue. This would appear near the top of an issue with a list of revisions (and files affected in that revision) that were linked to that issue. You would be able to click on each file in the revision to view the diff for that file+revision.</p> <p>This is a feature of Fogbugz that I think is pretty nifty... it really makes SVN integration very cool and useful. See these links (the last one has a screenshot of their UI):</p> <p><a href="http://www.fogcreek.com/FogBugz/docs/50/Articles/SourceControl/SubversionIntegrationScri.html">http://www.fogcreek.com/FogBugz/docs/50/Articles/SourceControl/SubversionIntegrationScri.html</a> <a href="http://www.fogcreek.com/FogBUGZ/help/Subversionscripts.html">http://www.fogcreek.com/FogBUGZ/help/Subversionscripts.html</a> <a href="http://www.fogcreek.com/FogBugz/docs/50/Articles/SourceControl/TortoiseSVN.html">http://www.fogcreek.com/FogBugz/docs/50/Articles/SourceControl/TortoiseSVN.html</a></p>	

#### History

##### #1 - 2007-03-16 09:18 - Alessio Spadaro

I already use a similar feature with trac.  
When a commit message contains a term like "close", "fix", "ref", "see" with a ticket (issue in redMine) number (or several), the relevant tickets are updated in a sensible way.  
e.g. "closes 141" closes issue 141, "ref 233" put a comment on issue 233, etc...  
Usually comments reports the full svn comment.  
Trac's post-commit hook is available at <http://trac.edgewall.org/browser/trunk/contrib/trac-post-committ-hook>

##### #2 - 2007-03-16 10:34 - Jonathan Dance

Sounds even better, and we have BSD-licensed code we can base it off of. I might look at tackling this and submitting a patch at some point, unless someone else beats me to it. :)

##### #3 - 2007-03-16 12:21 - Alessio Spadaro

Well, the main problem i see is that they use trac directly as in the current version trac and the repository trac is bound to must reside on the same host.  
As we can refer to remote repository, we must consider a remote interface with all the security concerns it brings.  
Probably using ActionWebService to model a sensible interface to expose (maybe to other.. for example to continuous build systems, which will be my next proposal) the relevant operations and then build the hook using this will be the best thing (maybe Jean-Philippe has already planned some kind of remote interface).  
Maybe i'll have some time during the we to look into this and, of course, i'll be glad to help with the implementation

#### **#4 - 2007-03-16 12:30 - Jonathan Dance**

I would not recommend using AWS - it is overly complicated and generally annoying to work with. I would look at either using simple GET/POST methods with form-style encoding, or creating a REST-style interface.

As far as security, you would probably just generate an "API key" to give to the post-commit script. This would be one of the parameters you would pass to the API.

Lastly, you would probably need to deal with matching Subversion usernames to RedMine users if you want to accurately say which user did what. This is probably something you would have to add to the RedMine user form.

#### **#5 - 2007-03-16 13:17 - Alessio Spadaro**

Good advice, i write AWS, but only as an example as i never use it directly. Maybe the REST interface is the best one.

As far as security, i'll consider to allow only some specific hosts (e.g. only the local network for a internet-exposed instance) , use a security key or both as a minimum set of features.

Thinking about users, i think that defining multiple external services and defining user mapping on these would be better than hooking into the user form (and "polluting" it).

#### **#6 - 2007-03-17 09:41 - Nick Read**

Just adding my 2 cents...

It would be preferable to stay away from Subversion specific features such as post-commit hooks as a permanent solution. There are already another feature request asking for CVS support, but with the rise in usage and popularity of distributed SCMs (eg, GIT, SVK, Darcs), it can't be guaranteed that features like post-commit hooks will be available.

Trac scans the repository logs every X minutes, and imports the changeset details into it's own database as a cache. I would prefer if redMine was doing this too, as it would allow us to interrogate the changeset comments for issue numbers and link it to the issue(s). Jira has an SVN plugin that does just this, except that it does not cache the changesets in it's own database unless the changeset refers to an issue.

Anyway, post-commit hooks are something that could be done now without any changes to redMine.

#### **#7 - 2007-03-25 08:17 - Jean-Philippe Lang**

SVN commits are now stored in the database. See: [http://rubyforge.org/tracker/index.php?func=detail&aid=9402&amp;group\\_id=1850&atid=7163](http://rubyforge.org/tracker/index.php?func=detail&aid=9402&amp;group_id=1850&atid=7163)

With a simple cron task, redMine can now scan repositories for new commits.

#### **#8 - 2007-04-24 10:09 - Jean-Philippe Lang**

Feature added.

More details can be found here: [http://rubyforge.org/forum/forum.php?thread\\_id=13594&forum\\_id=7504](http://rubyforge.org/forum/forum.php?thread_id=13594&forum_id=7504)

#### **#9 - 2010-02-11 00:30 - Todd Nine**

Just adding my 2 cents. I personally feed that Redmine is quite superior to Jira and Bugzilla. However, a lot of software, such as Teamcity, Cruise

Control all support integration with Bugzilla. Given that the Bugzilla RPC api is widely accepted, are there any plans to implement a Buzilla RPC compliant adapter into Redmine? I think this would help with acceptance of redmine into enterprise operations such as ours.

Thanks,  
Todd

**#10 - 2010-02-11 00:33 - Todd Nine**

Sorry, delete these 2 notes, I added it to the wrong issue. See [#4798](#)