

Redmine - Defect #2867

Undefined Method (l_YesNo) Being Called

2009-03-01 03:51 - Rami Kassab

Status:	Closed	Start date:	2009-03-01
Priority:	Urgent	Due date:	
Assignee:		% Done:	0%
Category:	Custom fields	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Fixed		

Description

I upgraded our company copy of Redmine today to trunk and migrated the db, cleared cache, made sure all the version requirements have been met, etc. and ran into an issue in:

```
app/helpers/custom_fields_helper.rb:78:      l_YesNo(value == "1")
```

We are using some custom fields, which is why we are running into this problem but those who aren't using boolean custom fields shouldn't experience this. The defect has effectively locked us out of creating issues, which is why I've set it's priority to Urgent.

The file in question here is obviously [source:trunk/app/helpers/custom_fields_helper.rb#78](#)

I don't think this is necessary for this particular defect but I will supply the system details anyways:

- mysql Ver 14.12 Distrib 5.0.51a, for debian-linux-gnu (i486) using readline 5.2
- ruby 1.8.6 (2007-09-24 patchlevel 111) [i486-linux]
- Rails 2.2.2
- Redmine revision 2538

Here's the log data:

```
ActionView::TemplateError (undefined method `l_YesNo' for #<ActionView::Base:0xb5ac03e0>) on line #17 of app/views/issues/_list.rhtml:
14:      <tr id="issue-<%= issue.id %>" class="hascontextmenu <%= cycle('odd', 'even') %> <%= css_i
ssue_classes(issue) %>">
15:          <td class="checkbox"><%= check_box_tag("ids[]", issue.id, false, :id => nil) %></td>
16:          <td><%= link_to issue.id, :controller => 'issues', :action => 'show', :id => issue %><
/td>
17:          <% query.columns.each do |column| %><%= content_tag 'td', column_content(column, issue
), :class => column.name %><% end %>
18:      </tr>
19:  <% end -%>
20: </tbody>
```

```
/var/www/sites/code.typethink.com/redmine/app/helpers/custom_fields_helper.rb:78:in `format_va
lue'
/var/www/sites/code.typethink.com/redmine/app/helpers/custom_fields_helper.rb:68:in `show_valu
e'
/var/www/sites/code.typethink.com/redmine/app/helpers/queries_helper.rb:33:in `column_content'
/var/www/sites/code.typethink.com/redmine/app/views/issues/_list.rhtml:17
/var/www/sites/code.typethink.com/redmine/app/views/issues/_list.rhtml:17:in `each'
/var/www/sites/code.typethink.com/redmine/app/views/issues/_list.rhtml:17
/var/www/sites/code.typethink.com/redmine/app/views/issues/_list.rhtml:13:in `each'
/var/www/sites/code.typethink.com/redmine/app/views/issues/_list.rhtml:13
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/helpers/capture_helper.rb:36:in `
call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/helpers/capture_helper.rb:36:in `
capture'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/helpers/capture_helper.rb:129:in
`with_output_buffer'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/helpers/capture_helper.rb:36:in `
```

```
capture'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/helpers/form_tag_helper.rb:460:in  
`form_tag_in_block'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/helpers/form_tag_helper.rb:39:in  
`form_tag'  
  /var/www/sites/code.typethink.com/redmine/app/views/issues/_list.rhtml:1  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/renderable.rb:39:in `send'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/renderable.rb:39:in `render'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/renderable_partial.rb:20:in `rend  
er'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:30:in `benc  
hmark'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/renderable_partial.rb:19:in `rend  
er'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/template.rb:73:in `render_templat  
e'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/renderable_partial.rb:45:in `rend  
er_partial'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/partials.rb:152:in `render_partia  
l'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/base.rb:258:in `render'  
  /var/www/sites/code.typethink.com/redmine/app/views/issues/index.rhtml:44  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/renderable.rb:39:in `send'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/renderable.rb:39:in `render'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/template.rb:73:in `render_templat  
e'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/base.rb:256:in `render'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/base.rb:367:in `render_with_layo  
ut'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_view/base.rb:254:in `render'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:1174:in `render_for  
_file'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:899:in `render_with  
out_benchmark'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:51:in `rend  
er'  
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.2.2/lib/active_support/core_ext/benchmark.rb:8:in  
`realtime'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:51:in `rend  
er'  
  /var/www/sites/code.typethink.com/redmine/app/controllers/issues_controller.rb:67:in `index'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/mime_responds.rb:135:in `ca  
ll'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/mime_responds.rb:135:in `cu  
stom'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/mime_responds.rb:164:in `ca  
ll'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/mime_responds.rb:164:in `re  
spond'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/mime_responds.rb:158:in `ea  
ch'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/mime_responds.rb:158:in `re  
spond'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/mime_responds.rb:107:in `re  
spond_to'  
  /var/www/sites/code.typethink.com/redmine/app/controllers/issues_controller.rb:66:in `index'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:1253:in `send'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:1253:in `perform_ac  
tion_without_filters'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:617:in `call_fil  
ters'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:610:in `perform_  
action_without_benchmark'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:68:in `perf  
orm_action_without_rescue'  
  /usr/lib/ruby/1.8/benchmark.rb:293:in `measure'  
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:68:in `perf
```

```

orm_action_without_rescue'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/rescue.rb:136:in `perform_a
ction_without_caching'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/caching/sql_cache.rb:13:in
`passenger_orig_perform_action'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_adapters/abstract/
query_cache.rb:34:in `cache'
  /usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/query_cache.rb:8:in `cache'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/caching/sql_cache.rb:12:in
`passenger_orig_perform_action'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:53:in `perf
orm_action'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:524:in `send'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:524:in `process_wit
hout_filters'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:606:in `process_
without_session_management_support'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/session_management.rb:134:i
n `process'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:392:in `process'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:183:in `handl
e_request'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:110:in `dispa
tch_unlocked'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:123:in `dispa
tch'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:122:in `synch
ronize'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:122:in `dispa
tch'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:132:in `dispa
tch CGI'
  /usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:39:in `dispat
ch'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:38:in `proc
ess_request'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_request_handler.rb:165:in `
main_loop'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:321:in
`start_request_handler'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:282:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:280:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:279:in
`handle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
  ,
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_syn
chronously'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:179:in
`start'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:270:in `h
andle_spawn_application'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `s
ynchronize'
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `h

```

```
andle_spawn_application'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'  
,  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_syn  
chronously'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:87:in `st  
art'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:222:in `spawn_rails  
_application'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:217:in `synchronize'  
,  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:217:in `spawn_rails  
_application'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:126:in `spawn_appli  
cation'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:251:in `handle_spaw  
n_application'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'  
,  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_syn  
chronously'  
  /usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/bin/passenger-spawn-server:46
```

Rendering ./public/500.html (500 Internal Server Error)

Processing IssuesController#new (for 166.129.110.83 at 2009-02-28 18:30:41) [GET]

Parameters: {"project_id"=>"kassabjewelers", "action"=>"new", "controller"=>"issues"}

Rendering template within layouts/base

Rendering issues/new

Completed in 198ms (View: 133, DB: 16) | 200 OK [https://code.typethink.com/projects/kassabjewelers/issues/new]

Associated revisions

Revision 2541 - 2009-03-01 11:00 - Jean-Philippe Lang

Fixed: Undefined Method (l_YesNo) Being Called (#2867).

History

#1 - 2009-03-01 10:59 - Jean-Philippe Lang

- Status changed from New to Closed

- Resolution set to Fixed

Fixed in [r2541](#).

#2 - 2009-03-02 06:09 - Rami Kassab

Wonderful, tested and now functions as expected. Thanks!