

Redmine - Defect #2868

Cannot View Repository Files or Diffs

2009-03-01 04:07 - Rami Kassab

Status:	Closed	Start date:	2009-03-01
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			

Description

Even though we are successfully able to browse the repository, anytime we try to view a specific file or diff, we are presented with "The entry or revision was not found in the repository."

System Details:

- svn, version 1.5.1 (r32289)
  - Running via dav\_svn for Apache 2.2.8
  - Using HTTPS
- mysql Ver 14.12 Distrib 5.0.51a, for debian-linux-gnu (i486) using readline 5.2
- ruby 1.8.6 (2007-09-24 patchlevel 111) [i486-linux]
- Rails 2.2.2
- Redmine revision 2538

Upon examination of the production log, we see the following:

```
Processing RepositoriesController#entry (for 166.129.110.83 at 2009-02-28 18:58:05) [GET]
  Parameters: {"rev"=>"606", "action"=>"entry", "id"=>"kassabjewelers", "controller"=>"repositories", "path"=>["branches", "inventory", "kassabjewelers", "jewelry", "admin.py"]}
Error parsing svn output: #<REXML::ParseException: No close tag for /lists/list>
/usr/lib/ruby/1.8/rexml/parsers/treeparser.rb:27:in `parse'
/usr/lib/ruby/1.8/rexml/document.rb:227:in `build'
/usr/lib/ruby/1.8/rexml/document.rb:43:in `initialize'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/subversion_adapter.rb:85:in `new'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/subversion_adapter.rb:85:in `entries'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:181:in `call'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:181:in `shellout'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:179:in `open'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:179:in `shellout'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:165:in `shellout'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/subversion_adapter.rb:82:in `entries'
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:93:in `entry'
/var/www/sites/code.typethink.com/redmine/app/models/repository.rb:59:in `entry'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/associations/association_proxy.rb:214:in `send'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/associations/association_proxy.rb:214:in `method_missing'
/var/www/sites/code.typethink.com/redmine/app/controllers/repositories_controller.rb:112:in `entry'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:1253:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:1253:in `perform_action_without_filters'
```

```
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:617:in `call_filters'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:610:in `perform_action_without_benchmark'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
'/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/rescue.rb:136:in `perform_action_without_caching'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/caching/sql_cache.rb:13:in `passenger_orig_perform_action'
'/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
'/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/query_cache.rb:8:in `cache'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/caching/sql_cache.rb:12:in `passenger_orig_perform_action'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:53:in `perform_action'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:524:in `send'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:524:in `process_without_filters'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:606:in `process_without_session_management_support'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/session_management.rb:134:in `process'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:392:in `process'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:183:in `handle_request'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:110:in `dispatch_unlocked'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:123:in `dispatch'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:122:in `synchronize'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:122:in `dispatch'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:132:in `dispatch_cgi'
'/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:39:in `dispatch'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:38:in `process_request'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_request_handler.rb:165:in `main_loop'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:321:in `start_request_handler'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:282:in `handle_spawn_application'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:280:in `handle_spawn_application'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:279:in `handle_spawn_application'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchronously'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:179:in `start'
'/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:270:in `handle'
```

```

e_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `synchron
ize'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `handl
e_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchro
nously'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:87:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:222:in `spawn_rails_app
lication'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:217:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:217:in `spawn_rails_app
lication'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:126:in `spawn_applicati
on'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:251:in `handle_spawn_ap
plication'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchro
nously'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/bin/passenger-spawn-server:46
...
No close tag for /lists/list
Line:
Position:
Last 80 unconsumed characters:
Output was:
<?xml version="1.0"?>
<lists>
<list
  path="https://svn.typethink.com/kassabjewelers/branches/inventory/kassabjewelers/jewelry">
Rendering template within layouts/base
Completed in 2057ms (View: 98, DB: 23) | 500 Internal Server Error [https://code.typethink.com/pro
jects/kassabjewelers/repository/revisions/606/entry/branches/inventory/kassabjewelers/jewelry/admi
n.py]

```

## History

### #1 - 2009-03-01 11:15 - Jean-Philippe Lang

Please, set the log level to :debug in environment.rb and report the log.

### #2 - 2009-03-02 06:04 - Rami Kassab

Jean-Philippe Lang wrote:

Please, set the log level to :debug in environment.rb and report the log.

This is what I get after following your instructions and restarting the app (the rep login credentials have been masked):

```

Processing RepositoriesController#diff (for 166.129.219.78 at 2009-03-01 21:02:37) [GET]
  Parameters: {"rev"=>"609", "action"=>"diff", "id"=>"kassabjewelers", "controller"=>"repositories", "path"=>[
"branches", "inventory", "kassabjewelers", "media", "js", "jquery.js"]}
  SQL (0.3ms)  SELECT max(`settings`.updated_on) AS max_updated_on FROM `settings`
  User Load (0.3ms)  SELECT * FROM `users` WHERE (`users`.id = 4) AND (users.status = 1)
  Project Load (0.3ms)  SELECT * FROM `projects` WHERE (`projects`.identifier = 'kassabjewelers') LIMIT 1
  Repository Load (0.3ms)  SELECT * FROM `repositories` WHERE (`repositories`.project_id = 3) LIMIT 1
  EnabledModule Load (0.3ms)  SELECT * FROM `enabled_modules` WHERE (`enabled_modules`.project_id = 3)
  UserPreference Load (0.4ms)  SELECT * FROM `user_preferences` WHERE (`user_preferences`.user_id = 4) LIMIT
1
Cached fragment hit: views/repositories/diff/7/b5c57275a791891eadf5180fee065d0e (0.1ms)
Shelling out: svn diff -r 608:609 'https://svn.typethink.com/kassabjewelers//branches/inventory/kassabjewelers

```

```
/media/js/jquery.js!@609 --username '*****' --password '*****'  
Rendering template within layouts/base  
Project Load (0.4ms) SELECT `projects`.* FROM `projects` INNER JOIN members ON projects.id = members.proje  
ct_id WHERE ((`members`.user_id = 4) AND ((projects.status=1)))  
SQL (2.3ms) SELECT count(*) AS count_all FROM `versions` WHERE (`versions`.project_id = 3)  
Wiki Load (11.1ms) SELECT * FROM `wikis` WHERE (`wikis`.project_id = 3) LIMIT 1  
SQL (0.3ms) SELECT count(*) AS count_all FROM `boards` WHERE (`boards`.project_id = 3)  
Completed in 286ms (View: 68, DB: 16) | 500 Internal Server Error [https://code.typethink.com/projects/kassabj  
ewelers/repository/revisions/609/diff/branches/inventory/kassabjewelers/media/js/jquery.js]
```

### #3 - 2009-03-02 06:06 - Rami Kassab

Rami Kassab wrote:

Jean-Philippe Lang wrote:

Please, set the log level to :debug in environment.rb and report the log.

This is what I get after following your instructions and restarting the app (the rep login credentials have been masked):  
[...]

That was for trying to view a diff. This is the output I get when just trying to view the file itself:

```
Processing RepositoriesController#entry (for 166.129.219.78 at 2009-03-01 21:07:18) [GET]  
Parameters: {"rev"=>"609", "action"=>"entry", "id"=>"kassabjewelers", "controller"=>"repositories", "path"=>  
["branches", "inventory", "kassabjewelers", "media", "js", "jquery.js"]}  
SQL (0.3ms) SELECT max(`settings`.updated_on) AS max_updated_on FROM `settings`  
User Load (0.3ms) SELECT * FROM `users` WHERE (`users`.id = 4) AND (users.status = 1)  
Project Load (0.3ms) SELECT * FROM `projects` WHERE (`projects`.id = 'kassabjewelers') LIMIT 1  
Repository Load (0.3ms) SELECT * FROM `repositories` WHERE (`repositories`.project_id = 3) LIMIT 1  
EnabledModule Load (0.3ms) SELECT * FROM `enabled_modules` WHERE (`enabled_modules`.project_id = 3)  
Shelling out: svn list --xml 'https://svn.typethink.com/kassabjewelers//branches/inventory/kassabjewelers/medi  
a/js/@609 --username '*****' --password '*****'  
Error parsing svn output: #<REXML::ParseException: No close tag for /lists/list>  
/usr/lib/ruby/1.8/rexml/parsers/treeparser.rb:27:in `parse'  
/usr/lib/ruby/1.8/rexml/document.rb:227:in `build'  
/usr/lib/ruby/1.8/rexml/document.rb:43:in `initialize'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/subversion_adapter.rb:85:in `new'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/subversion_adapter.rb:85:in `entries'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:181:in `call'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:181:in `shellout'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:179:in `popen'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:179:in `shellout'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:165:in `shellout'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/subversion_adapter.rb:82:in `entries'  
/var/www/sites/code.typethink.com/redmine/lib/redmine/scm/adapters/abstract_adapter.rb:93:in `entry'  
/var/www/sites/code.typethink.com/redmine/app/models/repository.rb:59:in `entry'  
/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/associations/association_proxy.rb:214:in `sen  
d'  
/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/associations/association_proxy.rb:214:in `met  
hod_missing'  
/var/www/sites/code.typethink.com/redmine/app/controllers/repositories_controller.rb:112:in `entry'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:1253:in `send'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:1253:in `perform_action_without_fil  
ters'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:617:in `call_filters'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:610:in `perform_action_without_b  
enchmark'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:68:in `perform_action_witho  
ut_rescue'  
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/benchmarking.rb:68:in `perform_action_witho  
ut_rescue'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/rescue.rb:136:in `perform_action_without_ca  
ching'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/caching/sql_cache.rb:13:in `passenger_orig  
perform_action'  
/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_adapters/abstract/query_cache.rb:3  
4:in `cache'  
/usr/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/query_cache.rb:8:in `cache'  
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/caching/sql_cache.rb:12:in `passenger_orig  
perform_action'
```

```

/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:53:in `perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:524:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:524:in `process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/filters.rb:606:in `process_without_session_management_support'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/session_management.rb:134:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/base.rb:392:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:183:in `handle_request'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:110:in `dispatch_unlocked'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:123:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:122:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:122:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:132:in `dispatch_cgi'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.2.2/lib/action_controller/dispatcher.rb:39:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/request_handler.rb:38:in `process_request'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_request_handler.rb:165:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:321:in `start_request_handler'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:282:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:280:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:163:in `safe_fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/utils.rb:161:in `safe_fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:279:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchronously'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/application_spawner.rb:179:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:270:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:263:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchronously'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:135:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `fork'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:112:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz/framework_spawner.rb:87:in `start'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:222:in `spawn_rails_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:217:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:217:in `spawn_rails_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:126:in `spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/spawn_manager.rb:251:in `handle_spawn_application'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `__send__'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:317:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstract_server.rb:168:in `start_synchronously'
/usr/lib/ruby/gems/1.8/gems/passenger-2.0.6/bin/passenger-spawn-server:46

```

...

No close tag for /lists/list

Line:

Position:

Last 80 unconsumed characters:

Output was:

```
<?xml version="1.0"?>
```

```
<lists>
```

```
<list
```

```
  path="https://svn.typethink.com/kassabjewelers/branches/inventory/kassabjewelers/media/js">
```

Rendering template within layouts/base

```
Project Load (0.4ms)  SELECT `projects`.* FROM `projects` INNER JOIN members ON projects.id = members.project_id WHERE ((`members`.user_id = 4) AND ((projects.status=1)))
```

```
SQL (13.7ms)  SELECT count(*) AS count_all FROM `versions` WHERE (`versions`.project_id = 3)
```

```
Wiki Load (0.3ms)  SELECT * FROM `wikis` WHERE (`wikis`.project_id = 3) LIMIT 1
```

```
SQL (0.3ms)  SELECT count(*) AS count_all FROM `boards` WHERE (`boards`.project_id = 3)
```

Completed in 288ms (View: 66, DB: 16) | 500 Internal Server Error [https://code.typethink.com/projects/kassabj

#### #4 - 2009-03-02 19:41 - Jean-Philippe Lang

- Status changed from New to Closed

The following means that the svn command gives an error:

```
No close tag for /lists/list
Line:
Position:
Last 80 unconsumed characters:
Output was:
<?xml version="1.0"?>
<lists>
<list
  path="https://svn.typethink.com/kassabjewelers/branches/inventory/kassabjewelers/media/js">
```

There can be many reasons for that.

Try to run this command manually in the same environment than the application. You can also run the application in development mode and svn stderr should then be printed to log/scm.stderr.log.

#### #5 - 2009-03-03 02:51 - Rami Kassab

Jean-Philippe Lang wrote:

The following means that the svn command gives an error:

[...]

There can be many reasons for that.

Try to run this command manually in the same environment than the application. You can also run the application in development mode and svn stderr should then be printed to log/scm.stderr.log.

I'm not quite sure I know how to run the project in development mode? Could you perhaps provide some quick instructions? I looked through the config files but couldn't find anything. I'm assuming I need to manually run the project and it's development server through a command line command but I just don't know how to do this with Rails. I haven't written in Ruby nor built an app in Rails before. I mainly use Python and Django.

Thanks!

#### #6 - 2009-03-03 03:14 - Rami Kassab

Jean-Philippe Lang wrote:

The following means that the svn command gives an error:

[...]

There can be many reasons for that.

Try to run this command manually in the same environment than the application. You can also run the application in development mode and svn stderr should then be printed to log/scm.stderr.log.

Please ignore my previous reply. We figured out how to get the project in development mode and read the scm logs. Here was the issue, in case anyone else needs a solution for this. As mentioned in the ticket, we run our SVN server behind HTTPS so there is a cert that needs to be accepted. Redmine was running as the www-data user, whos home directory was set to /var/www, which is owned by root. The problem with that is that www-data didn't have access to write it's own .subversion directory in /var/www so save the permanently accepted certificate. What we did was manually created a .subversion directory in /var/www and gave it read and write access by www-data. The folder isn't hosting public files but rather Django and Rails projects, which are in their own sub folders... in case you were wondering about the security risk.

A more reliable and clean solution would have been to re-assign the www-data user's home directory instead so for those hosting public files right out of their /var/www folder, I recommend you do that instead (or lock down the .subversion directory in your apache conf).

Thanks for the help with discovering what the issue was. The SCM logs did indeed indicate that SVN was trying to accept the SSL cert but had no means of doing so and storing the setting anywhere.