

Redmine - Patch #29305

Use Hash#each\_key instead of Hash#keys.each

2018-07-31 23:54 - Go MAEDA

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Go MAEDA	% Done:	0%
Category:	Performance	Estimated time:	0.00 hour
Target version:	4.0.0		
<b>Description</b>			
Hash#each_key is faster than Hash#keys.each because it does not allocate a new array when iterating keys. See <a href="https://github.com/JuanitoFatas/fast-ruby#hasheach_key-instead-of-hashkeyseach-code">https://github.com/JuanitoFatas/fast-ruby#hasheach_key-instead-of-hashkeyseach-code</a> for details.			

Associated revisions

Revision 17458 - 2018-08-01 16:28 - Go MAEDA

Replace Hash#keys.each with faster Hash#each\_key (#29305).

Patch by Go MAEDA.

History

#1 - 2018-08-01 03:15 - Go MAEDA

- Target version set to 4.1.0

#2 - 2018-08-01 16:33 - Go MAEDA

- Status changed from New to Closed

- Target version changed from 4.1.0 to 4.0.0

Committed.

#3 - 2018-09-16 00:16 - Go MAEDA

- Assignee set to Go MAEDA

Files

replace-each-with-each_key.diff	2.68 KB	2018-07-31	Go MAEDA
---------------------------------	---------	------------	----------