## Redmine - Defect #3002

# My Redmine is not sending email notifications

2009-03-18 16:13 - Fernando Silva

Status: Closed Start date: 2009-03-18 **Priority:** Normal Due date: Assignee: % Done: 100% **Email notifications Estimated time:** 0.00 hour Category: Target version: Resolution: Affected version: 0.8.2

### Description

Hi guys,

I'm trying to set Redmine to send email notifications, I followed the procedure from redmine's site, but it is not working. My SMTP server is up and working for other application.

The production log file has the follow info:

```
Processing IssuesController#edit (for 192.168.1.107 at 2009-03-18 12:06:32) [POST]
 Session ID: 9c1e257d1de7187ef9baf4e77c9aae10
 Parameters: {"time_entry"=>{"comments"=>"", "activity_id"=>"", "hours"=>""}, "commit"=>"Enviar",
"action"=>"edit", "id"=>"8", "notes"=>"Teste email nova2", "controller"=>"issues", "issue"=>{"sta
rt_date"=>"2009-03-18", "estimated_hours"=>"", "priority_id"=>"6", "lock_version"=>"1", "subject"=
>"Teste Email", "description"=>"Teste email apenas", "done_ratio"=>"0", "due_date"=>"", "assigned_
to_id"=>"3", "status_id"=>"1"}, "attachments"=>{"1"=>{"description"=>"", "file"=>""}}}
Redirected to http://192.168.1.5:3000/issues/show/8
Completed in 1.57466 (0 reqs/sec) | DB: 0.31442 (19%) | 302 Found [http://192.168.1.5/issues/edit/
8 ]
Processing IssuesController#show (for 192.168.1.107 at 2009-03-18 12:06:34) [GET]
 Session ID: 9c1e257d1de7187ef9baf4e77c9aae10
 Parameters: {"action"=>"show", "id"=>"8", "controller"=>"issues"}
Rendering template within layouts/base
Rendering issues/show.rhtml
Completed in 0.61072 (1 reqs/sec) | Rendering: 0.23350 (38%) | DB: 0.34227 (56%) | 200 OK [http://
192.168.1.5/issues/show/8]
```

Note that, there is no email information, like email sent to ...

My email.yml is:

```
production:
  delivery_method: :smtp
  smtp_settings:
    address: hm1076.locaweb.com.br
  port: 25
    #domain:
    authentication: :login
    user_name: redmine@nuntec.com.br
  password: xxxx (just comment to post this issue)
```

I was reading some tickets and I saw a configuration in config/environment.rb, then I changed to:

```
# Be sure to restart your web server when you modify this file.
# Uncomment below to force Rails into production mode when
# you don't control web/app server and can't set it the proper way
# ENV['RAILS_ENV'] ||= 'production'
```

2025-05-07 1/3

```
# Specifies gem version of Rails to use when vendor/rails is not present
RAILS_GEM_VERSION = '2.1.2' unless defined? RAILS_GEM_VERSION
# Bootstrap the Rails environment, frameworks, and default configuration
require File.join(File.dirname(__FILE__), 'boot')
# Load Engine plugin if available
begin
 require File.join(File.dirname(__FILE__), '../vendor/plugins/engines/boot')
rescue LoadError
 # Not available
end
Rails::Initializer.run do |config|
# Settings in config/environments/* take precedence those specified here
 # Skip frameworks you're not going to use
 # config.frameworks -= [ :action_web_service, :action_mailer ]
 # Add additional load paths for sweepers
 config.load_paths += %W( #{RAILS_ROOT}/app/sweepers )
 # Force all environments to use the same logger level
  # (by default production uses :info, the others :debug)
 # config.log_level = :debug
 # Use the database for sessions instead of the file system
  # (create the session table with 'rake db:sessions:create')
  # config.action_controller.session_store = :active_record_store
 config.action_controller.session_store = :PStore
 # Enable page/fragment caching by setting a file-based store
  # (remember to create the caching directory and make it readable to the application)
 # config.action_controller.fragment_cache_store = :file_store, "#{RAILS_ROOT}/cache"
 # Activate observers that should always be running
  # config.active_record.observers = :cacher, :garbage_collector
 config.active_record.observers = :message_observer
  # Make Active Record use UTC-base instead of local time
 # config.active_record.default_timezone = :utc
  # Use Active Record's schema dumper instead of SQL when creating the test database
  # (enables use of different database adapters for development and test environments)
  # config.active_record.schema_format = :ruby
  # Deliveries are disabled by default. Do NOT modify this section.
  # Define your email configuration in email.yml instead.
  # It will automatically turn deliveries on
 config.action_mailer.smtp_settings = {
 :address => "hm1076.locaweb.com.br",
 :port => 25,
  #:domain => "",
  :authentication => :login,
 :user_name => "redmine@nuntec.com.br",
 :password => "xxxx",
 config.action_mailer.perform_deliveries = true
 config.action_mailer.delivery_method = :smtp
 config.action_mailer.default_charset = "utf-8"
  config.action_mailer.raise_delivery_errors = true
end
I did not find any error msg, I tryed to turn it on by config.action_mailer.raise_delivery_errors = true but no way.
Follow my redmine configuration:
ruby 1.8.6
```

2025-05-07 2/3

redmine-0.8.2 MySQL 5

Please, could anyone help me?

Best regards, Fernando Alves

## History

# #1 - 2009-03-18 18:09 - Fernando Silva

- Status changed from New to Resolved
- % Done changed from 0 to 100

Hi guys,

I got the solution form issues #2927

I was missing "" between my email.yml password information.

Thanks, Fernando Alves

# #2 - 2009-04-08 21:22 - Jean-Philippe Lang

- Status changed from Resolved to Closed

2025-05-07 3/3