

Redmine - Defect #30209

undefined method `alias_method_chain' for ActionView::Base:Class (NoMethodError)

2018-12-13 23:29 - Tobias Verbeke

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Plugin Request	Estimated time:	0.00 hour
Target version:		Affected version:	4.0.0
Resolution:	Invalid		
Description			
After upgrading from 3.4.6 to 4.0.0, redmine refused to launch.			
The culprit was render_parent 0.0.8 using alias_method_chain which is not supported in rails5.			
<pre>\$ rails --version Rails 5.2.2</pre>			
I edited			
<pre>/var/lib/gems/2.5.0/gems/render_parent-0.0.8/lib/render_parent/rails3/on_load_action_view.rb</pre>			
and uncommented all lines with alias_method_chain assuming after which redmine came up.			
Relevant nginx log:			
<pre>App 11959 output: Error: The application encountered the following error: undefined method `alias_ method_chain' for ActionView::Base:Class (NoMethodError) App 11959 output: /var/lib/gems/2.5.0/gems/render_parent-0.0.8/lib/render_parent/rails3/on_loa d_action_view.rb:25:in `block in <top (required)>' App 11959 output: /var/lib/gems/2.5.0/gems/render_parent-0.0.8/lib/render_parent/rails3/on_loa d_action_view.rb:1:in `class_eval' App 11959 output: /var/lib/gems/2.5.0/gems/render_parent-0.0.8/lib/render_parent/rails3/on_loa d_action_view.rb:1:in `<top (required)>' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies .rb:291:in `require' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies .rb:291:in `block in require' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies .rb:257:in `load_dependency' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies .rb:291:in `require' App 11959 output: /var/lib/gems/2.5.0/gems/render_parent-0.0.8/lib/render_parent/rails3.rb:13: in `block (2 levels) in <class:Railtie>' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/lazy_load_ho oks.rb:71:in `instance_eval' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/lazy_load_ho oks.rb:71:in `block in execute_hook' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/lazy_load_ho oks.rb:62:in `with_execution_control' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/lazy_load_ho oks.rb:67:in `execute_hook' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/lazy_load_ho oks.rb:52:in `block in run_load_hooks' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/lazy_load_ho oks.rb:51:in `each' App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/lazy_load_ho oks.rb:51:in `run_load_hooks' App 11959 output: /var/lib/gems/2.5.0/gems/actionview-5.2.2/lib/action_view/base.rb:213:in `<c lass:Base>' App 11959 output: /var/lib/gems/2.5.0/gems/actionview-5.2.2/lib/action_view/base.rb:141:in `<m</pre>			

```
odule:ActionView>'
App 11959 output: /var/lib/gems/2.5.0/gems/actionview-5.2.2/lib/action_view/base.rb:12:in `'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:291:in `require'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:291:in `block in require'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:257:in `load_dependency'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:291:in `require'
App 11959 output: /opt/redmine/redmine-4.0.0/lib/plugins/gravatar/init.rb:2:in `block in <top
(required)>'
App 11959 output: /opt/redmine/redmine-4.0.0/config/initializers/00-core_plugins.rb:12:in `eva
l'
App 11959 output: /opt/redmine/redmine-4.0.0/config/initializers/00-core_plugins.rb:12:in `blo
ck in <top (required)>'
App 11959 output: /opt/redmine/redmine-4.0.0/config/initializers/00-core_plugins.rb:2:in `each
'
App 11959 output: /opt/redmine/redmine-4.0.0/config/initializers/00-core_plugins.rb:2:in `'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:285:in `load'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:285:in `block in load'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:257:in `load_dependency'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/dependencies
.rb:285:in `load'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/engine.rb:657:in `block in
load_config_initializer'
App 11959 output: /var/lib/gems/2.5.0/gems/activesupport-5.2.2/lib/active_support/notification
s.rb:170:in `instrument'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/engine.rb:656:in `load_con
fig_initializer'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/engine.rb:614:in `block (2
levels) in <class:Engine>'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/engine.rb:613:in `each'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/engine.rb:613:in `block in
<class:Engine>'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/initializable.rb:32:in `in
stance_exec'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/initializable.rb:32:in `ru
n'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/initializable.rb:61:in `bl
ock in run_initializers'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:228:in `block in tsort_each'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:350:in `block (2 levels) in each_strongly_conne
cted_component'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:422:in `block (2 levels) in each_strongly_conne
cted_component_from'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:431:in `each_strongly_connected_component_from'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:421:in `block in each_strongly_connected_compon
ent_from'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/initializable.rb:50:in `ea
ch'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/initializable.rb:50:in `ts
ort_each_child'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:415:in `call'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:415:in `each_strongly_connected_component_from'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:349:in `block in each_strongly_connected_compon
ent'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:347:in `each'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:347:in `call'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:347:in `each_strongly_connected_component'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:226:in `tsort_each'
App 11959 output: /usr/lib/ruby/2.5.0/tsort.rb:205:in `tsort_each'
```

```

App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/initializable.rb:60:in `run_initializers'
App 11959 output: /var/lib/gems/2.5.0/gems/railties-5.2.2/lib/rails/application.rb:361:in `initialize!'
App 11959 output: /opt/redmine/redmine-4.0.0/config/environment.rb:14:in `'
App 11959 output: config.ru:3:in `require'
App 11959 output: config.ru:3:in `block in <main>'
App 11959 output: /var/lib/gems/2.5.0/gems/rack-2.0.6/lib/rack/builder.rb:55:in `instance_eval'
App 11959 output: /var/lib/gems/2.5.0/gems/rack-2.0.6/lib/rack/builder.rb:55:in `initialize'
App 11959 output: config.ru:1:in `new'
App 11959 output: config.ru:1:in `'
App 11959 output: /usr/share/passenger/helper-scripts/rack-preloader.rb:101:in `eval'
App 11959 output: /usr/share/passenger/helper-scripts/rack-preloader.rb:101:in `preload_app'
App 11959 output: /usr/share/passenger/helper-scripts/rack-preloader.rb:189:in `block in <module:App>'
App 11959 output: /usr/lib/ruby/vendor_ruby/phusion_passenger/loader_shared_helpers.rb:380:in `run_block_and_record_step_progress'
App 11959 output: /usr/share/passenger/helper-scripts/rack-preloader.rb:188:in `'
App 11959 output: /usr/share/passenger/helper-scripts/rack-preloader.rb:30:in `'
App 11959 output: /usr/share/passenger/helper-scripts/rack-preloader.rb:29:in `'
[ E 2018-12-13 23:13:49.2585 24277/T1k age/Cor/App/Implementation.cpp:221 ]: Could not spawn process for application /opt/redmine/redmine-current: The application encountered the following error:
undefined method `alias_method_chain' for ActionController::Base:Class (NoMethodError)
Error ID: ec7aa791
Error details saved to: /tmp/passenger-error-CePNfb.html

[ E 2018-12-13 23:13:49.2671 24277/T9 age/Cor/Con/CheckoutSession.cpp:276 ]: [Client 1-6] Cannot checkout session because a spawning error occurred. The identifier of the error is ec7aa791. Please see earlier logs for details about the error.

```

About info:

Redmine LaTeX MathJax Macro

Creating scope :system. Overwriting existing method Enumeration.system.

Creating scope :sorted. Overwriting existing method Group.sorted.

Creating scope :sorted. Overwriting existing method User.sorted.

sh: 1: svn: not found

sh: 1: cvs: not found

sh: 1: bzip: not found

Environment:

Redmine version	4.0.0.stable
Ruby version	2.5.3-p105 (2018-10-18) [x86_64-linux-gnu]
Rails version	5.2.2
Environment	production
Database adapter	Mysql2
Mailer queue	ActiveJob::QueueAdapters::AsyncAdapter
Mailer delivery	smtp

SCM:

Mercurial	2.8.2
Git	2.7.4
Filesystem	

Redmine plugins:

redmine_latex_mathjax	0.3.0
-----------------------	-------

History

#1 - 2018-12-13 23:42 - Nigel Wilson

I ran into this issue as well. I made the following changes in the GemFile to meet all the dependencies. However, I am using MS Sql Server, so you will need to find the corresponding adapter for mysql.

Change: gem "rails", "5.2.2"

To: gem "rails", :git => "https://github.com/rails/rails.git", :branch => "5-2-2"

Change: gem "tiny_tds", "~> 1.0.5"

To: "tiny_tds", "~> 2.1.2"

Change: gem "activerecord-sqlserver-adapter",

To: gem "activerecord-sqlserver-adapter", :git => "https://github.com/rails-sqlserver/activerecord-sqlserver-adapter.git",

#2 - 2018-12-14 00:21 - Jean-Philippe Lang

- *Category set to Plugin Request*

- *Status changed from New to Closed*

- *Resolution set to Invalid*

render_parent is not loaded by Redmine core but by your redmine_latex_mathjax plugin. You should try to upgrade your plugin.

#3 - 2018-12-14 02:27 - Go MAEDA

Nigel Wilson, thank you for reporting the problem regarding MS SQL Server. I have created another issue [#30211](#).

Could you paste the crash log which includes "undefined method `alias_method_chain'" on [#30211](#)?

#4 - 2018-12-14 08:31 - Tobias Verbeke

Jean-Philippe Lang wrote:

render_parent is not loaded by Redmine core but by your redmine_latex_mathjax plugin. You should try to upgrade your plugin.

Thanks a lot for the quick feedback. I shared this with the plugin developer.

#5 - 2019-07-12 14:49 - Ivan Cenov

Removing the "gem 'render_parent', '>= 0.0.4'" from plugin's Gemfile seem to fix it.

I tested on Redmine 4.0.4. See https://github.com/mboratko/redmine_latex_mathjax/issues/30