

## Redmine - Feature #30230

### Redmine reference with version info

2018-12-16 02:10 - Sho HASHIMOTO

<b>Status:</b> New	<b>Start date:</b>
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b> Documentation	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	
<b>Resolution:</b>	

**Description**

I was generated Redmine reference with version information. See below.

- <http://sho-h.github.io/redmine/3.3/index.html>
- <http://sho-h.github.io/redmine/3.4/index.html>
- <http://sho-h.github.io/redmine/4.0/index.html>

This was generated by only executing `bundle exec rake yard`. We can see codes [here](#).

1. Add new [yard template](#)
2. Add [redmine version info](#)
  1. git checkout <ver>
  2. yard doc --no-output && mv .yardoc .yardoc.<ver> # generate only .yardoc
  3. Repeat 1. and 2. with all tag
  4. yard diff .yardoc.<ver1> .yardoc.<ver2>
  5. Repeat 4. with all tag
  6. Reform all 4. and 5. result to redmine\_changes.yml
3. Fix yard [rake task](#) to use a new template

I want to publish either of the following to maintenance redmine plugins easily.

- redmine.github.io/redmine/<ver>/ # need to create gh-pages branch on Github mirror
- yardoc.redmine.jp/Redmine/<ver>/ # need to talk with @g\_maeda san?

### History

#### #1 - 2018-12-16 03:02 - Sho HASHIMOTO

#28996 is related with this ticket.

#### #2 - 2018-12-16 03:10 - Sho HASHIMOTO

| *We can see codes here.*

Maybe, version info should be belongs to generator only to generate past version.

I will create redmine plugin to overwrite rake yard task(in lib/tasks/yardoc.rake) and maintain it if this suggestion will be accept.

### Files

スクリーンショット 2018-12-16 9.34.39.png

51 KB

2018-12-16

Sho HASHIMOTO

