

## Redmine - Defect #31094

### Failure Upgrade from 3.3.4 to 4.0.2 on execute "bundle exec rake db:migrate RAILS\_ENV=production"

2019-03-25 11:26 - Hofei -

<b>Status:</b> Closed	<b>Start date:</b>
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	<b>Affected version:</b> 4.0.2
<b>Resolution:</b> Invalid	

**Description**

Hello,  
have problems updating from version 3.3.4 to version 4.0.2.  
A clean installation works. After deleting the new database and importing the backup of the database from version 3.3.4 I get the following error message after executing the command:

```
bundle exec rake db:migrate RAILS_ENV=production
```

Bevore bundle exec rake generate\_secret\_token its ok.

```
** Invoke db:migrate (first_time)
** Invoke db:load_config (first_time)
** Invoke environment (first_time)
** Execute environment
** Execute db:load_config
** Execute db:migrate
== 20161001122012 AddTrackerIdIndexToWorkflows: migrating =====
-- add_index(:workflows, :tracker_id)
   -> 0.1165s
== 20161001122012 AddTrackerIdIndexToWorkflows: migrated (0.1168s) =====

== 20161002133421 AddIndexOnMemberRolesInheritedFrom: migrating =====
-- add_index(:member_roles, :inherited_from)
   -> 0.0928s
== 20161002133421 AddIndexOnMemberRolesInheritedFrom: migrated (0.0930s) =====

== 20161010081301 ChangeIssuesDescriptionLimit: migrating =====
-- adapter_name()
   -> 0.0000s
-- change_column(:issues, :description, :text, {:limit=>16777216})
   -> 3.6314s
== 20161010081301 ChangeIssuesDescriptionLimit: migrated (3.6322s) =====

== 20161010081528 ChangeJournalDetailsValueLimit: migrating =====
-- adapter_name()
   -> 0.0000s
-- change_column(:journal_details, :value, :text, {:limit=>16777216})
   -> 4.3541s
-- adapter_name()
   -> 0.0000s
-- change_column(:journal_details, :old_value, :text, {:limit=>16777216})
   -> 1.7060s
== 20161010081528 ChangeJournalDetailsValueLimit: migrated (6.0619s) =====

== 20161010081600 ChangeJournalsNotesLimit: migrating =====
-- adapter_name()
   -> 0.0001s
-- change_column(:journals, :notes, :text, {:limit=>16777216})
   -> 0.6429s
```

```

== 20161010081600 ChangeJournalsNotesLimit: migrated (0.6448s) =====
== 20161126094932 AddIndexOnChangesetsIssuesIssueId: migrating =====
-- add_index(:changesets_issues, :issue_id)
  -> 0.0339s
== 20161126094932 AddIndexOnChangesetsIssuesIssueId: migrated (0.0348s) =====

== 20161220091118 AddIndexOnIssuesParentId: migrating =====
-- add_index(:issues, :parent_id)
rake aborted!
StandardError: An error has occurred, all later migrations canceled:

Index name 'index_issues_on_parent_id' on table 'issues' already exists
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/connection_adapters/abstract/schema_
statements.rb:1160:in `add_index_options'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/connection_adapters/abstract_mysql_a
dapter.rb:380:in `add_index'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:871:in `block in method
_missing'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:840:in `block in say_wi
th_time'
/usr/lib/ruby/2.3.0/benchmark.rb:293:in `measure'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:840:in `say_with_time'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:860:in `method_missing'
/opt/redmine/redmine-4.0.2/db/migrate/20161220091118_add_index_on_issues_parent_id.rb:3:in `change
'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:814:in `exec_migration'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:798:in `block (2 levels
) in migrate'
/usr/lib/ruby/2.3.0/benchmark.rb:293:in `measure'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:797:in `block in migrat
e'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/connection_adapters/abstract/connect
ion_pool.rb:416:in `with_connection'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:796:in `migrate'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:977:in `migrate'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1292:in `block in execu
te_migration_in_transaction'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1345:in `ddl_transactio
n'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1291:in `execute_migrat
ion_in_transaction'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1263:in `block in migra
te_without_lock'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1262:in `each'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1262:in `migrate_withou
t_lock'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1210:in `block in migra
te'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1363:in `with_advisory_
lock'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1210:in `migrate'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1036:in `up'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1011:in `migrate'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/tasks/database_tasks.rb:172:in `migr
ate'
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/railties/databases.rake:60:in `block
(2 levels) in <top (required)>'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:273:in `block in execute'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:273:in `each'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:273:in `execute'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:214:in `block in invoke_with_call_chain'
/usr/lib/ruby/2.3.0/monitor.rb:214:in `mon_synchronize'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:194:in `invoke_with_call_chain'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:183:in `invoke'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:160:in `invoke_task'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:116:in `block (2 levels) in top_level

```

```
'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:116:in `each'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:116:in `block in top_level'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:125:in `run_with_threads'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:110:in `top_level'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:83:in `block in run'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:186:in `standard_exception_handling'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:80:in `run'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/exe/rake:27:in `'  
/usr/local/bin/rake:22:in `load'  
/usr/local/bin/rake:22:in `'
```

Caused by:

ArgumentError: Index name 'index\_issues\_on\_parent\_id' on table 'issues' already exists

```
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/connection_adapters/abstract/schema_ statements.rb:1160:in `add_index_options'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/connection_adapters/abstract_mysql_a dapter.rb:380:in `add_index'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:871:in `block in method _missing'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:840:in `block in say_wi th_time'  
/usr/lib/ruby/2.3.0/benchmark.rb:293:in `measure'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:840:in `say_with_time'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:860:in `method_missing'  
/opt/redmine/redmine-4.0.2/db/migrate/20161220091118_add_index_on_issues_parent_id.rb:3:in `change '  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:814:in `exec_migration'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:798:in `block (2 levels ) in migrate'  
/usr/lib/ruby/2.3.0/benchmark.rb:293:in `measure'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:797:in `block in migrat e'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/connection_adapters/abstract/connect ion_pool.rb:416:in `with_connection'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:796:in `migrate'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:977:in `migrate'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1292:in `block in execu te_migration_in_transaction'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1345:in `ddl_transactio n'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1291:in `execute_migrat ion_in_transaction'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1263:in `block in migra te_without_lock'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1262:in `each'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1262:in `migrate_withou t_lock'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1210:in `block in migra te'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1363:in `with_advisory_ lock'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1210:in `migrate'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1036:in `up'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/migration.rb:1011:in `migrate'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/tasks/database_tasks.rb:172:in `migr ate'  
/var/lib/gems/2.3.0/gems/activerecord-5.2.2/lib/active_record/railties/databases.rake:60:in `block (2 levels) in <top (required)>'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:273:in `block in execute'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:273:in `each'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:273:in `execute'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:214:in `block in invoke_with_call_chain'  
/usr/lib/ruby/2.3.0/monitor.rb:214:in `mon_synchronize'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:194:in `invoke_with_call_chain'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/task.rb:183:in `invoke'  
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:160:in `invoke_task'
```

```
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:116:in `block (2 levels) in top_level'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:116:in `each'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:116:in `block in top_level'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:125:in `run_with_threads'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:110:in `top_level'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:83:in `block in run'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:186:in `standard_exception_handling'
/var/lib/gems/2.3.0/gems/rake-12.3.2/lib/rake/application.rb:80:in `run'
/var/lib/gems/2.3.0/gems/rake-12.3.2/exe/rake:27:in `'
/usr/local/bin/rake:22:in `load'
/usr/local/bin/rake:22:in `'
Tasks: TOP => db:migrate
```

If I "ignore" the error and restart Apache2 I get the same error as in this thread here: <https://www.redmine.org/boards/1/topics/56719>

All projects and tickets are available, but when I go to configuration of the respective project I get the following error message:

```
Internal error
An error occurred on the page you were trying to access.
If you continue to experience problems please contact your Redmine administrator for assistance.

If you are the Redmine administrator, check your log files for details about the error.
```

### Information on my System

```
Environment:
  Redmine version      4.0.2.stable
  Ruby version         2.3.3-p222 (2016-11-21) [arm-linux-gnueabi]
  Rails version        5.2.2
  Environment          production
  Database adapter     Mysql2
  Mailer queue         ActiveJob::QueueAdapters::AsyncAdapter
  Mailer delivery      smtp
SCM:
  Filesystem
Redmine plugins:
  no plugin installed

Package: mariadb-server
Source: mariadb-10.1
Version: 10.1.37-0+deb9u1

Raspbian GNU/Linux 9 (stretch) 4.14.79-v7+
```

### History

#### #1 - 2019-03-25 12:46 - Go MAEDA

- Status changed from New to Closed
- Resolution set to Invalid

Please use forums for questions as the following message you have already posted. And please don't multi-post.

[Failure Upgrade from 3.3.4 to 4.0.2 on db:migrate](#)