Redmine - Feature #3177

Add "Check for updates" functionality to installed plugins

2009-04-15 13:46 - Maxim Krušina

Status:	Closed	Start date:	2009-04-	15
Priority:	Normal	Due date:		
Assignee:	Jean-Philippe Lang	% Done:	0%	
Category:	Plugin Request	Estimated time:	0.00 hour	
Target version:	2.5.2			
Resolution:	Fixed			
Description				
My idea is to have sin It can be done simply If there is newer plug	ew of installed plugins, there is versio mply one more column, where will be <i>t</i> by accessign special Plugin's URL, in version, table field should be gree r example 1x per week email with no	displayed lates version of plu on which plugin developer retu n, or so.	gin. urn latest plugi	
Related issues:				
Related to Redmine - Feature #5863: Remove All Plugins			New	2010-07-10
Related to Redmine - Defect #16794: plugin update check not working correctly			New	
Associated revisior				
	-04-05 16:00 - Jean-Philippe Lang			
	es" for installed plugins (#3177).			
Devision 10040 0014	04.05.10.05 Jaan Dhilinna Lann			
Adds strings to locales	-04-05 16:05 - Jean-Philippe Lang			
Adds strings to locales	(#3177).			
Revision 13044 - 2014	-04-05 16:08 - Jean-Philippe Lang			
Adds strings to locales	(#3177).			
Revision 13049 - 2014	-04-05 16:38 - Jean-Philippe Lang			
Merged r13042 to r1304				
	· · · · · · · · · · · · · · · · · · ·			
	-04-06 13:03 - Jean-Philippe Lang			
Missing closing tag (#3	177).			
Revision 13053 - 2014	-04-06 13:04 - Jean-Philippe Lang			
Merged r13052 (#3177)).			
History				
#1 - 2009-04-30 03:57	- Eric Davis			
I've thought of somethin	ng similar. Once my current commitments	s slowdown, I'll see what we can d	o for this.	
	-			
#2 - 2010-06-24 00:17	- Paul paul			
Eric Davis wrote:				

I've thought of something similar. Once my current commitments slowdown, I'll see what we can do for this.

Has there been any progress on this? Thank you.

#3 - 2010-10-25 17:03 - Eric Davis

- Assignee deleted (Eric Davis)

#4 - 2013-05-02 03:08 - Jean-Baptiste Barth

- Category changed from Plugin API to Plugin Request

It could be implemented as ... a plugin (a bit meta I admit). <u>http://www.redmine.org/plugins</u> would be a good basis for that but unfortunately it isn't widely used for now. An other solution would be to have plugins distributed as gems, but again, this is not a technical issue I think, more a "usage" one. Having the plugin tell itself how it can check its version wouldn't be a good solution imho (mainly security concerns)

#5 - 2014-04-05 15:59 - Jean-Philippe Lang

- Subject changed from Add update functionality to installed plugins to Add "Check for updates" functionality to installed plugins

- Assignee set to Jean-Philippe Lang
- Target version set to 2.4.6

#6 - 2014-04-05 15:59 - Jean-Philippe Lang

- Target version changed from 2.4.6 to 2.5.2

#7 - 2014-04-05 16:38 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Fixed

Merged.

#8 - 2014-04-05 18:13 - Ivan Cenov

If the list of plugins is long, the link ': label_check_for_updates' is not seen. I added following and before the table - it seems to me conveniently. If you think the same you may want to add it in plugins.html.erb.

<%= l(:label_check_for_updates) %>

```
<% if @plugins.any? %>
<a href="#" id="check-for-updates"><%= l(:label_check_for_updates) %></a>
...
```

#9 - 2014-04-11 21:55 - Kirill Bezrukov (RedmineUP)

Would be great to have something like plugin_website_indetifier, because sometime plugin directory already has the same identifiers.

Ex. I have plugin redmine_contacts, but redmine_contacts already busy on redmine.org with another plugin and main called crm.

#10 - 2014-05-03 00:11 - Tobias Fischer

As this issue is still planned for v2.5.2 I'd like to point out issue <u>#16794</u> to you as it seems that the plugin check doesn't always work as expected. Probably someone can have a look... Thanks!

#11 - 2014-06-09 15:50 - Alex Bevilacqua

I started to develop something like this (<u>https://github.com/alexbevi/redmine_plugin_updates</u>) but the goal was to parse the version from the init.rb of a plugin on a public scm. As a core implementation will be much more useful than a plugin, I've abandoned my own effort, but it might be beneficial to have an option to check alternate sources for updates, as not all plugins are registered in the plugin directory.

#12 - 2014-07-11 07:53 - Akiko Takano

Alex Bevilacqua wrote:

I started to develop something like this (<u>https://github.com/alexbevi/redmine_plugin_updates</u>) but the goal was to parse the version from the init.rb of a plugin on a public scm.

Hi, thank you for your posting and above plugin. Since I've tried that I'll send some feedback if you don't mind:)

#13 - 2014-07-11 08:01 - Akiko Takano

Thanks for this feature.

But in my environment, Firefox failed to get plugin information from redmine.org's api. I wonder if the cross domain limitation with ajax or not. Chrome, Safari works fine.

#14 - 2014-07-17 02:33 - Sam Sheen

- File zh-TW.yml added

provide plugin translation for Tradional Cheinese

#15 - 2014-08-03 16:13 - Go MAEDA

Sam Sheen wrote:

provide plugin translation for Tradional Cheinese

You would be better to create a new issue. You can see examples.

#16 - 2014-08-09 07:27 - Toshi MARUYAMA

Sam Sheen wrote:

provide plugin translation for Tradional Cheinese

It seems for https://github.com/go2null/redmine_issue_checklist/tree/master/config/locales .

#17 - 2014-09-01 22:29 - Etienne Massip

- Related to Defect #16794: plugin update check not working correctly added

Files

zh-TW.yml

453 Bytes

2014-07-17

Sam Sheen