

## Redmine - Defect #32737

### Duplicate sort keys for issue query cause SQL error with SQL Server

2020-01-02 10:46 - Sascha Merz

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Go MAEDA	<b>% Done:</b>	0%
<b>Category:</b>	Issues	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	4.1.1	<b>Affected version:</b>	4.1.0
<b>Resolution:</b>	Fixed		
<b>Description</b>			
<p>Installed Redmine 4.1.0.stable from scratch following RedmineInstall guide. Created a new project / tracker / issues. Have done the configuration.</p> <p>Now having a Redmine issue with Gantt. Directly after installation, the Gantt Tab is showing the following. "500 - An error occurred while executing the query and has been logged. Please report this error to your Redmine administrator." Looking for a workaround to get the Gantt Tab working.</p> <p>Redmine:</p> <pre>4.1.0.stable Ruby: 2.5.7-p206 (2019-10-01) [x64-mingw32] Rails: 5.2.4.1 Database: MS SQL Server 2017 (RTM) - 14.0.1000.169 (X64) Express Edition Webserver: MS IIS Reverse Proxy -&gt; Puma OS: VM Windows Server 2016 Standard 10.0 &lt;X64&gt; (Build 14393: ) (Hypervisor) Redmine plugins:   redhopper                2.0.0</pre> <p>production.log:</p> <pre>Started GET "/projects/projektmanagement-it/issues/gantt" for 127.0.0.1 at 2019-12-30 23:07:36 +0100 Processing by GanttsController#show as HTML   Parameters: {"project_id"=&gt;"projektmanagement-it"}   Current user: amerzsa (id=5)   Rendering gantts/show.html.erb within layouts/base   Rendered queries/_filters.html.erb (10.7ms)   Rendered queries/_columns.html.erb (3.4ms)   Rendered gantts/show.html.erb within layouts/base (65.9ms) Query::StatementInvalid: TinyTds::Error: A column has been specified more than once in the order by list. Columns in the order by list must be unique.: EXEC sp_executesql N'SELECT [issues].[id] AS t0_r0, [issues].[tracker_id] AS t0_r1, [issues].[project_id] AS t0_r2, [issues].[subject] AS t0_r3, [issues].[description] AS t0_r4, [issues].[due_date] AS t0_r5, [issues].[category_id] AS t0_r6, [issues].[status_id] AS t0_r7, [issues].[assigned_to_id] AS t0_r8, [issues].[priority_id] AS t0_r9, [issues].[fixed_version_id] AS t0_r10, [issues].[author_id] AS t0_r11, [issues].[lock_version] AS t0_r12, [issues].[created_on] AS t0_r13, [issues].[updated_on] AS t0_r14, [issues].[start_date] AS t0_r15, [issues].[done_ratio] AS t0_r16, [issues].[estimated_hours] AS t0_r17, [issues].[parent_id] AS t0_r18, [issues].[root_id] AS t0_r19, [issues].[lft] AS t0_r20, [issues].[rgt] AS t0_r21, [issues].[is_private] AS t0_r22, [issues].[closed_on] AS t0_r23, [issue_statuses].[id] AS t1_r0, [issue_statuses].[name] AS t1_r1, [issue_statuses].[is_closed] AS t1_r2, [issue_statuses].[position] AS t1_r3, [issue_statuses].[default_done_ratio] AS t1_r4, [projects].[id] AS t2_r0, [projects].[name] AS t2_r1, [projects].[description] AS t2_r2, [projects].[homepage] AS t2_r3, [projects].[is_public] AS t2_r4, [projects].[parent_id] AS t2_r5, [projects].[created_on] AS t2_r6, [projects].[updated_on] AS t2_r7, [projects].[identifier] AS t2_r8, [projects].[status] AS t2_r9, [projects].[lft] AS t2_r10, [projects].[rgt] AS t2_r11, [projects].[inherit_members] AS t2_r12, [projects].[d</pre>			

```
default_version_id] AS t2_r13, [projects].[default_assigned_to_id] AS t2_r14, [users].[id] AS t3_r0
, [users].[login] AS t3_r1, [users].[hashed_password] AS t3_r2, [users].[firstname] AS t3_r3, [use
rs].[lastname] AS t3_r4, [users].[admin] AS t3_r5, [users].[status] AS t3_r6, [users].[last_login_
on] AS t3_r7, [users].[language] AS t3_r8, [users].[auth_source_id] AS t3_r9, [users].[created_on]
AS t3_r10, [users].[updated_on] AS t3_r11, [users].[type] AS t3_r12, [users].[identity_url] AS t3
_r13, [users].[mail_notification] AS t3_r14, [users].[salt] AS t3_r15, [users].[must_change_passw
d] AS t3_r16, [users].[passwd_changed_on] AS t3_r17, [trackers].[id] AS t4_r0, [trackers].[name] AS
t4_r1, [trackers].[is_in_chlog] AS t4_r2, [trackers].[position] AS t4_r3, [trackers].[is_in_roadm
ap] AS t4_r4, [trackers].[fields_bits] AS t4_r5, [trackers].[default_status_id] AS t4_r6, [tracker
s].[description] AS t4_r7, [enumerations].[id] AS t5_r0, [enumerations].[name] AS t5_r1, [enumerat
ions].[position] AS t5_r2, [enumerations].[is_default] AS t5_r3, [enumerations].[type] AS t5_r4, [
enumerations].[active] AS t5_r5, [enumerations].[project_id] AS t5_r6, [enumerations].[parent_id]
AS t5_r7, [enumerations].[position_name] AS t5_r8, [issue_categories].[id] AS t6_r0, [issue_catego
ries].[project_id] AS t6_r1, [issue_categories].[name] AS t6_r2, [issue_categories].[assigned_to_i
d] AS t6_r3, [versions].[id] AS t7_r0, [versions].[project_id] AS t7_r1, [versions].[name] AS t7_r
2, [versions].[description] AS t7_r3, [versions].[effective_date] AS t7_r4, [versions].[created_on
] AS t7_r5, [versions].[updated_on] AS t7_r6, [versions].[wiki_page_title] AS t7_r7, [versions].[s
tatus] AS t7_r8, [versions].[sharing] AS t7_r9 FROM [issues] INNER JOIN [projects] ON [projects].[
id] = [issues].[project_id] INNER JOIN [issue_statuses] ON [issue_statuses].[id] = [issues].[statu
s_id] LEFT OUTER JOIN [users] ON [users].[id] = [issues].[assigned_to_id] LEFT OUTER JOIN [tracker
s] ON [trackers].[id] = [issues].[tracker_id] LEFT OUTER JOIN [enumerations] ON [enumerations].[id
] = [issues].[priority_id] AND [enumerations].[type] IN (N''IssuePriority'') LEFT OUTER JOIN [issu
e_categories] ON [issue_categories].[id] = [issues].[category_id] LEFT OUTER JOIN [versions] ON [v
ersions].[id] = [issues].[fixed_version_id] WHERE (projects.status <> 9 AND EXISTS (SELECT 1 AS on
e FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND (
(issues.status_id IN (SELECT id FROM issue_statuses WHERE is_closed=0)) AND projects.id = 1) ORDE
R BY projects.lft ASC, issues.id ASC, issues.id DESC OFFSET 0 ROWS FETCH NEXT @0 ROWS ONLY', N'@0
int', @0 = 500
```

Rendering common/error.html.erb within layouts/base

Rendered common/error.html.erb within layouts/base (0.1ms)

Completed 500 Internal Server Error in 152ms (Views: 18.0ms | ActiveRecord: 20.2ms)

SQL Statement with issue in ORDER BY:

```
EXEC sp_executesql N'SELECT [issues].[id] AS t0_r0,
[issues].[tracker_id] AS t0_r1,
[issues].[project_id] AS t0_r2,
[issues].[subject] AS t0_r3,
[issues].[description] AS t0_r4,
[issues].[due_date] AS t0_r5,
[issues].[category_id] AS t0_r6,
[issues].[status_id] AS t0_r7,
[issues].[assigned_to_id] AS t0_r8,
[issues].[priority_id] AS t0_r9,
[issues].[fixed_version_id] AS t0_r10,
[issues].[author_id] AS t0_r11,
[issues].[lock_version] AS t0_r12,
[issues].[created_on] AS t0_r13,
[issues].[updated_on] AS t0_r14,
[issues].[start_date] AS t0_r15,
[issues].[done_ratio] AS t0_r16,
[issues].[estimated_hours] AS t0_r17,
[issues].[parent_id] AS t0_r18,
[issues].[root_id] AS t0_r19,
[issues].[lft] AS t0_r20,
[issues].[rgt] AS t0_r21,
[issues].[is_private] AS t0_r22,
[issues].[closed_on] AS t0_r23,
[issue_statuses].[id] AS t1_r0,
[issue_statuses].[name] AS t1_r1,
[issue_statuses].[is_closed] AS t1_r2,
[issue_statuses].[position] AS t1_r3,
[issue_statuses].[default_done_ratio] AS t1_r4,
[projects].[id] AS t2_r0,
[projects].[name] AS t2_r1,
[projects].[description] AS t2_r2,
[projects].[homepage] AS t2_r3,
```

```

[projects].[is_public] AS t2_r4,
[projects].[parent_id] AS t2_r5,
[projects].[created_on] AS t2_r6,
[projects].[updated_on] AS t2_r7,
[projects].[identifier] AS t2_r8,
[projects].[status] AS t2_r9,
[projects].[lft] AS t2_r10,
[projects].[rgt] AS t2_r11,
[projects].[inherit_members] AS t2_r12,
[projects].[default_version_id] AS t2_r13,
[projects].[default_assigned_to_id] AS t2_r14,
[users].[id] AS t3_r0,
[users].[login] AS t3_r1,
[users].[hashed_password] AS t3_r2,
[users].[firstname] AS t3_r3,
[users].[lastname] AS t3_r4,
[users].[admin] AS t3_r5,
[users].[status] AS t3_r6,
[users].[last_login_on] AS t3_r7,
[users].[language] AS t3_r8,
[users].[auth_source_id] AS t3_r9,
[users].[created_on] AS t3_r10,
[users].[updated_on] AS t3_r11,
[users].[type] AS t3_r12,
[users].[identity_url] AS t3_r13,
[users].[mail_notification] AS t3_r14,
[users].[salt] AS t3_r15,
[users].[must_change_passwd] AS t3_r16,
[users].[passwd_changed_on] AS t3_r17,
[trackers].[id] AS t4_r0,
[trackers].[name] AS t4_r1,
[trackers].[is_in_chlog] AS t4_r2,
[trackers].[position] AS t4_r3,
[trackers].[is_in_roadmap] AS t4_r4,
[trackers].[fields_bits] AS t4_r5,
[trackers].[default_status_id] AS t4_r6,
[trackers].[description] AS t4_r7,
[enumerations].[id] AS t5_r0,
[enumerations].[name] AS t5_r1,
[enumerations].[position] AS t5_r2,
[enumerations].[is_default] AS t5_r3,
[enumerations].[type] AS t5_r4,
[enumerations].[active] AS t5_r5,
[enumerations].[project_id] AS t5_r6,
[enumerations].[parent_id] AS t5_r7,
[enumerations].[position_name] AS t5_r8,
[issue_categories].[id] AS t6_r0,
[issue_categories].[project_id] AS t6_r1,
[issue_categories].[name] AS t6_r2,
[issue_categories].[assigned_to_id] AS t6_r3,
[versions].[id] AS t7_r0,
[versions].[project_id] AS t7_r1,
[versions].[name] AS t7_r2,
[versions].[description] AS t7_r3,
[versions].[effective_date] AS t7_r4,
[versions].[created_on] AS t7_r5,
[versions].[updated_on] AS t7_r6,
[versions].[wiki_page_title] AS t7_r7,
[versions].[status] AS t7_r8,
[versions].[sharing] AS t7_r9

```

```

FROM [issues] INNER JOIN [projects] ON [projects].[id] = [issues].[project_id] INNER JOIN [issue_statuses] ON [issue_statuses].[id] = [issues].[status_id] LEFT OUTER JOIN [users] ON [users].[id] = [issues].[assigned_to_id] LEFT OUTER JOIN [trackers] ON [trackers].[id] = [issues].[tracker_id] LEFT OUTER JOIN [enumerations] ON [enumerations].[id] = [issues].[priority_id] AND [enumerations].[type] IN (N''IssuePriority'') LEFT OUTER JOIN [issue_categories] ON [issue_categories].[id] = [issues].[category_id] LEFT OUTER JOIN [versions] ON [versions].[id] = [issues].[fixed_version_id]

```

```
WHERE (projects.status <> 9
      AND EXISTS (SELECT 1 AS one
                 FROM enabled_modules em
                 WHERE em.project_id = projects.id
                      AND em.name='issue_tracking'))
      AND ((issues.status_id IN (SELECT id
                                FROM issue_statuses
                                WHERE is_closed=0))
          AND projects.id = 1)
ORDER BY projects.lft ASC,
         issues.id ASC,
         issues.id DESC OFFSET 0 ROWS FETCH NEXT @0 ROWS ONLY',
         N'@0 int',
         @0 = 500
```

#### Related issues:

Related to Redmine - Defect #30009: Empty sort criteria for issue query gives...	<b>Closed</b>
Related to Redmine - Defect #29581: Issues in paginated views may be lost bec...	<b>Closed</b>
Has duplicate Redmine - Defect #32808: Gantt Query Error 500	<b>Closed</b>
Has duplicate Redmine - Defect #33224: SQL Server: A column has been specifie...	<b>Closed</b>

#### Associated revisions

##### Revision 19636 - 2020-04-02 08:22 - Go MAEDA

Remove duplicate keys from sort criteria (#32737).

Patch by Go MAEDA.

##### Revision 19637 - 2020-04-02 09:52 - Go MAEDA

Fix that viewing gantt causes SQL error with SQL Server (#32737).

Patch by Pavel Rosický.

##### Revision 19638 - 2020-04-02 09:55 - Go MAEDA

Merged r19636 from trunk to 4.1-stable (#32737).

##### Revision 19639 - 2020-04-02 09:56 - Go MAEDA

Merged r19637 from trunk to 4.1-stable (#32737).

#### History

##### #1 - 2020-01-05 10:25 - Go MAEDA

I have confirmed that the query edit form can set the same field more than once as sort criteria and the same column appears multiple times in the ORDER BY clause as a result.

I think the following checks (at least the first one) should be added.

- Don't add the same column to ORDER BY clause more than once
- Reject specifying the same field more than twice for sort criteria in the query edit form

##### #2 - 2020-01-15 08:07 - Tobias Pitzer

Go MAEDA wrote:

I have confirmed that the query edit form can set the same field more than once as sort criteria and the same column appears multiple times in the ORDER BY clause as a result.

I think the following checks (at least the first one) should be added.

- Don't add the same column to ORDER BY clause more than once
- Reject specifying the same field more than twice for sort criteria in the query edit form

Is there any workaround on this?

##### #3 - 2020-01-15 10:32 - Go MAEDA

- Has duplicate Defect #32808: Gantt Query Error 500 added

**#4 - 2020-01-22 09:40 - Yuichi HARADA**

- File 32737\_exclude\_same\_column\_from\_orderby.patch added

Go MAEDA wrote:

I think the following checks (at least the first one) should be added.

- Don't add the same column to ORDER BY clause more than once
- Reject specifying the same field more than twice for sort criteria in the query edit form

Exclude the same column from the ORDER BY clause.  
I attached a patch.

**#5 - 2020-01-22 10:49 - Dean Yeh**

Yuichi HARADA wrote:

Go MAEDA wrote:

I think the following checks (at least the first one) should be added.

- Don't add the same column to ORDER BY clause more than once
- Reject specifying the same field more than twice for sort criteria in the query edit form

Exclude the same column from the ORDER BY clause.  
I attached a patch.

Thank you, Yuichi HARADA.  
It works on my Redmine. :)

**#6 - 2020-01-27 11:10 - Go MAEDA**

- File 32737-remove-duplicate-keys.patch added

Maybe also this patch will work.

**#7 - 2020-01-27 13:00 - Go MAEDA**

- File 32737-remove-duplicate-keys.patch added

**#8 - 2020-01-27 13:00 - Go MAEDA**

- File deleted (32737-remove-duplicate-keys.patch)

**#9 - 2020-01-27 13:00 - Go MAEDA**

- Related to Defect #30009: Empty sort criteria for issue query gives error added

**#10 - 2020-01-27 13:14 - Go MAEDA**

- Subject changed from Gantt Tab - 500 - An error occurred while executing the query - A column has been specified more than once in the order by list to Duplicate sort keys for issue query cause SQL error with SQL Server

- Category changed from Gantt to Issues

**#11 - 2020-01-29 05:58 - Yuichi HARADA**

Go MAEDA wrote:

Maybe also this patch will work.

Execute tests on SQL Server, 12 test failures (500: Internal Server Error. I think duplicate ORDER BY clauses are involved) and 16 execution errors (duplicate ORDER BY clause) occurred.

- test/unit/lib/redmine/helpers/gantt\_test.rb
- test/functional/gantts\_controller\_test.rb

[Test results...Test results...](#)

```
dev-trunk $ RAILS_ENV=test bundle exec rake test
```

(snip)

...E

Error:

Redmine::Helpers::GanttHelperTest#test\_#subjects\_version\_should\_be\_rendered:

```
Query::StatementInvalid: TinyTds::Error: A column has been specified more than once in the order by list. Columns in the order by list must be unique.: EXEC sp_executesql N'SELECT [issues].[id] AS t0_r0, [issues].[tracker_id] AS t0_r1, [issues].[project_id] AS t0_r2, [issues].[subject] AS t0_r3, [issues].[description] AS t0_r4, [issues].[due_date] AS t0_r5, [issues].[category_id] AS t0_r6, [issues].[status_id] AS t0_r7, [issues].[assigned_to_id] AS t0_r8, [issues].[priority_id] AS t0_r9, [issues].[fixed_version_id] AS t0_r10, [issues].[author_id] AS t0_r11, [issues].[lock_version] AS t0_r12, [issues].[created_on] AS t0_r13, [issues].[updated_on] AS t0_r14, [issues].[start_date] AS t0_r15, [issues].[done_ratio] AS t0_r16, [issues].[estimated_hours] AS t0_r17, [issues].[parent_id] AS t0_r18, [issues].[root_id] AS t0_r19, [issues].[lft] AS t0_r20, [issues].[rgt] AS t0_r21, [issues].[is_private] AS t0_r22, [issues].[closed_on] AS t0_r23, [issue_statuses].[id] AS t1_r0, [issue_statuses].[name] AS t1_r1, [issue_statuses].[is_closed] AS t1_r2, [issue_statuses].[position] AS t1_r3, [issue_statuses].[default_done_ratio] AS t1_r4, [projects].[id] AS t2_r0, [projects].[name] AS t2_r1, [projects].[description] AS t2_r2, [projects].[homepage] AS t2_r3, [projects].[is_public] AS t2_r4, [projects].[parent_id] AS t2_r5, [projects].[created_on] AS t2_r6, [projects].[updated_on] AS t2_r7, [projects].[identifier] AS t2_r8, [projects].[status] AS t2_r9, [projects].[lft] AS t2_r10, [projects].[rgt] AS t2_r11, [projects].[inherit_members] AS t2_r12, [projects].[default_version_id] AS t2_r13, [projects].[default_assigned_to_id] AS t2_r14, [users].[id] AS t3_r0, [users].[login] AS t3_r1, [users].[hashed_password] AS t3_r2, [users].[firstname] AS t3_r3, [users].[lastname] AS t3_r4, [users].[admin] AS t3_r5, [users].[status] AS t3_r6, [users].[last_login_on] AS t3_r7, [users].[language] AS t3_r8, [users].[auth_source_id] AS t3_r9, [users].[created_on] AS t3_r10, [users].[updated_on] AS t3_r11, [users].[type] AS t3_r12, [users].[identity_url] AS t3_r13, [users].[mail_notification] AS t3_r14, [users].[salt] AS t3_r15, [users].[must_change_passwd] AS t3_r16, [users].[passwd_changed_on] AS t3_r17, [trackers].[id] AS t4_r0, [trackers].[name] AS t4_r1, [trackers].[is_in_chlog] AS t4_r2, [trackers].[position] AS t4_r3, [trackers].[is_in_roadmap] AS t4_r4, [trackers].[fields_bits] AS t4_r5, [trackers].[default_status_id] AS t4_r6, [trackers].[description] AS t4_r7, [enumerations].[id] AS t5_r0, [enumerations].[name] AS t5_r1, [enumerations].[position] AS t5_r2, [enumerations].[is_default] AS t5_r3, [enumerations].[type] AS t5_r4, [enumerations].[active] AS t5_r5, [enumerations].[project_id] AS t5_r6, [enumerations].[parent_id] AS t5_r7, [enumerations].[position_name] AS t5_r8, [issue_categories].[id] AS t6_r0, [issue_categories].[project_id] AS t6_r1, [issue_categories].[name] AS t6_r2, [issue_categories].[assigned_to_id] AS t6_r3, [versions].[id] AS t7_r0, [versions].[project_id] AS t7_r1, [versions].[name] AS t7_r2, [versions].[description] AS t7_r3, [versions].[effective_date] AS t7_r4, [versions].[created_on] AS t7_r5, [versions].[updated_on] AS t7_r6, [versions].[wiki_page_title] AS t7_r7, [versions].[status] AS t7_r8, [versions].[sharing] AS t7_r9 FROM [issues] INNER JOIN [projects] ON [projects].[id] = [issues].[project_id] INNER JOIN [issue_statuses] ON [issue_statuses].[id] = [issues].[status_id] LEFT OUTER JOIN [users] ON [users].[id] = [issues].[assigned_to_id] LEFT OUTER JOIN [trackers] ON [trackers].[id] = [issues].[tracker_id] LEFT OUTER JOIN [enumerations] ON [enumerations].[id] = [issues].[priority_id] AND [enumerations].[type] IN ('IssuePriority') LEFT OUTER JOIN [issue_categories] ON [issue_categories].[id] = [issues].[category_id] LEFT OUTER JOIN [versions] ON [versions].[id] = [issues].[fixed_version_id] WHERE (projects.status <> 9 AND EXISTS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND ((issues.status_id IN (SELECT id FROM issue_statuses WHERE is_closed=0)) AND projects.id = 162) ORDER BY projects.lft ASC, issues.id ASC, issues.id DESC OFFSET 0 ROWS FETCH NEXT @0 ROWS ONLY', N'@0 int', @0 = 500
app/models/issue_query.rb:360:in `rescue in issues'
app/models/issue_query.rb:318:in `issues'
lib/redmine/helpers/gantt.rb:152:in `issues'
lib/redmine/helpers/gantt.rb:176:in `projects'
lib/redmine/helpers/gantt.rb:216:in `render'
lib/redmine/helpers/gantt.rb:134:in `subjects'
test/unit/lib/redmine/helpers/gantt_test.rb:141:in `block in <class:GanttHelperTest>'
```

bin/rails test test/unit/lib/redmine/helpers/gantt\_test.rb:139

E

Error:

Redmine::Helpers::GanttHelperTest#test\_#number\_of\_rows\_should\_not\_exceed\_max\_rows\_option:

```
Query::StatementInvalid: TinyTds::Error: A column has been specified more than once in the order by list. Columns in the order by list must be unique.: EXEC sp_executesql N'SELECT [issues].[id] AS t0_r0, [issues].[tracker_id] AS t0_r1, [issues].[project_id] AS t0_r2, [issues].[subject] AS t0_r3, [issues].[description] AS t0_r4, [issues].[due_date] AS t0_r5, [issues].[category_id] AS t0_r6, [issues].[status_id] AS t0_r7, [issues].[assigned_to_id] AS t0_r8, [issues].[priority_id] AS t0_r9, [issues].[fixed_version_id] AS t0_r10, [issues].[author_id] AS t0_r11, [issues].[lock_version] AS t0_r12, [issues].[created_on] AS t0_r13, [issues].[updated_on] AS t0_r14, [issues].[start_date] AS t0_r15, [issues].[done_ratio] AS t0_r16, [issues].[estimated_hours] AS t0_r17, [issues].[parent_id] AS t0_r18, [issues].[root_id] AS t0_r19, [issues].[lft] AS t0_r20, [issues].[rgt] AS t0_r21, [issues].[is_private] AS t0_r22, [issues].[closed_on] AS t0_r23, [issue_statuses].[id] AS t1_r0, [issue_statuses].[name] AS t1_r1, [issue_statuses].[is_closed] AS t1_r2, [issue_statuses].[position] AS t1_r3, [issue_statuses].[default_done_ratio] AS t1_r4, [projects].[id] AS t2_r0, [projects].[name] AS t2_r1, [projects].[description] AS t2_r2, [projects].[homepage] AS t2_r3, [projects].[is_public] AS t2_r4, [projects].[parent_id] AS t2_r5, [projects].[created_on] AS t2_r6, [projects].[updated_on] AS t2_r7, [projects].[identifier] AS t2_r8, [projects].[status] AS t2_r9, [projects].[lft] AS t2_r10, [projects].[rgt] AS t2_r11, [projects].[inherit_members] AS t2_r12, [projects].[default_version_id] AS t2_r13, [projects].[default_assigned_to_id] AS t2_r14, [user
```

```
s].[id] AS t3_r0, [users].[login] AS t3_r1, [users].[hashed_password] AS t3_r2, [users].[firstname] AS t3_r3, [users].[lastname] AS t3_r4, [users].[admin] AS t3_r5, [users].[status] AS t3_r6, [users].[last_login_on] AS t3_r7, [users].[language] AS t3_r8, [users].[auth_source_id] AS t3_r9, [users].[created_on] AS t3_r10, [users].[updated_on] AS t3_r11, [users].[type] AS t3_r12, [users].[identity_url] AS t3_r13, [users].[mail_notification] AS t3_r14, [users].[salt] AS t3_r15, [users].[must_change_passwd] AS t3_r16, [users].[passwd_changed_on] AS t3_r17, [trackers].[id] AS t4_r0, [trackers].[name] AS t4_r1, [trackers].[is_in_chlog] AS t4_r2, [trackers].[position] AS t4_r3, [trackers].[is_in_roadmap] AS t4_r4, [trackers].[fields_bits] AS t4_r5, [trackers].[default_status_id] AS t4_r6, [trackers].[description] AS t4_r7, [enumerations].[id] AS t5_r0, [enumerations].[name] AS t5_r1, [enumerations].[position] AS t5_r2, [enumerations].[is_default] AS t5_r3, [enumerations].[type] AS t5_r4, [enumerations].[active] AS t5_r5, [enumerations].[project_id] AS t5_r6, [enumerations].[parent_id] AS t5_r7, [enumerations].[position_name] AS t5_r8, [issue_categories].[id] AS t6_r0, [issue_categories].[project_id] AS t6_r1, [issue_categories].[name] AS t6_r2, [issue_categories].[assigned_to_id] AS t6_r3, [versions].[id] AS t7_r0, [versions].[project_id] AS t7_r1, [versions].[name] AS t7_r2, [versions].[description] AS t7_r3, [versions].[effective_date] AS t7_r4, [versions].[created_on] AS t7_r5, [versions].[updated_on] AS t7_r6, [versions].[wiki_page_title] AS t7_r7, [versions].[status] AS t7_r8, [versions].[sharing] AS t7_r9 FROM [issues] INNER JOIN [projects] ON [projects].[id] = [issues].[project_id] INNER JOIN [issue_statuses] ON [issue_statuses].[id] = [issues].[status_id] LEFT OUTER JOIN [users] ON [users].[id] = [issues].[assigned_to_id] LEFT OUTER JOIN [trackers] ON [trackers].[id] = [issues].[tracker_id] LEFT OUTER JOIN [enumerations] ON [enumerations].[id] = [issues].[priority_id] AND [enumerations].[type] IN (N'IssuePriority') LEFT OUTER JOIN [issue_categories] ON [issue_categories].[id] = [issues].[category_id] LEFT OUTER JOIN [versions] ON [versions].[id] = [issues].[fixed_version_id] WHERE (projects.status <> 9 AND EXISTS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND ((issues.status_id IN (SELECT id FROM issue_statuses WHERE is_closed=0)) AND projects.id = 169) ORDER BY projects.lft ASC, issues.id ASC, issues.id DESC OFFSET 0 ROWS FETCH NEXT @0 ROWS ONLY', N'@0 int', @0 = 500
```

```
app/models/issue_query.rb:360:in `rescue in issues'
app/models/issue_query.rb:318:in `issues'
lib/redmine/helpers/gantt.rb:152:in `issues'
lib/redmine/helpers/gantt.rb:176:in `projects'
lib/redmine/helpers/gantt.rb:216:in `render'
test/unit/lib/redmine/helpers/gantt_test.rb:85:in `block in <class:GanttHelperTest>'
```

```
bin/rails test test/unit/lib/redmine/helpers/gantt_test.rb:79
```

(snip)

Failure:

```
GanttsControllerTest#test_gantt_should_work [/Users/harada/_work_/redmine/git/dev-trunk/test/functional/gantts_controller_test.rb:41]:
```

```
Expected response to be a <2XX: success>, but was a <500: Internal Server Error>
```

```
bin/rails test test/functional/gantts_controller_test.rb:33
```

F

Failure:

```
GanttsControllerTest#test_gantt_should_not_disclose_private_projects [/Users/harada/_work_/redmine/git/dev-trunk/test/functional/gantts_controller_test.rb:117]:
```

```
Expected response to be a <2XX: success>, but was a <500: Internal Server Error>
```

```
bin/rails test test/functional/gantts_controller_test.rb:115
```

(snip)

```
Finished in 924.631252s, 5.3632 runs/s, 24.4162 assertions/s.
4959 runs, 22576 assertions, 12 failures, 16 errors, 4 skips
```

```
You have skipped tests. Run with --verbose for details.
dev-trunk $
```

## #12 - 2020-02-25 14:44 - Sascha Merz

Will this issue be solved in 4.1.1?

We as a team are using Redmine as our project management solution on a daily basis. To have Gantt is a key feature for us.

Thank you. Sascha

## #13 - 2020-03-31 16:57 - Marius BĂLTEANU

- Has duplicate Defect #33224: SQL Server: A column has been specified more than once added

## #14 - 2020-03-31 18:32 - Pavel Rosický

- File gantt.rb.patch added

for reference [#29581](#) caused the issue

patches 32737-remove-duplicate-keys.patch and gantt.rb.patch should be applied

#### #15 - 2020-04-01 10:04 - Marius BĂLTEANU

- Target version set to 4.1.1

We should fix this in [4.1.1](#) together with [#30285](#).

#### #16 - 2020-04-01 10:11 - Marius BĂLTEANU

- Description updated

#### #17 - 2020-04-02 05:02 - Yuichi HARADA

Pavel Rosický wrote:

for reference [#29581](#) caused the issue

patches 32737-remove-duplicate-keys.patch and gantt.rb.patch should be applied

That's great. All tests completed successfully by combining 32737-remove-duplicate-keys.patch and gantt.rb.patch. However, since the relative path of gantt.rb was unknown, I was rebuilt gantt.rb.patch.

```
diff --git a/lib/redmine/helpers/gantt.rb b/lib/redmine/helpers/gantt.rb
index 16f180090..206cdea24 100644
--- a/lib/redmine/helpers/gantt.rb
+++ b/lib/redmine/helpers/gantt.rb
@@ -151,7 +151,7 @@ module Redmine
   def issues
     @issues ||= @query.issues(
       :include => [:assigned_to, :tracker, :priority, :category, :fixed_version],
-      :order => "#{Project.table_name}.lft ASC, #{Issue.table_name}.id ASC",
+      :order => ["#{Project.table_name}.lft ASC", "#{Issue.table_name}.id ASC"],
       :limit => @max_rows
     )
   end
end
```

#### #18 - 2020-04-02 08:46 - Go MAEDA

- Related to Defect [#29581](#): Issues in paginated views may be lost because sorting criteria are not unique added

#### #19 - 2020-04-02 09:59 - Go MAEDA

- Status changed from New to Closed

- Assignee set to Go MAEDA

- Resolution set to Fixed

Committed the patch. Thank you to everyone involved in testing and fixing the issue.

### Files

production.log	27.2 KB	2020-01-02	Sascha Merz
32737_exclude_same_column_from_orderby.patch	2.41 KB	2020-01-22	Yuichi HARADA
32737-remove-duplicate-keys.patch	1.51 KB	2020-01-27	Go MAEDA
gantt.rb.patch	529 Bytes	2020-03-31	Pavel Rosický