

Redmine - Patch #34122

Store inline autocomplete data sources in a JS variable

2020-10-16 08:24 - Marius BĂLTEANU

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Go MAEDA	% Done:	0%
Category:	Code cleanup/refactoring	Estimated time:	0.00 hour
Target version:	4.2.0		
Description			
<p>When I've implemented first the inline autocomplete feature (4.1.0) I chose to store the autocomplete data source path in a data attribute (data-issue-url) of each textarea field that support this feature. The solution touched 9 views files (r18444).</p> <p>Since then, new requests came to support inline autocomplete for other sources like macros or wiki pages (#33425, #33820) and if we keep the current solution, we need to touch again the same files and add two new attributes. On a long term, the solution doesn't seem very efficient.</p> <p>My proposal is to change the current implement and store all the paths in a JS variable, attached an working version.</p> <p>Any feedback on this is really appreciated.</p>			

Associated revisions

Revision 20191 - 2020-10-25 02:01 - Go MAEDA

Store inline autocomplete data sources in a JS variable (#34122).

Patch by Marius BALTEANU.

History

#1 - 2020-10-22 04:42 - Go MAEDA

+1
The change makes views clearer.

#2 - 2020-10-25 02:01 - Go MAEDA

- Status changed from New to Closed
- Assignee set to Go MAEDA

Committed the patch. Thank you.

Files

0001-Store-autocomplete-data-sources-in-a-JS.patch	11.7 KB	2020-10-16	Marius BĂLTEANU
--	---------	------------	-----------------