

## Redmine - Defect #3670

### SVN repository: missing config/initializers/session\_store.rb

2009-07-25 11:48 - Andreas Deininger

<b>Status:</b>	Closed	<b>Start date:</b>	2009-07-25
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	
<b>Resolution:</b>	Invalid		

**Description**

Came across that while updating my redmin instance to svn revision 2824:

<http://www.redmine.org/news/show/22> states:

```
A rake task was added to make this step easier. You just need to run the following command from your Redmine directory:  
rake config/initializers/session_store.rb
```

However, I couldn't find the file session\_store.rb neither in my trunk checkout nor anywhere else in the Redmine SVN repository.

Am I overlooking something?

Just in case anyone else runs into that problem:

I resolved my problem by manually adding the line below to the file config/environemnt.rb. (That's what is supposed to be done by the rake command).

```
config.action_controller.session = {  
  :session_key => '_scotfurs_site_session',  
  :secret      => 'abcdef...'  
}
```

### History

#### #1 - 2009-07-25 17:16 - Mischa The Evil

- Status changed from New to Closed
- Resolution set to Invalid

Andreas Deininger wrote:

<http://www.redmine.org/news/show/22> states:

[...]

However, I couldn't find the file session\_store.rb neither in my trunk checkout nor anywhere else in the Redmine SVN repository.

Look at <source:/trunk/lib/tasks/initializers.rake>. If you run the command rake config/initializers/session\_store.rb the preceding rake-task generates the secret-key and writes it to the (automatically generated) ../config/initializers/session\_store.rb-file.

Mischa.