Redmine - Defect #3677

fetching changesets from Mercurial repository fails

2009-07-27 12:14 - Andreas Deininger

Status: Closed Start date: 2009-07-27

Priority: Normal Due date:

Assignee: Toshi MARUYAMA % Done: 0%

Category: SCM Estimated time: 0.00 hour

Target version:

Resolution: Duplicate Affected version:

Description

I'm trying to fetching changesets from a HG repository attached to my project.

ruby script/runner "Repository.fetch:changesets"

That task chokes due to the fact that one single file in my repository contains umlauts (character: ä) in its file name.

Stacktrace:

c:/Programme/ruby/lib/ruby/gems/1.8/gems/rails-2.2.2/lib/commands/runner.rb:47: c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_adapters/abstract_adapter.rb:188:in `log': Mysql::Error: Incorrect string value: '\xE4nken....' for column 'path' at row 1: I NSERT INTO `changes` (`changeset_id`, `action`, `revision`, `branch`, `from_path`, `path`, `from_revision`) VALUES(38, 'A', NULL, NULL, NULL, '/H_Programm_rpy/Paralleles_Tränken.ucd', NULL) (Active Record::StatementInvalid)

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_ adapters/mysql_adapter.rb:309:in `execute'

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_
adapters/abstract/database_statements.rb:171:in `insert_sql'

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_
adapters/mysql_adapter.rb:319:in `insert_sql'

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_adapters/abstract/database_statements.rb:44:in `insert_without_query_dirty'

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/connection_
adapters/abstract/query_cache.rb:18:in `insert'

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/base.rb:273 3:in `create_without_callbacks'

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/callbacks.r
b:237:in `create_without_timestamps'

from c:/Programme/ruby/lib/ruby/gems/1.8/gems/activerecord-2.2.2/lib/active_record/timestamp.rb:29:in `create'

... 30 levels...

 $\verb|from c:/Programme/ruby/lib/ruby/gems/1.8/gems/rails-2.2.2/lib/commands/runner.rb:47| \\$

from c:/Programme/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `gem_original_r
equire'

from c:/Programme/ruby/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:31:in `require'
from script/runner:3

Related issues:

Is duplicate of Redmine - Defect #2664: Mercurial: Repository path encoding o... Closed 2009-02-04

History

#1 - 2011-01-18 07:25 - Toshi MARUYAMA

- Subject changed from fetching changesets from HG repository fails to fetching changesets from Mercurial repository fails
- Category set to SCM
- Assignee set to Toshi MARUYAMA

#2 - 2011-02-08 05:02 - Toshi MARUYAMA

2025-05-02 1/2

- Status changed from New to Closed
- Resolution set to Duplicate

Try #2664 note-19 patches.

2025-05-02 2/2