

Redmine - Defect #3969

Plugins loaded before config/initializers/session_store.rb ?

2009-10-05 00:12 - J  r  my Lal

Status:	Closed	Start date:	2009-10-05
Priority:	Normal	Due date:	
Assignee:	Jean-Philippe Lang	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Wont fix		
Description This bug is related to issue #2815 , and applies to redmine trunk with rails 2.2.3, before rails 2.3 migration. The cookie session name has the default value (session_id) with BotsFilter plugin, and the right value (_redmine_session) without. How to reproduce : - login to redmine, installed without plugins - check which cookies are defined in your browser for that domain, you should see "_redmine_session" - logout - stop redmine, install the BotsFilter plugin , restart redmine - login again - now the cookie name is _session_id, not _redmine_session.			

History

#1 - 2009-10-05 01:57 - J  r  my Lal

ActionController is loaded by BotsPlugin, before session_store.rb sets ActionController::Base.session, that's why it has no effect.
I can't find a way around this...

#2 - 2009-10-05 10:25 - J  r  my Lal

- Assignee set to Jean-Philippe Lang

this seems to be a BotsPlugin issue...

#3 - 2009-10-05 19:42 - Jan Wagner

In production.log:

/!\ FAILSAFE /!\ 05/10/2009
Status: 500 Internal Server Error
A secret is required to generate an integrity hash for cookie session data. Use config.action_controller.session = { :session_key => "_myapp_session", :secret => "some secret phrase of at least 30 characters" } in config/environment.rb

The problem also occurs also at least with: redmine_code_review and redmine_local_avatars

#4 - 2009-10-08 14:27 - J  r  my Lal

Adding config.action_controller.session to config/environment.rb would fix this problem, but it is not consistent with

rake config/initializers/session_store.rb

which is a good way of generating the secret key.

It also hides other (potentially) similar situations with the other files in config/initializers/

I found a working solution, however it can't be applied to any plugin, only those where predefining a singleton is NOT what is wanted :

mv vendor/plugins/redmine-botsfilter-1.00/init.rb config/initializers/z-plugins/redmine_bots_filter.rb

z-plugins dirname is to make sure plugin initialization happens after every other initializer.

#5 - 2009-11-11 19:51 - Jean-Philippe Lang

- *Status changed from New to Closed*

- *Resolution set to Wont fix*

This is not reproducible with latest trunk and Rails 2.3.4.