

Redmine - Defect #40490

login page back_url always use http not https

2024-03-28 04:56 - Bill Hsu

Status:	New	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			
Description			
<p>I have a Redmine 5.1.2.stable executed in container, and I use Apache HTTPD to proxy https to http port 3000. Everything is working perfect, but my webpage is scanned by system and get a "Site does not enforce HTTPS" issue. It says my login URL's back_url is http, not https. But all my service is running in https URL. How can I solve this issue to be</p> <p>https://redmine.XXX.com/login?back_url=https%3A%2F%2Fredmine.XXX.com%2F</p> <p>not</p> <p>https://redmine.XXX.com/login?back_url=http%3A%2F%2Fredmine.XXX.com%2F</p>			

History

#1 - 2024-03-28 08:16 - C S

Make sure that under Administration->Configuration the protocol has been set from http to https...

#2 - 2024-03-28 08:32 - Bill Hsu

C S wrote in [#note-1](#):

Make sure that under Administration->Configuration the protocol has been set from http to https...

Already configure as https, and work fine. Only login's back_url not work.

#3 - 2024-03-30 08:42 - Go MAEDA

Does adding the following configuration to the reverse proxy server set up with Apache fix the problem?

```
RequestHeader set X-Forwarded-Proto "https"
```