
Redmine - Defect #42259

Problems with upgrading redmine from version 4.2.1 to 5.0.3

2025-02-13 09:28 - zhang junguan


Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Resolution:	Invalid	Affected version:	

As the topic, the way I did it was to directly download the new 5.0.3 version of redmine, and then export and import the data from the 8.0.34 version of mysql database in the 4.2.1 version of redmine into 10.4.24-MariaDB using phpmyAdmin, and there was no problem with this import/export process, I was able to migrate the data in the tables through the This import/export process is fine, and I observed through phpmyadmin that the data in the table was migrated successfully. However, when I logged into the new version of redmine, the page reported an error. The approximate error is a method not found, but I found the source code and the





2025-07-17 1/3



Troubleshooting source code

2025-07-17 2/3

```
user.rb
                        ×
                               account_controller.rb
                                                                                         setting.rb
                                                                                                                             application_controller.rb
models > @ user.rb
                                                                                                                                                                                                                           > twofa_required
                                                                                                                                                                                                                                                                              Aa _ab, _* 1 of 2
                     def twofa active?
                      twofa_scheme.present?
   384
                      end
                     def must_activate_twofa?
                          return false if twofa_active?
                         return true if Setting.twofa_required?
                         return true if Setting.twofa_required_for_administrators? && admin?
                         return true if Setting.twofa_optional? && groups.any?(&:twofa_required?)
                     def pref
                          self.preference ||= UserPreference.new(:user => self)

■ production.log ×

C: > Bitnami > redmine-5.0.3-0 > apps > redmine > htdocs > log > ≡ production.log
              I, [2025-02-13T09:23:55.138293 #2664] INFO --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] Processing by AccountController#login as HTML
I, [2025-02-13T09:23:55.139031 #2664] INFO --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] Parameters: {"utf8"=>"\", "authenticity_tollogin as HTML
              I, [2025-02-13T09:23:55.147262 #2664] INFO --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]
                                                                                                                                                                                                                             Current user: anonymous
              \textbf{I, [2025-02-13T09:23:55.207139 \#2664]} \quad \textbf{INFO --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Successful authentication for 'zjq' from ::1} \\ \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]} \quad \textbf{Info --: [30dee3e7-bd29-4b10-b2a3-a2
              I, [2025-02-13T09:23:55.324941 #2664] INFO --: [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] Completed 500 Internal Server Error in 185ms
              F, [2025-02-13T09:23:55.327906 #2664] FATAL -- : [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]
              [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] NoMethodError (undefined method `twofa_required?' for #<Group:0x000000296cc8055b0>
              Did you mean? twofa_scheme?):
394
              [30dee3e7-bd29-4b10-b2a3-a2990068e1b6]
[30dee3e7-bd29-4b10-b2a3-a2990068e1b6] app/models/user.rb:391:in `must_activate_twofa?'
               [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] app/controllers/application_controller.rb:95:in `start_user_session'
               [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] app/controllers/application_controller.rb:186:in `logged_user='
               [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] app/controllers/account_controller.rb:333:in `successful_authentication'
               [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] app/controllers/account_controller.rb:326:in `handle active user
               [30dee3e7-bd29-4b10-b2a3-a2990068e1b6] app/controllers/account_controller.rb:317:in `password_authentication'
```

History

#1 - 2025-02-14 15:02 - Holger Just

- Status changed from New to Closed
- Resolution set to Invalid

When upgrading Redmine, you also have to run database migrations. See RedmineUpgrade.

Files

clipboard-202502131617-xaf01.png	1.95 KB	2025-02-13	zhang junquan
clipboard-202502131618-kap3m.png	45.1 KB	2025-02-13	zhang junquan
clipboard-202502131619-amem2.png	59 KB	2025-02-13	zhang junquan
clipboard-202502131621-gi6uh.png	35.1 KB	2025-02-13	zhang junquan
clipboard-202502131623-1rae7.png	18.9 KB	2025-02-13	zhang junquan
clipboard-202502131625-0nt0l.png	101 KB	2025-02-13	zhang junquan
clipboard-202502131627-2bnrm.png	102 KB	2025-02-13	zhang junquan

2025-07-17 3/3