Redmine - Feature #460

better mercurial integration with hgweb

2007-10-19 01:32 - Piero Sartini

Status: New Start date:

Priority: Normal Due date:

Assignee: % Done: 0%

Category: SCM extra Estimated time: 0.00 hour

Target version:

Resolution:

Description

the svn integration is very nice - something like that would be great for mercurial as well.

History

#1 - 2008-02-27 10:41 - Piero Sartini

isn't it possible to re-use the subversion parts for access control? i played around with it but my perl skills are by far not good enough to get this working.

I tried it like this:

```
ScriptAliasMatch ^/hg(.*) /path/to/repos/hg/hgwebdir.cgi$1
<Directory /path/to/repos/hg/>
Options ExecCGI FollowSymLinks
AllowOverride None
AuthType Basic
AuthName redmine
Require valid-user
PerlAccessHandler Apache::Authn::Redmine::access_handler
PerlAuthenHandler Apache::Authn::Redmine::authen_handler
PerlSetVar dsn DBI:Pg:dbname=redmine;host=myhost
PerlSetVar db_user redmine
PerlSetVar db_pass mypassword
AuthBasicAuthoritative Off
</Directory>
```

I get the following error:

```
[error] Internal error: pcfg_openfile() called with NULL filename
```

After asking google, the problem seems to be that both, hgwebdir.cgi as well as the PerlAccessHandler from redMine want to control the authentication. Unfortunately it doesn't help to set "AuthBasicAuthoritative Off".

I think this would be a great addition to redmine. Maybe this is no real problem for someone with better perl skills...

#2 - 2011-01-07 12:15 - Toshi MARUYAMA

- Category set to SCM

#3 - 2011-01-07 12:16 - Toshi MARUYAMA

- Subject changed from better mercurial integration to better mercurial integration with hgweb

#4 - 2011-02-07 22:14 - Alessio Caiazza

Apache configuration for Mercurial repositories

Can it be marked as Resolved?

#5 - 2011-03-24 07:26 - Toshi MARUYAMA

- Category changed from SCM to SCM extra

2025-05-02 1/1