Redmine - Defect #5124

Errors in formatting of texts 2.

2010-03-19 16:02 - Mike Stupalov

Status:	New		**Start date:**	2010-03-19
Priority:	Normal		**Due date:**	
Assignee:			**% Done:**	0%
Category:	Text formatting		**Estimated time:**	0.00 hour
Target version:				
Resolution:			**Affected version:**	1.0.2

Description

- inline links (urls and mailto) with leading "!" does not display correctly
  (be displayed as text without a leading "!"):

!ya.mail@example.org	[!ya.mail@example.org](mailto:ya.mail@example.org)
!http://ya.url.com/	!http://ya.url.com/

- strange appearance of the code block, where it should not be. Paste the text into a new wiki page and see the result:

```
h2. header

 2.2. item
  a. subitem
```

- tables are not created, if at the end there is no blank line:

```
|1|1|1| |1|1|1|
zc
```

```
|1|1|1|
|1|1|1|
zc
```

- and repeating the error mentioned in another ticket [#5045](#):

(100 - Ksp)/100	**/100**
* (100 - Ksp) /100*	* 100 - Ksp /100*

History

#1 - 2010-03-30 09:58 - Mike Stupalov

Mike Stupalov wrote:

> strange appearance of the code block, where it should not be. Paste the text into a new wiki page and see the result:
> [...]

I found when it appears:
If, after the title are empty strings, and after the text begins with a space.

#2 - 2010-10-17 22:59 - Jean-Baptiste Barth

- Assignee changed from Jean-Philippe Lang to Jean-Baptiste Barth

- Affected version (unused) changed from 0.9.3 to 1.0.2

- Affected version changed from 0.9.3 to 1.0.2

Taking the 4 problems your report in the same order:

- 1: I don't understand, you say we should accept "!" chars ? Can you give me source, actual behavior and desired behavior ?
- 2: it's desired behavior, it allows having code automatically put into pre/code blocks. The header display is weird because of a css ID added to the h2 tag. It could be fixed in the themes css, but I don't think it's so important, what do you think ?
- 3: don't know if it's really desired behavior, but it's the way RedCloth works for block sections, would be very difficult to change.
- 4: it's desired behavior. Parenthesis are used to specify CSS options. Imho, you should put any maths formula between two arboas signs, so that they're displayed correctly. As a workaround, you can put a dummy css class like this: *(blah)(100 - Ksp)/100* => **(100 - Ksp)**/**100**

#3 - 2010-10-18 09:22 - Mike Stupalov

Jean-Baptiste Barth wrote:

> Taking the 4 problems your report in the same order:
>
> - 1: I don't understand, you say we should accept "!" chars ? Can you give me source, actual behavior and desired behavior ?

No, I meant: if before the link to deliver the character "!", the link shouldn't be generated and the character "!" It should not be displayed. Example:

> - 2: it's desired behavior, it allows having code automatically put into pre/code blocks. The header display is weird because of a css ID added to the h2 tag. It could be fixed in the themes css, but I don't think it's so important, what do you think?

I think it's still not the correct behavior. This problem has arisen in the first place, after converting from wiki trac to redmine.

> - 3: don't know if it's really desired behavior, but it's the way RedCloth works for block sections, would be very difficult to change.
> - 4: it's desired behavior. Parenthesis are used to specify CSS options. Imho, you should put any maths formula between two arboas signs, so that they're displayed correctly. As a workaround, you can put a dummy css class like this: *(blah)(100 - Ksp)/100* => **(100 - Ksp)**/**100**

In the previous ticket I've said that all of these problems can be solved by switching to a new version RedCloth (4.x)...

#4 - 2010-10-19 07:14 - Jean-Baptiste Barth

See [#6269](#) about Redcloth 4 support, it has some drawbacks..

#5 - 2010-10-19 07:25 - Mike Stupalov

Jean-Baptiste Barth wrote:

> See [#6269](#) about Redcloth 4 support, it has some drawbacks..

Oh, yes. Will be just fine.

#6 - 2012-06-10 22:42 - Jean-Baptiste Barth

- Assignee deleted (Jean-Baptiste Barth)