

## Redmine - Feature #5405

### change Emission mail address to the operating user

2010-04-29 21:21 - Antoine Beaupré

<b>Status:</b>	Closed	<b>Start date:</b>	2010-04-29
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Email notifications	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Resolution:</b>	Duplicate		
<b>Description</b>			
<p>Right now, all email coming from redmine appears to come from the Emission mail address which is good, but not complete. A good thing would be to change the "From" to include details about "who" made the change. So instead of just having:</p> <p>From: <a href="mailto:redmine@redmine.example.com">redmine@redmine.example.com</a></p> <p>we could have:</p> <p>From: User Joe &lt;<a href="mailto:redmine@redmine.example.com">redmine@redmine.example.com</a>&gt;</p> <p>... so that at a quick glance in our email clients, we would see who did the change in RT.</p>			
<b>Related issues:</b>			
Related to Redmine - Feature #247: Notification mail sender is the author and...		<b>Closed</b>	
Related to Redmine - Feature #5643: Add X-Redmine-Sender header to email noti...		<b>Closed</b>	<b>2010-06-05</b>
Is duplicate of Redmine - Feature #241: Mailer sender is set as event initiator		<b>Closed</b>	

### History

#### #1 - 2012-06-29 11:48 - Lucy Yevseyeva

+100500

#### #2 - 2017-06-06 02:15 - Go MAEDA

Redmine Mail From plugin may be useful to you.

[https://github.com/taqueci/redmine\\_mail\\_from](https://github.com/taqueci/redmine_mail_from)

#### #3 - 2019-02-11 01:18 - Go MAEDA

- Status changed from New to Closed

- Resolution set to Duplicate

Closing as a duplicate of [#241](#).

#### #4 - 2019-02-11 16:14 - Go MAEDA

- Is duplicate of Feature #241: Mailer sender is set as event initiator added