

Redmine - Defect #5479

Can't login to redmine (Windows server 2003, correct username and password)

2010-05-09 08:34 - xiaoyu yin

Status:	Closed	Start date:	2010-05-09
Priority:	High	Due date:	
Assignee:		% Done:	0%
Category:	Database	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

apache port is 8080.
<http://127.0.0.1:8080> can see the login interface.

but after put in username and password when I point the login , it shows as below:

```
ActiveRecord::StatementInvalid in AccountController#login
Mysql::Error: Unknown column 'position' in 'order clause': SELECT * FROM `custom_fields` WHERE (type = 'UserCustomField')
ORDER BY position
RAILS_ROOT: E:/SCM/BitNami Redmine Stack/apps/redmine

Application Trace | Framework Trace | Full Trace
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:49:in
`available_custom_fields'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:62:in
`custom_field_values'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:75:in
`save_custom_field_values'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:178:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:178:in `evaluate_method'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:166:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:93:in `run'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `each'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `run'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:276:in `run_callbacks'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/callbacks.rb:344:in `callback'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/callbacks.rb:251:in `create_or_update'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2538:in `save_without_validation'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/validations.rb:1078:in `save_without_dirty'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/dirty.rb:79:in `save_without_transactions'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:229:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:229:in
`with_transaction_returning_status'
```

E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:136:in
`transaction'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:182:in `transaction'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:228:in
`with_transaction_returning_status'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:196:in `save'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:208:in
`rollback_active_record_state!'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:196:in `save'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2622:in `update_attribute'
E:/SCM/BitNami Redmine Stack/apps/redmine/app/models/user.rb:123:in `try_to_login'
E:/SCM/BitNami Redmine Stack/apps/redmine/app/controllers/account_controller.rb:144:in `password_authentication'
E:/SCM/BitNami Redmine Stack/apps/redmine/app/controllers/account_controller.rb:34:in `login'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:49:in
`available_custom_fields'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:62:in
`custom_field_values'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:75:in
`save_custom_field_values'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:178:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:178:in `evaluate_method'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:166:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:93:in `run'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `each'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `run'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:276:in `run_callbacks'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/callbacks.rb:344:in `callback'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/callbacks.rb:251:in `create_or_update'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2538:in `save_without_validation'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/validations.rb:1078:in `save_without_dirty'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/dirty.rb:79:in `save_without_transactions'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:229:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:229:in
`with_transaction_returning_status'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:136:in
`transaction'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:182:in `transaction'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:228:in
`with_transaction_returning_status'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:196:in `save'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:208:in
`rollback_active_record_state!'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:196:in `save'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2622:in `update_attribute'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in

```
`perform_action_without_filters'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:617:in `call_filters'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:610:in  
`perform_action_without_benchmark'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in  
`perform_action_without_rescue'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:17:in `ms'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:17:in `ms'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in  
`perform_action_without_rescue'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/rescue.rb:160:in  
`perform_action_without_flash'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/flash.rb:146:in `perform_action'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `send'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `process_without_filters'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:606:in `process'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:391:in `process'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:386:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/routing/route_set.rb:437:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:87:in `dispatch'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:121:in `_call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:130  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'  
E:/SCM/BitNami Redmine  
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:9:in `cache'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:28:in `call'  
E:/SCM/BitNami Redmine  
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/string_coercion.rb:25:in `call'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/params_parser.rb:15:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/session/cookie_store.rb:93:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/failsafe.rb:26:in `call'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:106:in `call'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/cgi_process.rb:44:in `dispatch CGI'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:101:in `dispatch CGI'  
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:27:in `dispatch'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in `process'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `synchronize'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `process'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in `process_client'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `process_client'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in `run'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `each'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `run'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:128:in `run'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in `run'  
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:281  
E:/SCM/BitNami Redmine Stack/ruby/bin/mongrel_rails:19:in `load'  
E:/SCM/BitNami Redmine Stack/ruby/bin/mongrel_rails:19  
E:/SCM/BitNami Redmine  
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
```

E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:661:in `find_by_sql'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:1548:in `find_every'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:615:in `find'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:49:in
`available_custom_fields'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:62:in
`custom_field_values'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/plugins/acts_as_customizable/lib/acts_as_customizable.rb:75:in
`save_custom_field_values'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:178:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:178:in `evaluate_method'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:166:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:93:in `run'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `each'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:92:in `run'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/callbacks.rb:276:in `run_callbacks'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/callbacks.rb:344:in `callback'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/callbacks.rb:251:in `create_or_update'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2538:in `save_without_validation'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/validations.rb:1078:in `save_without_dirty'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/dirty.rb:79:in `save_without_transactions'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:229:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:229:in
`with_transaction_returning_status'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/database_statements.rb:136:in
`transaction'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:182:in `transaction'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:228:in
`with_transaction_returning_status'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:196:in `save'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:208:in
`rollback_active_record_state!'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/transactions.rb:196:in `save'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/base.rb:2622:in `update_attribute'
E:/SCM/BitNami Redmine Stack/apps/redmine/app/models/user.rb:123:in `try_to_login'
E:/SCM/BitNami Redmine Stack/apps/redmine/app/controllers/account_controller.rb:144:in `password_authentication'
E:/SCM/BitNami Redmine Stack/apps/redmine/app/controllers/account_controller.rb:34:in `login'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:1331:in
`perform_action_without_filters'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:617:in `call_filters'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:610:in
`perform_action_without_benchmark'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in `ms'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/1.8/benchmark.rb:308:in `realtime'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activesupport/lib/active_support/core_ext/benchmark.rb:17:in `ms'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/rescue.rb:160:in
`perform_action_without_flash'

```
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/flash.rb:146:in `perform_action'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `send'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:532:in `process_without_filters'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/filters.rb:606:in `process'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:391:in `process'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/base.rb:386:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/routing/route_set.rb:437:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:87:in `dispatch'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:121:in `_call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:130
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:29:in `call'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:9:in `cache'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/query_cache.rb:28:in `call'
E:/SCM/BitNami Redmine
Stack/apps/redmine/vendor/rails/activerecord/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/string_coercion.rb:25:in `call'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/params_parser.rb:15:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/session/cookie_store.rb:93:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/failsafe.rb:26:in `call'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:106:in `call'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/cgi_process.rb:44:in `dispatch CGI'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:101:in `dispatch CGI'
E:/SCM/BitNami Redmine Stack/apps/redmine/vendor/rails/actionpack/lib/action_controller/dispatcher.rb:27:in `dispatch'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:76:in `process'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `synchronize'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/rails.rb:74:in `process'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:159:in `process_client'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `each'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:158:in `process_client'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `initialize'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `new'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:285:in `run'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `initialize'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `new'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel.rb:268:in `run'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:282:in `run'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `each'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/configurator.rb:281:in `run'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/bin/mongrel_rails:128:in `run'
E:/SCM/BitNami Redmine Stack/ruby/lib/ruby/gems/1.8/gems/mongrel-1.1.5-x86-mingw32/lib/mongrel/command.rb:212:in `run'
E:/SCM/BitNami Redmine Stack/ruby/bin/mongrel_rails:281
E:/SCM/BitNami Redmine Stack/ruby/bin/mongrel_rails:19:in `load'
E:/SCM/BitNami Redmine Stack/ruby/bin/mongrel_rails:19
```

Request

Parameters:

```
{"back_url"=>"http%3A%2F%2Flocalhost%3A8080%2Fredmine%2F",
"authenticity_token"=>"fKIPzWv8ejlYmBZ69mJ3+6Uv51riiDJPHrKfAIUW0=",
"username"=>"root",
"password"=>"admin",
"login"=>"\[\] \302\273"}
```

Show session dump

Response

Headers:

```
{"Content-Type"=>"",  
"Cache-Control"=>"no-cache"}
```

History

#1 - 2010-05-09 08:35 - xiaoyu yin

bitnami redmine stack for redmine 0.9.4

#2 - 2010-05-09 10:32 - Felix Schäfer

- *Status changed from New to Closed*

- *Resolution set to Invalid*

This bugtracker is only for bug reports and feature requests, please use the "help forum":[projects/redmine/boards/2](#) for support. The short answer however is that not all migrations have been applied correctly.