Redmine - Defect #55

Non-unicode repository content not displayed correctly

2007-05-03 09:07 - Nikolay Solakov

Status: Closed Start date:

Priority: Normal Due date:

Assignee: % Done: 0%

Category: Estimated time: 0.00 hour

Target version:

Resolution: Affected version:

Description

Hi,

Look at the attached screenshot.

When I set the page encoding to Windows-1251 it shows the characters correctly.

Thanks, Nikolay

History

#1 - 2007-05-05 16:47 - Jean-Philippe Lang

As files in the repository may be encoded to anything, I don't see any solution that would work in any cases. Do you have a proposition for this?

#2 - 2007-05-07 05:41 - Nikolay Solakov

Unfortunately I don't :(
Maybe there should have some sort of auto-detecting feature
to say what is the encoding of the files, but I don't know
how it is implemented for example in Firefox's
View->Encoding.

Thanks, Nikolay

#3 - 2007-05-21 05:14 - Kyosuke Takayama

Hi.

It should use iconv.

I wrote patch for svn viewer. It is optimized for Japanese now. However, t

It is optimized for Japanese now. However, there is not influence towards the English zone.

And It can cope with other character codes zone if you change CharSets.

```
--- app/models/svn_repos.rb (revision 537)
+++ app/models/svn_repos.rb (working copy)
@ -17,7 +17,23 @
require 'rexml/document'
require 'cgi'
+require 'iconv'
```

class Iconv

CharSets = ['iso-2022-jp', 'euc-jp', 'utf-8', 'shift_jis', 'windows-31j']

def self.to_utf8(str)

+ return str if $\Lambda [\rn \t \x 20-\x 7e]^*\ \x 7e]$ for us-ascii

2025-07-01 1/3

```
CharSets.each do |char|
    begin
     return Iconv.conv("UTF-8", char, str)
    rescue Iconv::IllegalSequence
    end
   end
   str
+ end
end
module SvnRepos
class CommandFailed < StandardError #:nodoc:</pre>
0 - 178,7 + 194,7 
           cat = io.read
         end
        return nil if $? && $?.exitstatus != 0
        cat
        Iconv.to_utf8(cat)
      rescue Errno::ENOENT => e
        raise CommandFailed
  • for Cyrillic support.
    CharSets = ['windows-1251', 'utf-8']
Thank you.
#4 - 2007-05-24 02:49 - Nikolay Solakov
It's not working for me. I put the
CharSets = ['windows-1251', 'utf-8']
instead of
CharSets = ['iso-2022-jp', 'euc-jp', 'utf-8', 'shift_jis',
'windows-31j']
The result is the same. :(
Thanks,
Nikolay
#5 - 2007-05-24 08:23 - Kyosuke Takayama
It does work only in FILE view.
But does not work in DIFF view.
Probably, in the case of DIFF, it is so..
Index: app/models/svn repos.rb ===
--- app/models/svn_repos.rb (revision 538)
+++ app/models/svn_repos.rb (working copy)
@ -310,7 +326,7 @
self << diff_table if diff_table.length
    1
diff_table = DiffTable.new type
end
       a = diff_table.add_line line
        a = diff_table.add_line(lconv.to_utf8(line))
end
self << diff_table
end
#6 - 2007-05-24 09:20 - Nikolay Solakov
```

Nikolay.

Hope Jean-Philippe integrate it soon.

I can now see the cyrillic chars.

Thanks,

2025-07-01 2/3

#7 - 2007-05-24 12:48 - Jean-Philippe Lang

Thanks for your help.

I propose to add the list of possible charsets in lang files, so that they can be set for each language.

The charsets defined for the default language of your redmine installation would be used for iconv convertion.

#8 - 2007-05-24 13:49 - Jean-Philippe Lang

One more thing.

It should be ok for diffs, but trying to convert files to utf-8 (in cat method) in any case may cause some problems (eg. binary files). It should be done only for text files.

I'll have to add a check.

#9 - 2007-09-28 02:52 - Nikolay Solakov

Hi.

Is this bug-feature implemented? When I updated my redMine recently the incorrect characters appeared again :(

Thank, Nikolay

#10 - 2007-09-28 03:00 - Nikolay Solakov

Forgot to say that I was applied the Kyosuke Takayama's patch on my Redmine. But now it's gone due to the repository support rewrite from JP.

#11 - 2007-09-28 12:10 - Jean-Philippe Lang

It's not implemented in current trunk (otherwise this ticket would be closed).

I'll have a look at it.

#12 - 2007-10-07 11:23 - Jean-Philippe Lang

Hi,

This fix was finally committed in r814. You can set the list of encodings in Admin -> Settings (Repositories encodings).

Thanks.

#13 - 2007-10-07 17:01 - Nikolay Solakov

Thanks, again and again.

Nikolay

Files

cyrillic_repo_files.JPG 134 KB 2008-02-03 Nikolay Solakov

2025-07-01 3/3