

Redmine - Defect #5625

Bitnami redmine 0.9.4 - setup Redmine to send email using GMAIL

2010-05-31 12:15 - ateh ac

Status:	Closed	Start date:	2010-05-31
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Email notifications	Estimated time:	0.00 hour
Target version:		Affected version:	0.9.4
Resolution:	Invalid		

Description

Hi,

Im using Bitnami Redmine stack 0.9.4 in Ubuntu 9.10. I configure Redmine to send email using GMAIL. Following is my email.yml config file

```
production:
delivery_method: :smtp
smtp_settings:
tls:true
address: "smtp.gmail.com"
port: '587'
domain: "gmail.com"
authentication: :plain
user_name: "atehac@gmail.com"
password: "password"
```

I've put require 'tls_smtp' in environment.rb

=====

1. Be sure to restart your web server when you modify this file.

1. Uncomment below to force Rails into production mode when
2. you don't control web/app server and can't set it the proper way
3. ENV['RAILS_ENV'] ||= 'production'

1. Specifies gem version of Rails to use when vendor/rails is not present
RAILS_GEM_VERSION = '2.3.5' unless defined? RAILS_GEM_VERSION

1. Bootstrap the Rails environment, frameworks, and default configuration
require File.join(File.dirname(*FILE*), 'boot')

```
require 'tls_smtp'
```

1. Load Engine plugin if available
begin
require File.join(File.dirname(*FILE*), '../vendor/plugins/engines/boot')

rescue LoadError

.

.

. =====

My production.rb is =====

1. Settings specified here will take precedence over those in config/environment.
rb

1. The production environment is meant for finished, "live" apps.
2. Code is not reloaded between requests
config.cache_classes = true

1. Use a different logger for distributed setups
2. config.logger = SyslogLogger.new

1. Full error reports are disabled and caching is turned on
config.action_controller.consider_all_requests_local = false
config.action_controller.perform_caching = true

1. Enable serving of images, stylesheets, and javascripts from an asset server
2. config.action_controller.asset_host = "http://assets.example.com"

1. Disable delivery errors if you bad email addresses should just be ignored
config.action_mailer.raise_delivery_errors = true

1. No email in production log
config.action_mailer.logger = nil =====

when I click on "Send a test email" link under Administration>Settings>Email Notification s I got error "An error occurred while sending mail (Network is unreachable - connect(2))"

There is no firewall between and It should not network issue since I have install thunderbird in this server to send email using the same account without any issue to send/receive.

Appreciate any helps.
Thanks in advanced.

History

#1 - 2010-05-31 18:18 - Felix Schäfer

- Status changed from New to Closed
- Resolution set to Invalid

Please visit the forums for configuration help, this bugtracker is for bugs in the code.

As to your problem, see <http://redmineblog.com/articles/setup-redmine-to-send-email-using-gmail/>, I think you're missing a space in front of true on the tls: line, and the domain seems to need smtp.gmail.com.

#2 - 2010-06-01 08:03 - ateh ac

thanks!