

Redmine - Feature #6140

REST issues response with issue count limit and offset

2010-08-13 16:18 - Daniel Lindenfelser

Status: Closed	Start date: 2010-08-13
Priority: Normal	Due date:
Assignee:	% Done: 0%
Category: REST API	Estimated time: 0.00 hour
Target version: 1.1.0	
Resolution:	
Description Hi i currently build a Redmine Client Application for some Mobile Devices. I have one Problem. When i request the issues form REST API there is no way to find out how many issues are currently on the Server. On the other responses like the html one there are variables with the issue count, limit and page number. I write this small patch to limit the memory usage and the slowness of query multiple times for different pages to find out how many issues i really have. This patch add the attributes issue count, limit and current page to the issues node of the REST API response for issues (issues.xml)	
Related issues: Related to Redmine - Defect #4745: Bug in index.xml.builder (issues) Closed 2010-02-05	

Associated revisions

Revision 4489 - 2010-12-11 14:13 - Jean-Philippe Lang

Restores object count and adds offset/limit attributes to API responses for paginated collections (#6140).

History

#1 - 2010-08-13 18:41 - Daniel Lindenfelser

now on github

<http://github.com/danlin/redmine/commit/f8d2d207d1c60628eb4fdb10402af6eba5dfbe60>

#2 - 2010-08-26 14:19 - J Doe

- Assignee set to Eric Davis

isn't this a re-introduction of Defect [#4745](#) ?

#3 - 2010-08-31 10:57 - Daniel Lindenfelser

hmmm ok looks like i have to do this in a other way, but generally the real issue count is really useful for all REST consuming.

#4 - 2010-11-27 00:40 - Eric Davis

- Assignee deleted (Eric Davis)

I am stepping down from working on Redmine. If someone else is interesting in working on this issue, feel free to reassign it to them.

Eric Davis

#5 - 2010-12-04 14:19 - Jean-Philippe Lang

Daniel Lindenfelser wrote:

hmmm ok looks like i have to do this in a other way, but generally the real issue count is really useful for all REST consuming.

Indeed, it's a real problem for building a REST client. Unfortunately, adding these attributes will break activereource clients. The problem was reported to the Rails team [here](#) but it's still present in Rails 3.0.

#6 - 2010-12-04 14:32 - Jean-Philippe Lang

An option would be to include these attributes for "pagination aware" clients that provide a "page" parameter.

Examples:

```
GET /issues.xml
```

```
=> <issues type="array">
  <issue>
  ..
```

```
GET /issues.xml?page=1
```

```
=> <issues type="array" page="1" limit="25" count="562">
  <issue>
  ..
```

Not ideal, but it would be a shame to omit this information just because activerecord doesn't support it.

#7 - 2010-12-06 06:16 - Alex Last

I posted a question on related subject to forum, no responses yet:

REST API for Issues returns different results in a Browser and for CURL

<http://www.redmine.org/boards/2/topics/19904>

#8 - 2010-12-11 14:17 - Jean-Philippe Lang

- Tracker changed from Patch to Feature

- Subject changed from REST issues response with issue count limit and page to REST issues response with issue count limit and offset

- Status changed from New to Closed

- Target version set to 1.1.0

The following attributes were added by [r4489](#) in the response: total_count, offset, limit.

Exemple:

```
<issues total_count="2495" type="array" limit="25" offset="0">
  <issue>
  ...
</issue>
</issues>
```

The limit is set to 25 by default and can be raised to 100. It does not depend on the 'Objects per page options' application setting that applies to UI only.

Note about [#4745](#): using active_resource 2.3.5, renaming the count attribute to total_count seems to solve the problem but it's weird because I don't see anything in the Rails code that would confirm this. Anyway, a compatibility mode was added: these attributes will be omitted if nometa=1 param is present or 'X-Redmine-Nometa' header is set. This can be set this way:

```
class RedmineResource < ActiveResource::Base
  self.site = 'http://localhost:3000/'
  self.user = 'xxxx'
  self.password = 'xxx'

  def self.inherited(child)
    child.headers['X-Redmine-Nometa'] = '1'
  end
end

class Issue < RedmineResource
end
```

#9 - 2010-12-12 23:15 - Alex Last

Jean-Philippe, thanks.

I have a java method getIssues(), which is supposed to load **all** issues with the given Query ID.

do I have to perform multiple queries to the server to go through pages when I need all issues now?
it's not very convenient...

Is this done to limit memory usage in Ruby?

how do I specify amount of issues per page in my request? This page does not explain it: http://www.redmine.org/wiki/redmine/Rest_Issues

Thanks for your help.

#10 - 2010-12-13 02:28 - Alex Last

I see "page" parameter is ignored.
these urls have different "page" value:

```
http://academ:3000/issues.xml?project_id=testproject&query_id=2&page=0&per_page=100&key=01d7692c218a74d60d25d8eb5f62874a22ef8599
```

```
http://academ:3000/issues.xml?project_id=testproject&query_id=2&page=1&per_page=100&key=01d7692c218a74d60d25d8eb5f62874a22ef8599
```

- but return the same list of tasks with offset="0" attribute:

```
<?xml version="1.0" encoding="UTF-8"?><issues type="array" limit="25" total_count="50" offset="0">.....
```

#11 - 2010-12-13 02:38 - Alex Last

I had to read the trunk code to find out that "offset" and "limit" parameters must be used instead of "page" and "per_page".
this query works fine:

```
http://academ:3000/issues.xml?project_id=testproject&query_id=2&offset=0&limit=100&key=01d7692c218a74d60d25d8eb5f62874a22ef8599
```

I will update the Wiki page if I have permissions.

Files

0001-Add-count-limit-and-page-to-REST-issues-request.patch	1.46 KB	2010-08-13	Daniel Lindenfelser
0002-ops-default-page-is-1-not-zero.patch	1.02 KB	2010-08-13	Daniel Lindenfelser