

Redmine - Defect #6676

.htaccess assumes to use mod_fcgi if istalled

2010-10-15 11:59 - Anton Vesnin

Status:	Closed	Start date:	2010-10-15
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	1.0.2
Resolution:	Wont fix		

Description

This code in .htaccess creates a problem when you have mod_fastcgi or such, but running rails under passenger apache module.

```
<IfModule mod_fastcgi.c>
    RewriteRule ^(.*)$ dispatch.fcgi [QSA,L]
</IfModule>
<IfModule mod_fcgid.c>
    RewriteRule ^(.*)$ dispatch.fcgi [QSA,L]
</IfModule>
<IfModule mod_cgi.c>
    RewriteRule ^(.*)$ dispatch.cgi [QSA,L]
</IfModule>
```

History

#1 - 2010-10-16 20:24 - Holger Just

- Status changed from New to Closed
- Resolution set to Wont fix

You don't need the .htaccess file with passenger at all. A common (and recommended) setup is therefore to use the following statement inside your Apache configuration to disable processing of .htaccess files:

```
AllowOverride none
```

Another variant would be to just remove the .htaccess file completely.

There are just no other ways. You can't really tell whether the installed module is actually used or not.