

## Redmine - Defect #6789

### HTTP/500 when accessing home page OR

2010-11-02 09:41 - Adrian S.

<b>Status:</b> Closed	<b>Start date:</b> 2010-11-02
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b> Projects	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	<b>Affected version:</b>
<b>Resolution:</b> Duplicate	
<b>Description</b>	
<p>Hi,</p> <p>There is a strange bug when I try to access the homepage or any project home page wich has some news items (projects without any news item displays correclly):</p> <pre>Processing WelcomeController#index (for XXX.XXX.XXX.XXX at 2010-11-02 09:34:39) [GET]   Parameters: {"action"=&gt;"index", "controller"=&gt;"welcome"}   Rendering template within layouts/base   Rendering welcome/index  ActionView::TemplateError (wrong number of arguments (2 for 0)) on line #6 of app/views/news/_news.rhtml: 3: &lt;%= "(#{l(:label_x_comments, :count =&gt; news.comments_count)})" if news.comments_count &gt; 0 %&gt; 4: &lt;br /&gt; 5: &lt;%= unless news.summary.blank? %&gt;&lt;span class="summary"&gt;&lt;%=h news.summary %&gt;&lt;/span&gt;&lt;br /&gt;&lt;% end %&gt; 6: &lt;span class="author"&gt;&lt;%= authoring news.created_on, news.author %&gt;&lt;/span&gt;&lt;/p&gt;</pre> <p>Regards,</p>	
<b>Related issues:</b>	
Duplicates Redmine - Defect # 6784: Redmine not working with i18n gem 0.4.2 <span style="float: right;"><b>Closed</b>      <b>2010-11-01</b></span>	

### History

#### #1 - 2010-11-02 09:54 - Adrian S.

I forgot to mention: it's not working anymore on r4359 **and** on r4214.

Both redmine trackers run on the same server:

- Ubuntu 10.04 LTS x64
- Passenger 3.0.0
- PostgreSQL 8.4.5

All gems have been updated before the svn update on the first tracker (r4359).

#### #2 - 2010-11-02 10:00 - Holger Just

Can you please paste your gem list --local? Esp. the version of your i18n gem.

Here you go:

- i18n (0.4.2, 0.4.1)

### Full list

\*\*\* LOCAL GEMS \*\*\*

aaronh-chronic (0.3.9)  
abstract (1.0.0)  
actionmailer (3.0.1, 3.0.0, 2.3.8, 2.3.7, 2.3.5, 2.3.4, 2.3.2, 2.1.2)  
actionpack (3.0.1, 3.0.0, 2.3.8, 2.3.7, 2.3.5, 2.3.4, 2.3.2, 2.1.2)  
activemerchant (1.9.0, 1.8.0, 1.7.3, 1.7.2, 1.7.1, 1.5.1, 1.5.0, 1.4.2, 1.4.1)  
activemodel (3.0.1, 3.0.0)  
activerecord (3.0.1, 3.0.0, 2.3.8, 2.3.7, 2.3.5, 2.3.4, 2.3.2, 2.1.2)  
activerecord-tableless (0.1.0)  
activeresource (3.0.1, 3.0.0, 2.3.8, 2.3.7, 2.3.5, 2.3.4, 2.3.2, 2.1.2)  
activesupport (3.0.1, 3.0.0, 2.3.8, 2.3.7, 2.3.5, 2.3.4, 2.3.2, 2.1.2)  
addressable (2.2.2, 2.2.1, 2.2.0, 2.1.2, 2.1.1, 2.1.0, 2.0.2)  
arel (2.0.1, 1.0.1)  
authlogic (2.1.6, 2.1.5, 2.1.3)  
authlogic-oid (1.0.4)  
bcrypt-ruby (2.1.2)  
braintree (2.6.1, 2.6.0, 2.5.2, 2.5.0, 2.4.0)  
builder (2.1.2)  
bundler (1.0.3, 1.0.2, 1.0.0, 0.9.26, 0.9.25, 0.9.24, 0.9.23, 0.9.21, 0.9.13, 0.9.12)  
calendar\_date\_select (1.16.1, 1.15)  
cancan (1.4.0, 1.3.4, 1.3.3, 1.3.2, 1.2.0, 1.1.1, 1.0.2)  
capistrano (2.5.19, 2.5.18, 2.5.17)  
cgi\_multipart\_eof\_fix (2.5.0)  
cheat (1.3.0)  
chronic (0.3.0, 0.2.3)  
columnize (0.3.1)  
daemon\_controller (0.2.5)  
daemons (1.1.0, 1.0.10)  
data\_mapper (1.0.2, 1.0.0)  
data\_objects (0.10.2, 0.10.1, 0.10.0, 0.9.12)  
diff-lcs (1.1.2)  
dm-aggregates (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
dm-constraints (1.0.2, 1.0.0, 0.10.2)  
dm-core (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
dm-migrations (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
dm-serializer (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
dm-sweatshop (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
dm-timestamps (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
dm-transactions (1.0.2, 1.0.0)  
dm-types (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
dm-validations (1.0.2, 1.0.0, 0.10.2, 0.10.1, 0.9.11)  
do\_sqlite3 (0.10.2, 0.10.1.1, 0.10.0, 0.9.12)  
erubis (2.6.6, 2.6.5)  
eventmachine (0.12.10)

extlib (0.9.15, 0.9.14, 0.9.13)  
faker (0.3.1)  
fastercsv (1.5.3, 1.5.1, 1.5.0)  
fastthread (1.0.7)  
file-tail (1.0.5)  
gem\_plugin (0.2.3)  
gemcutter (0.6.1, 0.5.0, 0.4.1)  
ghost (0.2.8)  
gist (1.2.1)  
git (1.2.5)  
gnuplot (2.3.4, 2.3.3, 2.3.1, 2.2)  
haml (3.0.23, 3.0.22, 3.0.21, 3.0.18, 3.0.17, 3.0.16, 3.0.15, 3.0.6, 3.0.4, 2.2.24, 2.2.23, 2.2.22, 2.2.21, 2.2.20, 2.2.19, 2.2.17, 2.2.16, 2.2.15, 2.2.14, 2.2.13, 2.2.10, 2.2.9, 2.2.8, 2.2.7)  
haml-edge (3.1.79, 3.1.73, 3.1.72, 3.1.69, 3.1.66, 3.1.62, 3.1.52, 3.1.23, 3.1.16, 2.3.238, 2.3.209, 2.3.177, 2.3.175, 2.3.172, 2.3.169, 2.3.164, 2.3.162, 2.3.161, 2.3.155, 2.3.100, 2.3.97, 2.3.93, 2.3.86, 2.3.85, 2.3.78, 2.3.67, 2.3.65, 2.3.59, 2.3.54, 2.3.50)  
highline (1.6.1, 1.5.2, 1.5.1)  
hoe (2.6.2, 2.6.1, 2.6.0, 2.5.0, 2.4.0, 2.3.3)  
i18n (0.4.2, 0.4.1)  
jeweler (1.4.0)  
json\_pure (1.4.6, 1.4.3, 1.4.2, 1.2.4, 1.2.3, 1.2.2, 1.2.1, 1.2.0, 1.1.9)  
less (1.2.21, 1.2.20)  
libxml-ruby (1.1.4, 1.1.3)  
linecache (0.43)  
mail (2.2.9, 2.2.7, 2.2.6.1, 2.2.6, 2.2.5)  
mailfactory (1.4.0)  
merb (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-action-args (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-assets (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-auth (1.1.1, 1.1.0, 1.0.15, 1.0.12)  
merb-auth-core (1.1.1, 1.1.0, 1.0.15, 1.0.12)  
merb-auth-more (1.1.1, 1.1.0, 1.0.15, 1.0.12)  
merb-auth-slice-password (1.1.1, 1.1.0, 1.0.15, 1.0.12)  
merb-cache (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-core (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-exceptions (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-gen (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-haml (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-helpers (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-mailer (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-more (1.0.15, 1.0.12)  
merb-param-protection (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb-slices (1.1.3, 1.1.0, 1.0.15, 1.0.12)  
merb\_datamapper (1.1.2, 1.1.1, 1.1.0, 1.0.15, 1.0.12)  
mime-types (1.16)  
mongrel (1.1.5)  
mongrel\_cluster (1.0.5)  
mutter (0.5.3)  
mysql (2.8.1)  
net-scp (1.0.4, 1.0.3, 1.0.2)  
net-sftp (2.0.5, 2.0.4)  
net-ssh (2.0.23, 2.0.22, 2.0.21, 2.0.20)  
net-ssh-gateway (1.0.1)  
newrelic (2.7.4)

newrelic\_rpm (2.13.2, 2.13.1, 2.12.3, 2.12.1, 2.12.0, 2.11.3, 2.11.2, 2.11.1, 2.10.6, 2.10.5, 2.10.4, 2.9.9, 2.9.8, 2.9.6, 2.9.5)  
nifty-generators (0.4.2, 0.4.1, 0.4.0, 0.3.2)  
paperclip (2.3.5, 2.3.4, 2.3.3, 2.3.1.1)  
ParseTree (3.0.6, 3.0.5, 3.0.4)  
passenger (3.0.0, 2.2.15, 2.2.11, 2.2.10, 2.2.9, 2.2.8, 2.2.7, 2.2.5)  
polyglot (0.3.1, 0.3.0, 0.2.9)  
postgres (0.7.9.2008.01.28)  
rack (1.2.1, 1.1.0, 1.0.1, 1.0.0)  
rack-mount (0.6.13, 0.6.12)  
rack-test (0.5.6, 0.5.5, 0.5.4)  
radiant (0.9.1, 0.8.2, 0.8.1)  
rails (3.0.1, 3.0.0, 2.3.8, 2.3.7, 2.3.5, 2.3.4, 2.3.2, 2.1.2)  
railties (3.0.1, 3.0.0)  
rake (0.8.7)  
randexp (0.1.5, 0.1.4)  
recaptcha (0.2.3)  
RedCloth (4.2.3, 4.2.2)  
rmagick (2.13.1, 2.12.2)  
rspec (2.0.1, 2.0.0, 1.3.0, 1.2.9)  
rspec-core (2.0.1, 2.0.0)  
rspec-expectations (2.0.1, 2.0.0)  
rspec-mocks (2.0.1, 2.0.0)  
rspec-rails (2.0.1, 1.3.2, 1.2.9)  
ruby-debug (0.10.3)  
ruby-debug-base (0.10.3)  
ruby-debug-ide (0.4.10, 0.4.9)  
ruby-openid (2.1.8, 2.1.7)  
ruby2ruby (1.2.5, 1.2.4)  
ruby\_parser (2.0.5, 2.0.4)  
rubyforge (2.0.4, 2.0.3)  
rubygems-update (1.3.7, 1.3.6)  
RubyInline (3.8.6, 3.8.5, 3.8.4, 3.8.3)  
searchlogic (2.4.27, 2.4.26, 2.4.25, 2.4.24, 2.4.23, 2.4.21, 2.4.19, 2.4.12, 2.4.11, 2.4.10, 2.4.1, 2.3.9, 2.3.8, 2.3.6, 2.3.5)  
sexp\_processor (3.0.5, 3.0.4, 3.0.3)  
spree (0.11.2, 0.11.1, 0.11.0, 0.10.2, 0.10.1, 0.9.4, 0.9.3, 0.9.2, 0.9.1)  
sprockets (1.0.2)  
sproutcore (1.4.3, 1.4.2, 1.4.1, 1.0.1046, 1.0.1042, 1.0.1037)  
spruz (0.2.0, 0.1.5)  
state\_machine (0.9.4, 0.9.3, 0.9.2, 0.9.1, 0.9.0, 0.8.1, 0.8.0)  
stringex (1.2.0, 1.1.0, 1.0.3)  
system\_timer (1.0)  
SystemTimer (1.2)  
templater (1.0.0)  
thin (1.2.7, 1.2.6, 1.2.5)  
thor (0.14.3, 0.14.2, 0.14.1, 0.14.0, 0.13.6, 0.13.4, 0.13.3, 0.13.2, 0.13.0, 0.12.3, 0.12.0, 0.11.8, 0.11.7, 0.9.9)  
tldmail (0.0.1)  
treetop (1.4.8, 1.4.5, 1.4.4, 1.4.3, 1.4.2)  
tzinfo (0.3.23)  
uuidtools (2.1.1)  
whenever (0.6.2, 0.6.1, 0.5.3, 0.5.2, 0.5.0, 0.4.2, 0.4.1, 0.3.7)  
will\_paginate (2.3.15, 2.3.14, 2.3.12, 2.3.11)  
ZenTest (4.4.0, 4.3.3, 4.3.1, 4.2.1, 4.1.4)

**#4 - 2010-11-02 10:28 - Holger Just**

There you go. Redmine is only compatible to i18n <= 0.4.1 currently. See #6784. Please remove the i18n 0.4.2 gem, try again and state your results.

Also, Redmine will probably choke about the existence of Rack > 1.0.1 (which is a Rails issue at its core). You should remove these too. If you really need Rails3 (which in turn requires Rack >= 1.1), you should use [RVM](#) and its gemset feature on your server.

**#5 - 2010-11-04 11:26 - Adrian S.**

Hi, I downgraded and it works like a charm. I'll take a deeper look into RVM, I never used it before.

Thanks!

**#6 - 2010-11-04 11:29 - Felix Schäfer**

*- Status changed from New to Closed*

Closing this as it seems to work for you.

**#7 - 2010-11-04 11:35 - Holger Just**

*- Resolution set to Duplicate*

Defect source was incompatibility with i18n 0.4.2. Thus a duplicate of #6784.