

Redmine - Defect #6799

stack level too deep

2010-11-02 17:11 - Eric Snow

Status:	Closed	Start date:	2010-11-02
Priority:	Normal	Due date:	2013-08-26
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	No feedback		

**Description**

Everything was working fine. Our server rebooted and now we are getting the following failure. We had not changed anything or updated anything directly related to redmine, though the failure presumably would indicate that something has changed. (We did a kernel upgrade and some FreeBSD standard library updates). I ran the query directly in sqlite and it worked fine. Thanks.

-eric

+++++

sqlite3 version 3.6.23.1  
ruby 1.8.7 (2009-04-08 patchlevel 160) [i386-freebsd6]  
redmine 1.0 stable from svn (also failed in trunk)  
svn, version 1.5.5 (r34862)

%ruby script/about  
About your application's environment  
Ruby version 1.8.7 (i386-freebsd6)  
RubyGems version 1.3.2  
Rack version 1.0  
Rails version 2.3.5  
Active Record version 2.3.5  
Active Resource version 2.3.5  
Action Mailer version 2.3.5  
Active Support version 2.3.5  
Application root /home/redmine/redmine-1.0  
Environment development  
Database adapter sqlite3  
Database schema version 0

%ruby script/about  
About your application's environment  
Ruby version 1.8.7 (i386-freebsd6)  
RubyGems version 1.3.2  
Rack version 1.0  
Rails version 2.3.5  
Active Record version 2.3.5  
Active Resource version 2.3.5  
Action Mailer version 2.3.5  
Active Support version 2.3.5  
Application root /home/redmine/redmine-1.0  
Environment production  
Database adapter sqlite3  
Database schema version 20100819172912

%gem list --local

LOCAL GEMS \*\*\*  
actionmailer (2.3.5, 2.3.4, 2.3.2)  
actionpack (2.3.5, 2.3.4, 2.3.2)  
activerecord (2.3.5, 2.3.4, 2.3.2)  
activeresource (2.3.5, 2.3.4, 2.3.2)  
activesupport (2.3.5, 2.3.4, 2.3.2)

```
columnize (0.3.1)
linecache (0.43)
mocha (0.9.8)
mysql (2.8.1)
rack (1.0.1)
rails (2.3.5, 2.3.4, 2.3.2)
rake (0.8.4)
rcov (0.8.1.2.0)
ruby-debug (0.10.3)
ruby-debug-base (0.10.3)
sqlite3-ruby (1.2.4)
```

```
%/usr/local/bin/ruby /home/redmine/redmine-1.0/script/server webrick -e production -u
```

```
=> Booting WEBrick
```

```
=> Rails 2.3.5 application starting on http://0.0.0.0:3000
```

```
=> Debugger enabled
```

```
=> Call with -d to detach
```

```
=> Ctrl-C to shutdown server
```

```
[2010-11-01 16:52:16] INFO WEBrick 1.3.1
```

```
[2010-11-01 16:52:16] INFO ruby 1.8.7 (2009-04-08) [i386-freebsd6]
```

```
[2010-11-01 16:52:16] INFO WEBrick::HTTPServer#start: pid=82308 port=3000
```

```
Processing IssuesController#index (for 198.65.168.24 at 2010-11-01 16:52:19) [GET]
```

```
Parameters: {"action"=>"index", "controller"=>"issues"}
```

```
Rendering template within layouts/base
```

```
Rendering issues/index.rhtml
```

```
ActionView::TemplateError (SystemStackError: stack level too deep: SELECT count(*) AS count_all FROM "projects" WHERE
((projects.id != 111) AND (projects."lft" <= 36 AND projects."rgt" >= 37)) ) on line #75 of app/views/queries/_filters.rhtml:
```

```
72: <tr>
```

```
73: <td>
```

```
74: <table>
```

```
75: <%= query.available_filters.sort{|a,b| a1[:order]<=>b1[:order]}.each do |filter| >
```

```
76: < field = filter0
```

```
77: options = filter1 >
```

```
78: <tr <= 'style="display:none;'" unless query.has_filter?(field) > id="tr_<= field %>" class="filter">
```

```
app/models/query.rb:224:in `available_filters'
```

```
app/models/query.rb:223:in `map'
```

```
app/models/query.rb:223:in `available_filters'
```

```
app/views/queries/_filters.rhtml:75:in `_run_rhtml_app47views47queries47_filters46rhtml_locals_filters_object_query'
```

```
app/views/issues/index.rhtml:17:in `_run_rhtml_app47views47issues47index46rhtml'
```

```
app/views/issues/index.rhtml:11:in `_run_rhtml_app47views47issues47index46rhtml'
```

```
app/controllers/issues_controller.rb:84:in `index'
```

```
app/controllers/issues_controller.rb:83:in `index'
```

```
/usr/local/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
```

```
/usr/local/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:162:in `start'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:95:in `start'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:92:in `each'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:92:in `start'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:23:in `start'
```

```
/usr/local/lib/ruby/1.8/webrick/server.rb:82:in `start'
```

```
Rendering /home/redmine/redmine-1.0/public/500.html (500 Internal Server Error)
```

## History

### #1 - 2010-11-03 11:35 - Felix Schäfer

I've seen some \*BSD-related stack problem on the forum recently, the fix was to up some (kernel-level?) stack size. Have a look around there.

### #2 - 2013-08-19 09:22 - Daniel Felix

- Due date set to 2013-08-26

Any news on this issue? I think this one could be closed.

Please give some feedback in the next week, otherwise I'm going to close this at the 26th August.

**#3 - 2013-08-19 09:22 - Daniel Felix**

- *Status changed from New to Needs feedback*

**#4 - 2013-10-03 15:11 - Jan Niggemann (redmine.org team member)**

- *Status changed from Needs feedback to Closed*

- *Resolution set to No feedback*