

Redmine - Defect #6860

svn: Write error: Broken pipe when browsing repository

2010-11-10 23:23 - Be Fio

Status:	Closed	Start date:	2010-11-10
Priority:	Normal	Due date:	
Assignee:		% Done:	100%
Category:	SCM	Estimated time:	0.00 hour
Target version:	1.0.4	Affected version:	1.0.3
Resolution:	Fixed		
Description			
<p>I don't know how this error is getting caused, however I've been trying to track down it's origin forever. This error appears in my default error log, not in the error log for it's associated VHost for some reason. I did some testing, and after I let the activity die down to nothing for maybe 10 minutes, then I go and browse the repository and open a file in redmine, I go back to my log and I can see another "svn: Write error: Broken pipe" error. It's semi-consistent to get this error to re-occur for me.</p> <p>Redmine 1.0.3 Rails 2.3.5 Ruby 1.8.7 svn 1.6.6</p>			

Associated revisions

Revision 4419 - 2010-11-20 15:11 - Jean-Philippe Lang

Fixed: Broken pipe error when browsing subversion repository (#6860).

History

#1 - 2010-11-11 09:46 - Xiwen Cheng

Sounds like SVN is being accessed over SSH? If so you'll probably see that error when you do `svn log | head`. See this [thread](#)

If above is incorrect, how is SVN set up?

#2 - 2010-11-11 17:45 - Mischa The Evil

svn: Write error: Broken pipe when browsing repository

[\[fixed\] SVN-properties \(r1627\) not showing when browsing](#) might be interesting too in your situation...

Please let me know if my fix workes for you too...

#3 - 2010-11-11 20:46 - Be Fio

Mischa The Evil wrote:

svn: Write error: Broken pipe when browsing repository

[\[fixed\] SVN-properties \(r1627\) not showing when browsing](#) might be interesting too in your situation...

Please let me know if my fix workes for you too...

I came across this earlier, and didn't think it had anything to do with me. However, after looking through my repository, it indeed does look like SVN properties aren't showing up. Weird... In this case your fix should be the correct one. This didn't happen to my last installation.. Which is very odd. It looks like that fix was committed to trunk awhile ago, so then, why am I experiencing it? It appears that this could be a re-occurrence of it somehow. I'll do some more testing, with your fix and whatnot, and I'll let you know.

Xiwen Cheng wrote:

Sounds like SVN is being accessed over SSH? If so you'll probably see that error when you do `svn log | head`. See this [thread](#)

If above is incorrect, how is SVN set up?

It's being accessed via the default method, which is of course executing the binary directly with Redmine's SCM SVN adapter. No errors or problems appear on Redmine, other than this error in my log (except maybe that noted just above this)

#4 - 2010-11-11 21:01 - Be Fio

Mischa The Evil,

I applied your fix and all my SVN properties are now appearing. I didn't check my error log, but as I already know that your fix fixed those broken pipe errors too, we now know the cause. Is there anything we can do to fix this on a more global scale, e.g. a commit to trunk? If you need anything more from me, let me know, I'll be happy to help you squash this bug.

#5 - 2010-11-12 00:34 - Toshi MARUYAMA

Could you try to change `io.gets` to `io.read` at [source:/tags/1.0.3/lib/redmine/scm/adapters/subversion_adapter.rb#L39](https://source.redmine.org/projects/redmine/repository/show/trunk?rev=1672) ?

```
diff --git a/lib/redmine/scm/adapters/subversion_adapter.rb b/lib/redmine/scm/adapters/subversion_adapter.rb
--- a/lib/redmine/scm/adapters/subversion_adapter.rb
+++ b/lib/redmine/scm/adapters/subversion_adapter.rb
@@ -36,7 +36,7 @@ module Redmine
   version = nil
   shellout(cmd) do |io|
     # Read svn version in first returned line
-    if m = io.gets.to_s.match(%r{((\d+\.)+\d+)})
+    if m = io.read.to_s.match(%r{((\d+\.)+\d+)})
       version = m[0].scan(%r{\d+}).collect(&:to_i)
     end
   end
end
```

Mercurial adapter changed `io.gets` to `io.read` at [r3722](https://source.redmine.org/projects/redmine/repository/show/trunk?rev=1672).

#6 - 2010-11-12 00:47 - Toshi MARUYAMA

<http://www.redmine.org/projects/redmine/repository/show/trunk?rev=1672> does not show property.

#7 - 2010-11-12 01:04 - Toshi MARUYAMA

- File `redmine-rev-4000.png` added

This is a image after patch applied of [r4000](https://source.redmine.org/projects/redmine/repository/show/trunk?rev=4000).

```
* svk:merge: e93f8b46-1217-0410-a6f0-8f06a7374b81:/trunk:1751
* svn:ignore: coverage
```

<http://www.redmine.org/projects/redmine/repository/show/trunk?rev=4000> does not show.

#8 - 2010-11-12 02:28 - Be Fio

Confirmed, I just removed Mischa The Evil's patch, and added yours in, and it works. Still shows the properties, and I see no broken pipe errors.

#9 - 2010-11-12 02:35 - Mischa The Evil

Toshi MARUYAMA wrote:

Could you try to change `io.gets` to `io.read` at [source:/tags/1.0.3/lib/redmine/scm/adapters/subversion_adapter.rb#L39](https://source.redmine.org/projects/redmine/repository/show/trunk?rev=1672) ?

[...]

Mercurial adapter changed `io.gets` to `io.read` at [r3722](https://source.redmine.org/projects/redmine/repository/show/trunk?rev=1672).

That patch solves the issue at it's root AFAICS. So it seems to be caused by the specific differences between the two different methods.

#10 - 2010-11-12 03:02 - Toshi MARUYAMA

What should I do?

Should I create unit test such as [#5117](https://source.redmine.org/projects/redmine/repository/show/trunk?rev=5117) ?

I notice a patch of [#5117](https://source.redmine.org/projects/redmine/repository/show/trunk?rev=5117) use `io.gets`.

#11 - 2010-11-12 10:59 - Toshi MARUYAMA

Following is test result with `script/console`.

```
$ LANG=C svn --version
svn, version 1.6.13 (r1002816)
```

compiled Oct 11 2010, 08:18:53

Copyright (C) 2000-2009 CollabNet.

Subversion is open source software, see <http://subversion.tigris.org/>

This product includes software developed by CollabNet (<http://www.Collab.Net/>).

Before applied patch

```
$ LANG=C RAILS_ENV=test ruby script/console
Loading test environment (Rails 2.3.5)
/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/gem_dependency.rb:119:Warning: Gem::Dependency#version_requi
rements is deprecated and will be removed on or after August 2010. Use #requirement
>> v = Redmine::Scm::Adapters::SubversionAdapter.client_version
svn: Write error: Broken pipe
=> []
>>
```

After applied patch

```
$ LANG=C RAILS_ENV=test ruby script/console
Loading test environment (Rails 2.3.5)
/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/gem_dependency.rb:119:Warning: Gem::Dependency#version_requi
rements is deprecated and will be removed on or after August 2010. Use #requirement
>> v = Redmine::Scm::Adapters::SubversionAdapter.client_version
=> [1, 6, 13]
>>
```

#12 - 2010-11-12 13:34 - Toshi MARUYAMA

- File *svn-version.diff* added

- % Done changed from 0 to 100

I update a patch to read only first line of "svn --version" and I attach it.

#13 - 2010-11-13 11:55 - Jean-Philippe Lang

This patch changes #gets for #read with less changes. Can you give it a try?

```
Index: lib/redmine/scm/adapters/subversion_adapter.rb
=====
--- lib/redmine/scm/adapters/subversion_adapter.rb      (revision 4392)
+++ lib/redmine/scm/adapters/subversion_adapter.rb      (working copy)
@@ -36,8 +36,8 @@
     version = nil
     shellout(cmd) do |io|
       # Read svn version in first returned line
-      if m = io.gets.to_s.match(%r{((\d+\.)+\d+)})
+      if m = io.gets.to_s.match(%r{((\d+\.)+\d+)})
-         version = m[0].scan(%r{\d+}).collect(&:to_i)
+         version = m[0].scan(%r{\d+}).collect(&:to_i)
+      if m = io.read.to_s.match(%r{\A(?:)((\d+\.)+\d+)})
+         version = m[2].scan(%r{\d+}).collect(&:to_i)
       end
     end
     return nil if $? && $? .exitstatus != 0
```

#14 - 2010-11-13 16:24 - Mischa The Evil

Jean-Philippe Lang wrote:

This patch changes #gets for #read with less changes. Can you give it a try?

[...]

J-PL,

Thanks for looking at this (old) issue. It seemed to me like nobody else encountered it... Regarding your change-proposal: it works flawlessly. I vote (+1) for inclusion into Redmine [1.0.4](#)...

#15 - 2010-11-14 11:05 - Jean-Philippe Lang

- Target version set to 1.0.4

#16 - 2010-11-16 09:18 - Toshi MARUYAMA

As I described at [note-10](#) of [#5096](#), Redmine git adapter use "io.gets".
And Darcs adpter use "io.gets" at [source:tags/1.0.3/lib/redmine/scm/adapters/darcs_adapter.rb#L38](#) .
It maybe we should use "io.each_line" instead of "io.gets".

#17 - 2010-11-20 15:08 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Fixed

Fix committed in [r4419](#).

Toshi, I think #gets is ok as long as every lines are read.

#18 - 2010-11-20 23:37 - Mischa The Evil

Jean-Philippe Lang wrote:

Fix committed in [r4419](#).

Thanks a lot!

Files

redmine-rev-4000.png	130 KB	2010-11-12	Toshi MARUYAMA
svn-version.diff	1.23 KB	2010-11-12	Toshi MARUYAMA