Redmine - Defect #714

LDAP authentication without password

2008-02-22 11:02 - Tibor Toth

Status: Closed Start date: 2008-02-22

0%

Priority: High Due date:

Assignee: % Done:

Category: Accounts / authentication Estimated time: 0.00 hour

Target version: 0.7

Resolution: Fixed Affected version:

Description

I configured LDAP authentication using ActiveDirectory.

Users are able to log in by their username/password, but they also can log in with empty password.

If they enter wrong password (which is not an empty string) they got the "Invalid user or password" message.

I think the problem is in ruby-net-ldap. It is used in /app/models/auth source Idap.rb around line 50:

authenticate user

ldap_con = initialize_ldap_con(dn, password)

return nil unless ldap_con.bind

ldap_con.bind returns true when empty string was given as password.

Redmine version: v0.6.3 ruby-net-ldap version: 0.0.4

Associated revisions

Revision 1169 - 2008-02-22 18:26 - Jean-Philippe Lang

Fixed: LDAP authentication without password may be possible (#714).

Revision 1199 - 2008-03-06 18:22 - Jean-Philippe Lang

Fix LDAP authentication (#714, broken by r1194).

History

#1 - 2008-02-22 15:32 - Sven Schuchmann

You are right. The same thing here. Authentication againt a Novell eDirecoty (LDAP) with an empty password let's everyone in...

#2 - 2008-02-22 17:13 - Witold Oleksiak

Confirmed - the same behavior when authenticating against MS Active Directory...

#3 - 2008-02-22 18:34 - Jean-Philippe Lang

- Status changed from New to Resolved
- Resolution set to Fixed

I can not reproduce this problem with openIdap. Anyway, the fix is committed in trunk (r1169) and 0.6 branch (r1170).

0.6.3 users can apply this patch to fix it:

http://www.redmine.org/repositories/diff/redmine?rev=1170

#4 - 2008-02-25 10:36 - Tibor Toth

Thank you, the fix is working.

#5 - 2008-03-30 00:01 - Jean-Philippe Lang

2025-05-17 1/2

- Status changed from Resolved to Closed
- Target version set to 0.7

2025-05-17 2/2