

Redmine - Defect #7365

HTTP 500 internal error: repositories controller and annotate action with a Mercurial repos

2011-01-18 21:30 - Hadrien David

Status:	Closed	Start date:	2011-01-18
Priority:	Normal	Due date:	
Assignee:	Toshi MARUYAMA	% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:		Affected version:	1.1.0
Resolution:	Invalid		
Description			
- MySQL: Welcome to the MySQL monitor. Commands end with ; or \g. Your MySQL connection id is 10485 Server version: 5.1.41-3ubuntu12.8 (Ubuntu) - App environment: About your application's environment Ruby version 1.8.7 (x86_64-linux) RubyGems version 1.3.5 Rack version 1.0 Rails version 2.3.5 Active Record version 2.3.5 Active Resource version 2.3.5 Action Mailer version 2.3.5 Active Support version 2.3.5 Application root /var/www/XXXXXXXXXX.com/redmine/redmine-1.1 Environment production Database adapter mysql Database schema version 20101114115359 About your Redmine plugins Redmine Hudson plugin 1.0.6 Redmine Wiki Extensions plugin 0.2.2 Timesheet Plugin 0.6.0 Redmine Code Review plugin 0.2.9.3 - Mercurial: Mercurial Distributed SCM (version 1.4.3) - Stack trace: Processing RepositoriesController#annotate (for 4.59.176.6 at 2011-01-18 15:19:58) [GET] Parameters: {"action"=>"annotate", "id"=>"core", "path"=>["core", "model", "__init__.py"], "controller"=>"repositories"} Rendering template within layouts/base Rendering repositories/annotate ActionView::TemplateError (undefined method `changes' for nil:NilClass) on line #77 of app/views/layouts/base.rhtml: 74: </div> 75: </div> 76: </div> 77: <%= call_hook :view_layouts_base_body_bottom %> 78: </body> 79: </html>  lib/redmine/hook.rb:63:in `send'			

```

lib/redmine/hook.rb:63:in `call_hook'
lib/redmine/hook.rb:63:in `each'
lib/redmine/hook.rb:63:in `call_hook'
lib/redmine/hook.rb:60:in `tap'
lib/redmine/hook.rb:60:in `call_hook'
lib/redmine/hook.rb:144:in `call_hook'
app/views/layouts/base.rhtml:77:in `_run_rhtml_app47views47layouts47base46rhtml'
/usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:95:in `process_request'
/usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop'
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:374:in `start_request_handler'
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:332:in `handle_spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork'
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:330:in `handle_spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `__send__'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:209:in `start'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:262:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:126:in `lookup_or_add'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:256:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:80:in `synchronize'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:255:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:154:in `spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:287:in `handle_spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `__send__'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
/usr/lib/ruby/1.8/phusion_passenger/passenger-spawn-server:61

```

History

#1 - 2011-01-18 21:33 - Hadrien David

I forgot to mention that it does not happen with svn repositories.

#2 - 2011-01-18 22:15 - Hadrien David

It also occurs on entry action:

```

Processing RepositoriesController#entry (for 4.59.176.6 at 2011-01-18 16:13:46) [GET]
  Parameters: {"action"=>"entry", "id"=>"core", "path"=>["setup.py"], "controller"=>"repositories"}
Rendering template within layouts/base
Rendering repositories/entry

```

```

ActionView::TemplateError (undefined method `changes' for nil:NilClass) on line #77 of app/views/layouts/base.rhtml:
74: </div>
75: </div>
76: </div>
77: <%= call_hook :view_layouts_base_body_bottom %>
78: </body>
79: </html>

```

```

lib/redmine/hook.rb:63:in `send'
lib/redmine/hook.rb:63:in `call_hook'
lib/redmine/hook.rb:63:in `each'
lib/redmine/hook.rb:63:in `call_hook'
lib/redmine/hook.rb:60:in `tap'
lib/redmine/hook.rb:60:in `call_hook'
lib/redmine/hook.rb:144:in `call_hook'
app/views/layouts/base.rhtml:77:in `_run_rhtml_app47views47layouts47base46rhtml'
/usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:95:in `process_request'
/usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop'
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:374:in `start_request_handler'

```

```
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:332:in `handle_spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork'
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:330:in `handle_spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `__send__'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:209:in `start'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:262:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:126:in `lookup_or_add'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:256:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:80:in `synchronize'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:255:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:154:in `spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:287:in `handle_spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `__send__'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
/usr/lib/phusion_passenger/passenger-spawn-server:61
```

Rendering /var/www/socialludia.com/redmine/redmine-1.1/public/500.html (500 Internal Server Error)

by the way, here is the plugins list we are using:

```
acts_as_activity_provider
acts_as_attachable
acts_as_customizable
acts_as_event
acts_as_list
acts_as_searchable
acts_as_tree
acts_as_versioned
acts_as_watchable
awesome_nested_set
classic_pagination
coderay-0.9.2
engines
gravatar
open_id_authentication
prepend_engine_views
redmine_code_review
redmine_hudson
redmine_wiki_extensions
rfpdf
ruby-net-ldap-0.0.4
timesheet_plugin
```

#3 - 2011-01-18 22:54 - Hadrien David

Strange behaviour:

- When creating another project and linking it to the same mercurial repos, it works. :-/

#4 - 2011-01-19 01:39 - Toshi MARUYAMA

- Category set to SCM

- Assignee set to Toshi MARUYAMA

#5 - 2011-01-19 01:44 - Toshi MARUYAMA

It seems plugin issue.

Please see [#7325](#).

#6 - 2011-01-19 03:12 - Toshi MARUYAMA

- Status changed from New to Closed

- Resolution set to Invalid

Redmine Code Review plugin 0.2.9.3

It seems old.

If clean Redmine (without plugin) has problem, please reopen this issue.